

Starting point formulation – Extender concentrates for water-based systems with ANTI-TERRA-250

Position	Component	Supplier	Function	Extender	Socal P2	Durcal 5	Omyacarb Extra CL	Luzenac 20M2	ASP 200	Blanc Fixe micro
				Supplier	Imerys	Omya	Omya	Imerys	BASF	Venator
				Calcite	Calcite	Calcite	Talc	Kaolin	BaSO ₄	
1	Water		Solvent	32.20	28.60	26.10	37.40	47.30	13.90	
2	Preservative		Preservative	0.10	0.10	0.10	0.10	0.10	0.10	
3	BYK-1730	BYK	Defoamer	0.30	0.30	0.30	0.30	0.30	0.30	
4	ANTI-TERRA-250	BYK	Wetting and dispersing	1.90	0.50	1.00	1.70	1.80	2.20	
5	OPTIGEL-WX	BYK	Anti-settling	0.50	0.50	0.50	0.50	0.50	0.50	
6	Extender	See headline	Filler	65.00	70.00	72.00	60.00	50.00	75.00	
7	Water		Solvent	-	-	-	-	-	8.00	
Total				100.00	100.00	100.00	100.00	100.00	100.00	

Instructions

Premix position 1–5, add extender and disperse well (dissolver is recommended), add position 7 while stirring.

Characteristic data

Additive dosage (solids on extender)

ANTI-TERRA-250	2.00 %	0.50 %	1.00 %	2.00 %	2.50 %	2.10 %
----------------	--------	--------	--------	--------	--------	--------



Your local contact

BYK-Chemie GmbH
Abelstraße 45
46483 Wesel
Germany
Tel +49 281 670-0

info@byk.com
www.byk.com

ANTI-TERRA®, AQUACER®, AQUAMAT®, AQUATIX®, BENTOLITE®, BYK®, BYK-AQUAGEL®, BYK-DYNWET®, BYK-MAX®, BYK-SILCLEAN®, BYKANOL®, BYKCARE®, BYKETOL®, BYKJET®, BYKONITE®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, CERACOL®, CERAFAK®, CERAFLOUR®, CERAMAT®, CERATIX®, CLAYTONE®, CLOISITE®, DISPERBYK®, DISPERPLAST®, FULACOLOR®, FULCAT®, GARAMITE®, GELWHITE®, HORDAMER®, LACTIMON®, LAPONITE®, NANOBYYK®, OPTIBENT®, OPTIGEL®, PURABYK®, RECYCLOBYK®, RHEOBYK®, SCONA®, SILBYK®, TIXOGEL® and VISCOBYK® are registered trademarks of the BYK group.

The information contained herein is based on our current knowledge and experience. No warranties, guarantees and/or assurances of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. Any information about suitability, use or application of the products is non-binding and does not constitute a commitment regarding the products' properties, use or application. Contractual terms and conditions, in particular agreed product specifications, always take precedence. We recommend that you test our products in preliminary trials to determine their suitability for your intended purpose prior to use. We reserve the right to make any changes and to update the information herein without notice.

