

AQUACER 570

케어 제품 및 광택제의 표면 특성을 개선하기 위한 변성된 에코라벨 해바라기왁스 에멀전.

제품 정보

주요 성분

비 이온성 해바라기/ 카나우바 혼합 왁스 에멀전

일반 물성

이 자료의 측정치는 일반 물성이며 제품 규격의 절대치를 의미하는 것이 아닙니다.

VOC-free (< 1500 ppm),
Ecolabel-conform

Non-volatile matter (1 h, 125 °C): 40 %
Carrier: Water
Melting point (wax content): 85 °C
Viscosity (23 °C, D=800/s): < 50 mPa·s
pH value: 5.0

보관 및 운송

온도에 민감하므로 5°C와 35°C 사이에서 보관 및 운송해야 하며, 사용하기 전에 잘 혼합하여야 합니다.

참고사항

AQUACER 570은 에코라벨을 준수합니다.

적용 분야

케어 제품 및 광택제

특성 및 장점

AQUACER 570은 표면의 작은 흠집을 메워 표면의 원래 색상을 복원합니다. 녹는점이 85°C(185°F)이며 기계적 도구를 사용하는 경우 부드러운 천(예: 극세사 천)을 사용하여 쉽게 연마할 수 있습니다. AQUACER 570은 소수성을 향상시킵니다. 케어 제품과 광택제의 소유성.

적용분야

AQUACER 570은 가죽, 코팅 및 비 코팅 표면 등 모든 유형의 표면을 유지하고 보호하는 데 추천됩니다.

Leather care products	X
Car maintenance products	X
Furniture polishes	X

X especially recommended Y recommended

AQUACER 570

Data Sheet
Issue 01/2021

추천 투입량

총량 기준으로 3% - 15% (제공된 기준으로)

높은 투입량도 가능하지만 이 경우 광택을 확인해야 합니다.

위의 추천량은 방향 설정 시 활용할 수 있으며, 최적 사용량은 일련의 실험을 통하여 결정됩니다.

작업 방법 및 공정

첨가제는 생산공정의 모든 단계의 교반 조건하에서 투입이 가능합니다. 표면 활성 물질은 생산 공정 마지막에 첨가되어야 합니다. 그렇지 않으면 생산 중 거품이 나는 경향이 있습니다.

참고사항

케어 제품의 성능을 높이기 위해 다른 왁스 에멀전과 혼합 사용이 가능합니다.



Your local
contact

BYK-Chemie GmbH
Abelstraße 45
46483 Wesel
Germany
Tel +49 281 670-0
Fax +49 281 65735

info@byk.com
www.byk.com

ADD-MAX®, ADD-VANCE®, ANTI-TERRA®, AQUACER®, AQUAMAT®, AQUATIX®, BENTOLITE®, BYK®, BYK-AQUAGEL®, BYK-DYNWET®, BYK-MAX®, BYK-SILCLEAN®, BYKANOL®, BYKCARE®, BYKETOL®, BYKJET®, BYKO2BLOCK®, BYKONITE®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, CERACOL®, CERAFAX®, CERAFLOUR®, CERAMAT®, CERATIX®, CLAYTONE®, CLOISITE®, DISPERBYK®, DISPERPLAST®, FULACOLOR®, FULCAT®, GARAMITE®, GELWHITE®, HORDAMER®, LACTIMON®, LAPONITE®, MINERPOL®, NANOBYK®, OPTIBENT®, OPTIFLO®, OPTIGEL®, POLYAD®, PRIEX®, PURABYK®, PURE THIX®, RECYCLOBLEND®, RECYCLOBYK®, RECYCLOSSORB®, RECYCLOSTAB®, RHEOBYK®, RHEOCIN®, RHEOTIX®, SCONA®, SILBYK®, TIXOGEL® and VISCOBYK® are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions.