

**AQUAMAT 263**

Product code: 00000000000115156

Version 5.0 SDS\_APJ\_MY

Revision Date 03.11.2023

Print Date 31.01.2024

**SECTION 1: Identification of the hazardous chemical and of the supplier****Product identifier**

Product name : AQUAMAT 263

Recommended use : Wax Additive

**Manufacturer or supplier's details**

Company : BYK Netherlands BV

Address : Danzigweg 23  
7418 EN Deventer

Telephone : +49 281 670-23532

Telefax : +49 281 670-23533

E-mail address : GHS.BYK@altana.com

Emergency telephone number : +60 3 6207 4347 (Malay and English)  
+65 3158 1074 (All languages)**SECTION 2: Hazards identification****Classification of the hazardous chemical**

Serious eye damage/eye irritation : Category 2

**Label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements :

**Prevention:**

P264 Wash skin thoroughly after handling.

P280 Wear eye protection/ face protection.

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

**Other hazards which do not result in classification**

None known.

**SECTION 3: Composition and information of the ingredients of the hazardous chemical**

## AQUAMAT 263

Product code: 000000000000115156

Version 5.0 SDS\_APJ\_MY

Revision Date 03.11.2023

Print Date 31.01.2024

Substance / Mixture : Mixture  
 Chemical nature : Oxidized HD polyethylene wax dispersion

### Components

Chemical name	CAS-No.	Concentration (% w/w)
3-butoxypropan-2-ol	5131-66-8	>= 5 -< 7
Alcohols, C12-14- ethoxylated	68439-50-9	>= 1 -< 2.5

### SECTION 4: First aid measures

General advice : Move out of dangerous area.  
 Show this safety data sheet to the doctor in attendance.  
 Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
 If symptoms persist, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.  
 Remove contact lenses.  
 Protect unharmed eye.  
 Keep eye wide open while rinsing.  
 If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
 Do not give milk or alcoholic beverages.  
 Never give anything by mouth to an unconscious person.  
 If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : No information available.  
 Notes to physician : No information available.

### SECTION 5: Firefighting measures

#### Extinguishing media

Suitable extinguishing media : Water  
 Foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical

Unsuitable extinguishing media : High volume water jet

#### Physicochemical hazards arising from the chemical

Hazardous combustion products : Carbon oxides

#### Special protective equipment and precautions for fire-fighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Standard procedure for chemical fires.  
 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### SECTION 6: Accidental release measures

**AQUAMAT 263**

Product code: 000000000000115156

Version 5.0 SDS\_APJ\_MY

Revision Date 03.11.2023

Print Date 31.01.2024

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

**SECTION 7: Handling and storage****Handling****Precautions for safe handling**

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

**Storage****Conditions for safe storage, including any incompatibilities**

- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Keep away from heat.
- Further information on storage stability : No decomposition if stored and applied as directed.

**SECTION 8: Exposure controls and personal protection****Control parameters**

Contains no substances with occupational exposure limit values.

**Individual protection measures, such as personal protective equipment**

- Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.
- Skin protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hand protection  
Material : Nitrile rubber

**AQUAMAT 263**

Product code: 000000000000115156

Version 5.0 SDS\_APJ\_MY

Revision Date 03.11.2023

Print Date 31.01.2024

Break through time : > 480 min  
Glove thickness : 0.4 mm  
Protective index : Class 6

Remarks : The information is based on our own tests, on data from literature and information from protective glove producers or is based on data obtained from similar substances.  
Wear suitable gloves.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

**SECTION 9: Physical and chemical properties**

Appearance : dispersion

Colour : off-white

Odour Threshold : No data available

pH : 9.5 (20 °C)  
Concentration: 100 %

Melting point/range : 2 °C

Boiling point/boiling range : 100 °C

Flash point : Not applicable

Evaporation rate : No data available

Flammability (liquids) : Will not burn

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.0 g/cm<sup>3</sup> (20 °C, 1,013 hPa)

Solubility(ies)  
Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

**AQUAMAT 263**

Product code: 000000000000115156

Version 5.0 SDS\_APJ\_MY

Revision Date 03.11.2023

Print Date 31.01.2024

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : 175 mPa.s  
Method: No information available.

**SECTION 10: Stability and reactivity**

Reactivity : No decomposition if stored and applied as directed.  
Chemical stability : No decomposition if stored and applied as directed.  
Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Conditions to avoid : No data available  
Incompatible materials : Strong acids and strong bases  
Strong oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11: Toxicological information**

Information on likely routes of exposure : None known.

**Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****3-butoxypropan-2-ol:**

Acute oral toxicity : LD50 (Rat): 3,300 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

**Skin corrosion/irritation****Components:****3-butoxypropan-2-ol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Moderate skin irritation  
GLP : yes

**AQUAMAT 263**

Product code: 000000000000115156

Version 5.0 SDS\_APJ\_MY

Revision Date 03.11.2023

Print Date 31.01.2024

**Serious eye damage/eye irritation****Product:**

Remarks : Causes serious eye irritation.

**Components:****3-butoxypropan-2-ol:**

Species : Rabbit  
Result : Severe eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

**Respiratory or skin sensitisation****Product:**

Remarks : No data available

**Components:****3-butoxypropan-2-ol:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

**Germ cell mutagenicity****Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Carcinogenicity****Product:**

Remarks : No data available

**Reproductive toxicity****Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**STOT - single exposure****Product:**

Remarks : No data available

**AQUAMAT 263**

Product code: 000000000000115156

Version 5.0 SDS\_APJ\_MY

Revision Date 03.11.2023

Print Date 31.01.2024

**STOT - repeated exposure****Product:**

Remarks : No data available

**Repeated dose toxicity****Product:**

Remarks : No data available

**Aspiration toxicity****Product:**

No data available

**Further information****Product:**

Remarks : No data available

---

**SECTION 12: Ecological information****Ecotoxicity****Product:**Toxicity to fish :  
Remarks: No data available**Components:****3-butoxypropan-2-ol:**Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 560 - 1,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yesToxicity to daphnia and other : EC50 (Daphnia magna Straus): > 1,000 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yesToxicity to algae/aquatic : (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l  
plants  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yesNOEC (Pseudokirchneriella subcapitata (green algae)): 560 mg/l  
Exposure time: 96 h

**AQUAMAT 263**

Product code: 000000000000115156

Version 5.0 SDS\_APJ\_MY

Revision Date 03.11.2023

Print Date 31.01.2024

Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

**Persistence and degradability****Product:**

Biodegradability : Remarks: No data available

**Components:****3-butoxypropan-2-ol:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301E  
GLP: yes

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: No data available

**Components:****3-butoxypropan-2-ol:**

Partition coefficient: n-  
octanol/water : log Pow: 1.2 (20 °C)  
pH: 7  
Method: OECD Test Guideline 117  
GLP: no

**Mobility in soil**

No data available

**Other adverse effects****Product:**

Additional ecological information : No data available

**SECTION 13: Disposal information****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with  
chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

**SECTION 14: Transport information****International Regulations**

**AQUAMAT 263**

Product code: 00000000000115156

Version 5.0 SDS\_APJ\_MY

Revision Date 03.11.2023

Print Date 31.01.2024

**UNRTDG**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

**IATA-DGR**

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

**IMDG-Code**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

**SECTION 15: Regulatory information****Safety, health, and environmental regulations specific for the hazardous chemical**

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

**SECTION 16: Other information**

Date format : dd.mm.yyyy

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

**AQUAMAT 263**

Product code: 00000000000115156

Version 5.0 SDS\_APJ\_MY

Revision Date 03.11.2023

Print Date 31.01.2024

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MY / EN