

**BYK-360 P**

Version 5

Revision Date 05/17/2026

Print Date 08/06/2026

**SECTION 1. IDENTIFICATION**

Product name : BYK-360 P

**Manufacturer or supplier's details**

Company : BYK USA LLC  
524 South Cherry Street  
Wallingford CT 06492

Telephone : (203) 265-2086  
Visit our web site : [www.byk.com](http://www.byk.com)  
E-mail address : [BRIEF.BYK.NAFTA@altana.com](mailto:BRIEF.BYK.NAFTA@altana.com)

Emergency telephone : 203-265-2086; CHEMTREC 1-800-424-9300 / +1  
number 703-527-3887

**Recommended use of the chemical and restrictions on use**

Recommended use : Leveling Additive  
Restrictions on use : Refer to Section 15 for any restrictions that may apply

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Combustible dust :

**GHS label elements**

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture  
Chemical nature : Polyacrylate, adsorbed on silicon dioxide

**Hazardous components**

| Component         | CAS-No.     | Concentration (%) |
|-------------------|-------------|-------------------|
| Silica, amorphous | 112926-00-8 | >= 30 - < 60      |

**SECTION 4. FIRST AID MEASURES**

General advice : Do not leave the victim unattended.  
If inhaled : If unconscious, place in recovery position and seek medical

**BYK-360 P**

Version 5

Revision Date 05/17/2026

Print Date 08/06/2026

|                                                             |                                                                                                                                                                                       |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In case of skin contact                                     | : advice.<br>If symptoms persist, call a physician.<br>Remove contaminated clothing. Wash thoroughly with soap and water.                                                             |
| In case of eye contact                                      | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed                                                | : Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.       |
| Most important symptoms and effects, both acute and delayed | : No information available.                                                                                                                                                           |

**SECTION 5. FIREFIGHTING MEASURES**

|                                               |                                                                                                                                                     |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : Foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical                                                                                         |
| Unsuitable extinguishing media                | : High volume water jet                                                                                                                             |
| Specific hazards during firefighting          | : Cool closed containers exposed to fire with water spray.<br>Will not explode on mechanical impact.                                                |
| Hazardous combustion products                 | : Carbon oxides<br>silicone compounds                                                                                                               |
| Further information                           | : Standard procedure for chemical fires.<br>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                            |

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

|                                                                     |                                                         |
|---------------------------------------------------------------------|---------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Avoid dust formation.                                 |
| Environmental precautions                                           | : Prevent further leakage or spillage if safe to do so. |
| Methods and materials for containment and cleaning up               | : Keep in suitable, closed containers for disposal.     |

**SECTION 7. HANDLING AND STORAGE**

**BYK-360 P**

Version 5

Revision Date 05/17/2026

Print Date 08/06/2026

- Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Keep away from oxidizing agents.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

| Components        | CAS-No.     | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|-------------------|-------------|----------------------------------|---------------------------------------------------|-----------|
| Silica, amorphous | 112926-00-8 | TWA                              | 6 mg/m <sup>3</sup>                               | OSHA P0   |
| Silica, amorphous |             | TWA (Dust)                       | 20 Million particles per cubic foot (Silica)      | OSHA Z-3  |
| Silica, amorphous |             | TWA (Dust)                       | 80 mg/m <sup>3</sup> / %SiO <sub>2</sub> (Silica) | OSHA Z-3  |
| Silica, amorphous |             | TWA                              | 6 mg/m <sup>3</sup> (Silica)                      | NIOSH REL |

**Engineering measures** : Use with local exhaust ventilation.

**Personal protective equipment**

Respiratory protection : Unless air monitoring demonstrates vapor/mist/dust levels are below the PEL/TLV wear a properly fitted respirator (NIOSH approved) or dust mask during exposure.

Hand protection  
Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**BYK-360 P**

Version 5

Revision Date 05/17/2026

Print Date 08/06/2026

|                                        |                                                                              |
|----------------------------------------|------------------------------------------------------------------------------|
| Physical state                         | : solid                                                                      |
| Colour                                 | : white                                                                      |
| Odour                                  | : none                                                                       |
| Odour Threshold                        | : No data available                                                          |
| pH                                     | : 7, Concentration: 1 % (68 °F (20 °C)) Method: Universal pH-value indicator |
| Melting point/freezing point           | : not determined                                                             |
| Boiling point/boiling range            | : Not applicable                                                             |
| Vapour pressure                        | : No data available                                                          |
| Flash point                            | : Not applicable                                                             |
| Upper explosion limit                  | : No data available                                                          |
| Lower explosion limit                  | : 15 mg/m <sup>3</sup><br>Method: DIN EN 14034                               |
| Evaporation rate                       | : No data available                                                          |
| Flammability (solid, gas)              | : Combustible Solids<br><br>May form combustible dust concentrations in air. |
| Dust explosion description number Kst  | : 111 m.b_/s                                                                 |
| Dust explosion class                   | : St1                                                                        |
| Relative vapour density                | : No data available                                                          |
| Relative Density/Specific Gravity      | : No data available                                                          |
| Particle size                          | : No data available                                                          |
| Density                                | : No data available                                                          |
| Bulk density                           | : 550 - 700 kg/m <sup>3</sup><br>Method: DIN 53466                           |
| Solubility(ies)<br>Water solubility    | : immiscible                                                                 |
| Solubility in other solvents           | : No data available                                                          |
| Partition coefficient: n-octanol/water | : No data available                                                          |
| Ignition temperature                   | : 698 °F (370 °C)                                                            |

**BYK-360 P**

Version 5

Revision Date 05/17/2026

Print Date 08/06/2026

Method: DIN EN 50281-2-1  
Ignition temperature dust cloud

> 752 °F (> 400 °C)  
Method: DIN EN 50281-2-1  
Ignition temperature dust layer

Thermal decomposition : No data available

Viscosity  
Viscosity, dynamic : Not applicable

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.  
Chemical stability : No decomposition if stored and applied as directed.  
Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Conditions to avoid : No data available  
Incompatible materials : Strong oxidizing agents  
Hazardous decomposition products : None expected

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Skin contact  
Skin Absorption  
Inhalation  
Eyes  
Ingestion

**Acute toxicity****Product:**

Acute oral toxicity : Remarks: No data available

**Skin corrosion/irritation****Product:**

Remarks: No data available

**Serious eye damage/eye irritation****Product:**

Remarks: No data available

**BYK-360 P**

Version 5

Revision Date 05/17/2026

Print Date 08/06/2026

**Respiratory or skin sensitisation****Product:**

Remarks: No data available

**Germ cell mutagenicity****Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Carcinogenicity****Product:**

Remarks: No data available

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity****Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**STOT - single exposure****Product:**

Remarks: No data available

**STOT - repeated exposure****Product:**

Remarks: No data available

**Repeated dose toxicity****Product:**

**BYK-360 P**

Version 5

Revision Date 05/17/2026

Print Date 08/06/2026

Remarks: No known chronic health effects.

**Aspiration toxicity****Product:**

No data available

**Experience with human exposure****Product:**

Inhalation:

Symptoms:

Dust particles may cause irritation of the respiratory tract.

Skin contact:

Symptoms:

Contact may cause irritation.

Eye contact:

Symptoms:

Contact may cause irritation.

Ingestion:

Symptoms:

Ingestion may irritate the digestive tract.

**Further information****Product:**

Remarks: No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish

:

Remarks: No data available

**Persistence and degradability****Product:**

Biodegradability

:

Remarks: No data available

**Bioaccumulative potential****Product:**

Bioaccumulation

:

Remarks: No data available

**BYK-360 P**

Version 5

Revision Date 05/17/2026

Print Date 08/06/2026

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information

: No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

EPA Hazardous Waste Code(s)

: Not applicable.

Waste from residues

: Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.  
Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging

: Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****49 CFR**

Not regulated as a dangerous good



**BYK-360 P**

Version 5

Revision Date 05/17/2026

Print Date 08/06/2026

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****US. EPA CERCLA Hazardous Substances (40 CFR 302)**

This material does not contain any components with a CERCLA RQ.

**SARA 304 - Emergency Release Notification**

This material does not contain any components with a section 304 EHS RQ.

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)**

This material does not contain any components with a SARA 302 RQ.

**SARA 311/312 Hazards** : Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for reporting purposes.

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

**Massachusetts Right To Know**

|                   |             |
|-------------------|-------------|
| Silica, amorphous | 112926-00-8 |
|-------------------|-------------|

**Pennsylvania Right To Know**

|                   |             |
|-------------------|-------------|
| Polyacrylate      | -           |
| Silica, amorphous | 112926-00-8 |

**New Jersey Right To Know**

**BYK-360 P**

Version 5

Revision Date 05/17/2026

Print Date 08/06/2026

**New Jersey Trade Secret  
Registry Number for the  
product (NJ TSNR)** : 800963-5490

**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : All substances listed as active on the TSCA inventory

Section 5a : No substances are subject to a Significant New Use Rule.

Section 4 / 12(b) : No substances are subject to TSCA 12(b) export notification requirements.

DSL : We certify that all of the components of this product are listed on the DSL.

**SECTION 16. OTHER INFORMATION**

Revision Date : 05/17/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.