

**BYK-MAX HS 4332**

Product code: 000000000000131473

Version 1.0 SDS\_APJ\_MY

Revision Date 24.04.2023

Print Date 09.08.2023

**SECTION 1: Identification of the hazardous chemical and of the supplier****Product identifier**

Product name : BYK-MAX HS 4332

Recommended use : Long-term stabilization

**Manufacturer or supplier's details**

Company : BYK Netherlands BV

Address : Danzigweg 23  
7418 EN Deventer

Telephone : +49 281 670-23532

Telefax : +49 281 670-23533

E-mail address : GHS.BYK@altana.com

Emergency telephone number : +60 3 6207 4347 (Malay and English)  
+65 3158 1074 (All languages)

**SECTION 2: Hazards identification****Classification of the hazardous chemical**

Carcinogenicity : Category 2

Specific target organ toxicity - repeated exposure : Category 1 (Inhalation, Lungs)

**Label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H351 Suspected of causing cancer.  
H372 Causes damage to organs (Inhalation, Lungs) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P281 Use personal protective equipment as required.

**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**BYK-MAX HS 4332**

Product code: 000000000000131473

Version 1.0 SDS\_APJ\_MY

Revision Date 24.04.2023

Print Date 09.08.2023

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**SECTION 3: Composition and information of the ingredients of the hazardous chemical**

Substance / Mixture : Mixture

Chemical nature : Additive formulation

**Components**

| Chemical name | CAS-No.   | Concentration (% w/w) |
|---------------|-----------|-----------------------|
| Carbon black  | 1333-86-4 | >= 12.5 -< 20         |

**SECTION 4: First aid measures**

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : No information available.  
No information available.

Notes to physician : No information available.

**SECTION 5: Firefighting measures****Extinguishing media**

Suitable extinguishing media : Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

**BYK-MAX HS 4332**

Product code: 000000000000131473

Version 1.0 SDS\_APJ\_MY

Revision Date 24.04.2023

Print Date 09.08.2023

Unsuitable extinguishing media : High volume water jet

**Physicochemical hazards arising from the chemical**

Specific hazards during firefighting : Fire will produce dense black smoke containing hazardous combustion products (see section 10).

**Special protective equipment and precautions for fire-fighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

**SECTION 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

---

**SECTION 7: Handling and storage****Handling****Precautions for safe handling**

Advice on protection against fire and explosion : Avoid dust formation.  
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.  
Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

**Storage****Conditions for safe storage, including any incompatibilities**

**BYK-MAX HS 4332**

Product code: 000000000000131473

Version 1.0 SDS\_APJ\_MY

Revision Date 24.04.2023

Print Date 09.08.2023

- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

**SECTION 8: Exposure controls and personal protection****Control parameters**

| Components   | CAS-No.   | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis  |
|--------------|-----------|----------------------------------|---------------------------------------------------|--------|
| Carbon black | 1333-86-4 | TWA                              | 3.5 mg/m <sup>3</sup>                             | MY PEL |
|              |           | TWA<br>(Inhalable fraction)      | 3 mg/m <sup>3</sup>                               | ACGIH  |

**Individual protection measures, such as personal protective equipment**

- Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles
- Skin protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hand protection
- Material : Nitrile rubber
- Remarks : Wear suitable gloves.  
The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.  
Dust safety masks are recommended when the dust concentration is more than 10 mg/m<sup>3</sup>.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

**SECTION 9: Physical and chemical properties**

- Appearance : granular
- Colour : black

**BYK-MAX HS 4332**

Product code: 000000000000131473

Version 1.0 SDS\_APJ\_MY

Revision Date 24.04.2023

Print Date 09.08.2023

|                                     |   |                                                       |
|-------------------------------------|---|-------------------------------------------------------|
| pH                                  | : | 7 (20 °C)<br>Concentration: 10 %                      |
| Bulk density                        | : | 525 - 650 kg/m <sup>3</sup> Method: 34 (bulk density) |
| Solubility(ies)<br>Water solubility | : | immiscible                                            |

**SECTION 10: Stability and reactivity**

|                                    |   |                                                                                                |
|------------------------------------|---|------------------------------------------------------------------------------------------------|
| Reactivity                         | : | No decomposition if stored and applied as directed.                                            |
| Chemical stability                 | : | No decomposition if stored and applied as directed.                                            |
| Possibility of hazardous reactions | : | Dust may form explosive mixture in air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : | No data available                                                                              |
| Incompatible materials             | : | None known.                                                                                    |
| Hazardous decomposition products   | : | Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).                             |

**SECTION 11: Toxicological information**

Information on likely routes of exposure : None known.

**Acute toxicity****Product:**

Acute oral toxicity : Remarks: No data available

**Skin corrosion/irritation****Product:**

Remarks : No data available

**Serious eye damage/eye irritation****Product:**

Remarks : No data available

**Respiratory or skin sensitisation****Product:**

Remarks : No data available

**BYK-MAX HS 4332**

Product code: 000000000000131473

Version 1.0 SDS\_APJ\_MY

Revision Date 24.04.2023

Print Date 09.08.2023

**Repeated dose toxicity****Product:**

Remarks : No data available

**Further information****Product:**

Remarks : No data available

---

**SECTION 12: Ecological information****Ecotoxicity****Product:**Toxicity to fish :  
Remarks: No data availableToxicity to daphnia and other :  
aquatic invertebrates Remarks: No data available**Persistence and degradability****Product:**

Biodegradability : Remarks: No data available

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: No data available

**Mobility in soil**

No data available

**Other adverse effects****Product:**Additional ecological :  
information No data available

---

**SECTION 13: Disposal information****Disposal methods**Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with  
chemical or used container.  
Send to a licensed waste management company.Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.

**BYK-MAX HS 4332**

Product code: 000000000000131473

Version 1.0 SDS\_APJ\_MY

Revision Date 24.04.2023

Print Date 09.08.2023

Do not re-use empty containers.

**SECTION 14: Transport information****International Regulations****UNRTDG**

|                      |                  |
|----------------------|------------------|
| UN number            | : Not applicable |
| Proper shipping name | : Not applicable |
| Class                | : Not applicable |
| Subsidiary risk      | : Not applicable |
| Packing group        | : Not applicable |
| Labels               | : Not applicable |

**IATA-DGR**

|                                          |                  |
|------------------------------------------|------------------|
| UN/ID No.                                | : Not applicable |
| Proper shipping name                     | : Not applicable |
| Class                                    | : Not applicable |
| Subsidiary risk                          | : Not applicable |
| Packing group                            | : Not applicable |
| Labels                                   | : Not applicable |
| Packing instruction (cargo aircraft)     | : Not applicable |
| Packing instruction (passenger aircraft) | : Not applicable |

**IMDG-Code**

|                      |                  |
|----------------------|------------------|
| UN number            | : Not applicable |
| Proper shipping name | : Not applicable |
| Class                | : Not applicable |
| Subsidiary risk      | : Not applicable |
| Packing group        | : Not applicable |
| Labels               | : Not applicable |
| EmS Code             | : Not applicable |
| Marine pollutant     | : Not applicable |

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

**SECTION 15: Regulatory information****Safety, health, and environmental regulations specific for the hazardous chemical**

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

**SECTION 16: Other information**

**BYK-MAX HS 4332**

Product code: 000000000000131473

Version 1.0 SDS\_APJ\_MY

Revision Date 24.04.2023

Print Date 09.08.2023

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
MY PEL : Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

ACGIH / TWA : 8-hour, time-weighted average  
MY PEL / TWA : Eight-hour time-weighted average airborne concentration

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MY / EN