

FOOD CONTACT

BYK Regulatory Information

CLAYTONE-HY

Organophilic bentonite for aliphatic to aromatic solvent-borne systems. CLAYTONE-HY is self-activating and easy to disperse.

Summary

CLAYTONE-HY is suitable according to the following compositional provisions for food contact applications, as indicated:

| Coatings | | |
|---------------|---|--|
| | Suitable for food contact coatings | Yes |
| EU | Regulation (EU) No. 10/2011 | Yes (restricted) |
| | German BfR & Dutch Warenwet | Yes |
| | USA | 21 CFR 175.300 'Resinous and polymeric coatings' |
| Printing inks | | |
| Europe | Suitable for food contact printing inks | Yes |
| | Swiss Ordinance 817.023.21, Annex 10 | Yes |
| Industry | Nestlé Guidance Note on Packaging Inks (Oct. '18) | Yes |
| | EuPIA Exclusion List (Nov. '16 – Corr. Dec. '18) | Yes |

This summary only reflects conducted evaluations on existing regulations. It does not exclude compliant use in additional regions or applications. Explanations below show details on considered regulations and evaluations.

Explanation

| Coatings | |
|-----------|--|
| EU | <p><u>Regulation (EU) No. 10/2011</u></p> <p>The active component is listed in the PIM, but is restricted: only to be used up to 12 % (w/w) in polyolefins in contact with dry foods to which simulant E is assigned in table 2 of Annex III at room temperature or below. The sum of the specific migration of 1-chlorohexadecane and 1-chlorooctadecane shall not exceed 0,05 mg/kg food. Can contain platelets in the nanoform that are only in one dimension thinner than 100 nm. Such platelets shall be oriented parallel to the polymer surface and shall be fully embedded in the polymer.</p> <p><u>German BfR & Dutch Warenwet</u></p> <p>Applying the principle “mutual recognition” of listing in accordance to “195. Mitteilung” of BfR and Dutch Warenwet, the formulation of CLAYTONE-HY is conform to the compositional requirements of the EU</p> |

regulation of Coatings. However, final legal compliance needs to be verified by the producer of the final article under consideration of the final application and the conditions of use of the product. Furthermore, we recommend migration testing to verify compliance.

Therefore, the product can be recommended for use in food contact coatings in the EU.

USA **21 CFR 175.300 ‘Resinous and polymeric coatings’**

The chemical composition of CLAYTONE-HY is listed in §178.3297 “Colorants for polymers”. Therefore, it can be used as indirect additive, a colorant, for all polymers (including metal-polymer coated (§175.300)).

Printing inks

Europe **Swiss Ordinance 817.023.21, Annex 10**

This product is conform with the compositional requirements of the part for printing inks for packaging of the Swiss Ordinance 817.023.21 (Version of 1 December 2019) since all components are listed in Annex 10. Specific migration limits apply.

Therefore, the product can be recommended for food contact printing inks in Europe.

Industry **Nestlé Guidance Note on Packaging Inks (Oct. '18)**

According to the recipe, the product does not contain any of the substances listed in Table 1 – Table 7 of the Nestlé Guidance note on Packaging Inks (dated October 2018).

EuPIA Exclusion List (Nov. '16 – Corr. Dec. '18)

According to the recipe, none of the substances listed in Annex 1 (Group C – G) of the EuPIA Exclusion List (November 2016 - Corrigendum Dec. 2018) are present. The product itself is not classified and labeled with any of the Hazard Statements given in Group A and B.

General Remarks

Regulations apply within the context of respective regional framework regulations, e.g. Regulation (EU) No. 1935/2004 and FDA 21 CFR 174.5. Since traces of unknown processing aids cannot be fully excluded, compliance with general requirements is the responsibility of the end user.

BYK reserves the right to change or update the information without notice. At most, this letter deems to be actual for three years commencing the date of issue.

Food Contact Team

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions

ACTAL[®], ADD-MAX[®], ADD-VANCE[®], ADJUST[®], ADVITROL[®], ANTI-TERRA[®], AQUACER[®], AQUAMAT[®], AQUATIX[®], BENTOLITE[®], BYK[®], BYK[®]-DYNWET[®], BYK[®]-MAX[®], BYK[®]-SILCLEAN[®], BYKANOL[®], BYKETOL[®], BYKJET[®], BYKO2BLOCK[®], BYKOPLAST[®], BYKUMEN[®], CARBOBYK[®], CERACOL[®], CERAFAK[®], CERAFLOUR[®], CERAMAT[®], CERATIX[®], CLAYTONE[®], CLOISITE[®], DISPERBYK[®], DISPERPLAST[®], FULACOLOR[®], FULCAT[®], GARAMITE[®], GELWHITE[®], HORDAMER[®], LACTIMON[®], LAPONITE[®], MINERAL COLLOID[®], MINERPOL[®], NANOBYK[®], OPTIBENT[®], OPTIFLO[®], OPTIGEL[®], PAPERBYK[®], PERMONT[®], POLYAD[®], PRIEX[®], PURE THIX[®], RECYCLOBLEND[®], RECYCLOBYK[®], RECYCLOSSORB[®], RECYCLOSTAB[®], RHEOBYK[®], RHEOCIN[®], RHEOTIX[®], SCONA[®], SILBYK[®], TIXOGEL[®], VISCOBYK[®] and Y 25[®] are registered trademarks of the BYK group.