

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DISPERBYK-187

Version 6.0

SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020

Print Date 15.05.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : DISPERBYK-187

UFI : EW81-P0N3-800Y-NJ8N

Product code : 000000000000107382

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Wetting & Dispersing Additive

#### 1.3 Details of the supplier of the safety data sheet

Company : BYK-Chemie GmbH  
Abelstrasse 45  
46483 Wesel

Telephone : +49 281 670-0

Telefax : +49 281 65735

  

Information : Regulatory Affairs

Telephone : +49 281 670-23532

Telefax : +49 281 670-23533

E-mail address : GHS.BYK@altana.com

#### 1.4 Emergency telephone number

+44 1235 239670

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3

H226: Flammable liquid and vapour.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DISPERBYK-187

Version 6.0

SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020

Print Date 15.05.2025

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

**Response:**

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Solution of an alkylolammonium salt of a polyfunctional polymer

#### Components

| Chemical name        | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                                                    | Concentration<br>(% w/w) |
|----------------------|-------------------------------------------------------|-------------------------------------------------------------------|--------------------------|
| 1-methoxy-2-propanol | 107-98-2<br>203-539-1<br>01-2119457435-35             | Flam. Liq. 3; H226<br>STOT SE 3; H336<br>(Central nervous system) | >= 12,5 - < 20           |

For explanation of abbreviations see section 16.

## DISPERBYK-187

Version 6.0  
SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020  
Print Date 15.05.2025

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                         |   |                                                                                                                                                                                     |
|-------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice          | : | Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.                                                      |
| If inhaled              | : | If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                                                       |
| In case of skin contact | : | If on skin, rinse well with water.<br>If on clothes, remove clothes.                                                                                                                |
| In case of eye contact  | : | Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed            | : | Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.       |

#### 4.2 Most important symptoms and effects, both acute and delayed

- |          |   |                           |
|----------|---|---------------------------|
| Symptoms | : | No information available. |
| Risks    | : | No information available. |

#### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |                           |
|-----------|---|---------------------------|
| Treatment | : | No information available. |
|-----------|---|---------------------------|

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- |                                |   |                                                                             |
|--------------------------------|---|-----------------------------------------------------------------------------|
| Suitable extinguishing media   | : | Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical |
| Unsuitable extinguishing media | : | High volume water jet                                                       |

#### 5.2 Special hazards arising from the substance or mixture

- |                                       |   |                                                                           |
|---------------------------------------|---|---------------------------------------------------------------------------|
| Specific hazards during fire-fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products         | : | Nitrogen oxides (NO <sub>x</sub> )<br>Carbon oxides                       |

## DISPERBYK-187

Version 6.0  
SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020  
Print Date 15.05.2025

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### 6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid formation of aerosol.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.  
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away

## DISPERBYK-187

Version 6.0  
SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020  
Print Date 15.05.2025

from open flames, hot surfaces and sources of ignition.

Hygiene measures : Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components           | CAS-No.                                                                                                                     | Value type (Form of exposure) | Control parameters               | Basis      |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------------------------|------------|
| 1-methoxy-2-propanol | 107-98-2                                                                                                                    | TWA                           | 100 ppm<br>375 mg/m <sup>3</sup> | 2000/39/EC |
|                      | Further information: Identifies the possibility of significant uptake through the skin, Indicative                          |                               |                                  |            |
|                      |                                                                                                                             | STEL                          | 150 ppm<br>568 mg/m <sup>3</sup> | 2000/39/EC |
|                      | Further information: Identifies the possibility of significant uptake through the skin, Indicative                          |                               |                                  |            |
|                      |                                                                                                                             | TWA                           | 100 ppm<br>375 mg/m <sup>3</sup> | MT OEL     |
|                      | Further information: A skin notation assigned to the OEL identifies the possibility of significant uptake through the skin. |                               |                                  |            |
|                      |                                                                                                                             | STEL                          | 150 ppm<br>568 mg/m <sup>3</sup> | MT OEL     |
|                      | Further information: A skin notation assigned to the OEL identifies the possibility of significant uptake through the skin. |                               |                                  |            |

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name       | End Use   | Exposure routes | Potential health effects   | Value                   |
|----------------------|-----------|-----------------|----------------------------|-------------------------|
| 1-methoxy-2-propanol | Workers   | Inhalation      | Acute local effects        | 553,5 mg/m <sup>3</sup> |
|                      | Workers   | Skin contact    | Long-term systemic effects | 50,6 mg/kg              |
|                      | Workers   | Inhalation      | Long-term systemic effects | 369 mg/m <sup>3</sup>   |
|                      | Consumers | Skin contact    | Long-term systemic effects | 18,1 mg/kg              |
|                      | Consumers | Inhalation      | Long-term systemic effects | 43,9 mg/m <sup>3</sup>  |
|                      | Consumers | Ingestion       | Long-term systemic         | 3,3 mg/kg               |

## DISPERBYK-187

Version 6.0  
SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020  
Print Date 15.05.2025

|                  |           |            | effects                    |                       |
|------------------|-----------|------------|----------------------------|-----------------------|
| propane-1,2-diol | Consumers | Inhalation | Long-term local effects    | 10 mg/m <sup>3</sup>  |
|                  | Workers   | Inhalation | Long-term local effects    | 10 mg/m <sup>3</sup>  |
|                  | Consumers | Inhalation | Long-term systemic effects | 50 mg/m <sup>3</sup>  |
|                  | Workers   | Inhalation | Long-term systemic effects | 168 mg/m <sup>3</sup> |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name       | Environmental Compartment | Value      |
|----------------------|---------------------------|------------|
| 1-methoxy-2-propanol | Fresh water               | 10 mg/l    |
|                      | Marine water              | 1 mg/l     |
|                      | Intermittent releases     | 100 mg/l   |
|                      | Sewage treatment plant    | 100 mg/l   |
|                      | Fresh water sediment      | 41,6 mg/kg |
|                      | Marine sediment           | 4,17 mg/kg |
|                      | Soil                      | 2,47 mg/kg |
| propane-1,2-diol     | Fresh water               | 260 mg/l   |
|                      | Intermittent releases     | 183 mg/l   |
|                      | Marine water              | 26 mg/l    |
|                      | Fresh water sediment      | 572 mg/kg  |
|                      | Marine sediment           | 57,2 mg/kg |
|                      | Soil                      | 50 mg/kg   |
|                      | Sewage treatment plant    | 20000 mg/l |

## 8.2 Exposure controls

### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection  
Material : butyl-rubber  
Break through time : 120,00 min

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

### Environmental exposure controls

General advice : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid  
Colour : light yellow  
Odour : not significant

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DISPERBYK-187

Version 6.0

SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020

Print Date 15.05.2025

---

|                                                  |   |                                                                            |
|--------------------------------------------------|---|----------------------------------------------------------------------------|
| Odour Threshold                                  | : | No data available                                                          |
| Melting point/range                              | : | < 0 °C<br>Method: derived                                                  |
| Initial boiling point                            | : | 120,00 °C<br>Method: derived                                               |
| Upper explosion limit / Upper flammability limit | : | 13,70 %(V)                                                                 |
| Lower explosion limit / Lower flammability limit | : | 1,50 %(V)                                                                  |
| Flash point                                      | : | 51,00 °C<br>Method: 49 (Pensky-Martens)                                    |
| Auto-ignition temperature                        | : | > 200,00 °C<br>Method: DIN 51794                                           |
| Decomposition temperature                        | : | No data available                                                          |
| pH                                               | : | 9 (20 °C)<br>Concentration: 10 %<br>Method: Universal pH-value indicator   |
| Viscosity                                        |   |                                                                            |
| Viscosity, dynamic                               | : | No data available                                                          |
| Viscosity, kinematic                             | : | No data available                                                          |
| Solubility(ies)                                  |   |                                                                            |
| Water solubility                                 | : | completely miscible                                                        |
| Solubility in other solvents                     | : | No data available                                                          |
| Partition coefficient: n-octanol/water           | : | No data available                                                          |
| Vapour pressure                                  | : | 12 hPa (20,00 °C)<br>Method: derived                                       |
| Relative density                                 | : | No data available                                                          |
| Density                                          | : | 1,0530 g/cm <sup>3</sup> (20,00 °C)<br>Method: 4 (20°C oscillating U-tube) |
| Bulk density                                     | : | Not applicable                                                             |
| Relative vapour density                          | : | No data available                                                          |

### 9.2 Other information

|                        |   |                     |
|------------------------|---|---------------------|
| Flammability (liquids) | : | Sustains combustion |
| Evaporation rate       | : | No data available   |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DISPERBYK-187

Version 6.0

SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020

Print Date 15.05.2025

Surface tension : No data available

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

#### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: No data available

##### Components:

##### **1-methoxy-2-propanol:**

Acute oral toxicity : LD50 (Rat, male and female): 4.016 mg/kg  
Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg  
Method: Directive 67/548/EEC, Annex V, B.3.  
GLP: yes

##### Skin corrosion/irritation

##### Product:

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DISPERBYK-187

Version 6.0

SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020

Print Date 15.05.2025

### Components:

#### **1-methoxy-2-propanol:**

Species : Rabbit  
Method : Directive 67/548/EEC, Annex V, B.4.  
Result : No skin irritation  
GLP : yes

### **Serious eye damage/eye irritation**

### Components:

#### **1-methoxy-2-propanol:**

Species : Rabbit  
Method : Directive 67/548/EEC, Annex V, B.5.  
Result : No eye irritation  
GLP : yes

### **Respiratory or skin sensitisation**

### Product:

Remarks : No data available

### Components:

#### **1-methoxy-2-propanol:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Method : Directive 67/548/EEC, Annex V, B.6.  
Result : Does not cause skin sensitisation.  
GLP : yes

### **Germ cell mutagenicity**

### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

### **Carcinogenicity**

### Product:

Remarks : No data available

### **Reproductive toxicity**

### Product:

Effects on fertility : Remarks: No data available

Effects on foetal develop- : Remarks: No data available

## DISPERBYK-187

Version 6.0  
SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020  
Print Date 15.05.2025

ment

### STOT - single exposure

**Product:**

Remarks : No data available

### STOT - repeated exposure

**Product:**

Remarks : No data available

### Repeated dose toxicity

**Product:**

Remarks : No data available

### Aspiration toxicity

**Product:**

No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

**Product:**

Remarks : Solvents may degrease the skin.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

**Product:**

Toxicity to fish : Remarks: No data available

**Components:**

#### 1-methoxy-2-propanol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 6.812 mg/l  
Exposure time: 96 h  
Test Type: static test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DISPERBYK-187

Version 6.0

SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020

Print Date 15.05.2025

Method: DIN 38412

GLP: no

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

#### Components:

##### **1-methoxy-2-propanol:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301  
GLP: yes

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

#### Components:

##### **1-methoxy-2-propanol:**

Partition coefficient: n-octanol/water : log Pow: 0,37 (20 °C)  
pH: 6,8  
Method: OECD Test Guideline 117  
GLP: No information available.

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological infor- : No data available

## DISPERBYK-187

Version 6.0  
SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020  
Print Date 15.05.2025

mation

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- |                        |   |                                                                                                                                                                        |
|------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                | : | Do not dispose of waste into sewer.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.<br>Do not burn, or use a cutting torch on, the empty drum.               |

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

- |      |   |         |
|------|---|---------|
| ADR  | : | UN 3092 |
| IMDG | : | UN 3092 |
| IATA | : | UN 3092 |

#### 14.2 UN proper shipping name

- |      |   |                                |
|------|---|--------------------------------|
| ADR  | : | 1-METHOXY-2-PROPANOL, SOLUTION |
| IMDG | : | 1-METHOXY-2-PROPANOL, SOLUTION |
| IATA | : | 1-Methoxy-2-propanol, solution |

#### 14.3 Transport hazard class(es)

- |      |   |   |
|------|---|---|
| ADR  | : | 3 |
| IMDG | : | 3 |
| IATA | : | 3 |

#### 14.4 Packing group

- |                                      |            |
|--------------------------------------|------------|
| <b>ADR</b>                           |            |
| Packing group                        | : III      |
| Classification Code                  | : F1       |
| Hazard Identification Number         | : 30       |
| Labels                               | : 3        |
| Tunnel restriction code              | : D/E      |
| <b>IMDG</b>                          |            |
| Packing group                        | : III      |
| Labels                               | : 3        |
| EmS Code                             | : F-E, S-D |
| <b>IATA (Cargo)</b>                  |            |
| Packing instruction (cargo aircraft) | : 366      |
| Packing group                        | : III      |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DISPERBYK-187

Version 6.0

SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020

Print Date 15.05.2025

Labels : Flammable Liquids

### IATA (Passenger)

Packing instruction (passenger aircraft) : 355

Packing instruction (LQ) : Y344

Packing group : III

Labels : Flammable Liquids

## 14.5 Environmental hazards

### ADR

Environmentally hazardous : no

### IMDG

Marine pollutant : no

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P5c FLAMMABLE LIQUIDS

### 15.2 Chemical safety assessment

Not applicable

## SECTION 16: Other information

Items where relevant changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H226 : Flammable liquid and vapour.

H336 : May cause drowsiness or dizziness.

### Full text of other abbreviations

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DISPERBYK-187

Version 6.0

SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020

Print Date 15.05.2025

|                   |   |                                                                                                                    |
|-------------------|---|--------------------------------------------------------------------------------------------------------------------|
| Flam. Liq.        | : | Flammable liquids                                                                                                  |
| STOT SE           | : | Specific target organ toxicity - single exposure                                                                   |
| 2000/39/EC        | : | Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values |
| MT OEL            | : | Malta. Occupational Exposure Limits                                                                                |
| 2000/39/EC / TWA  | : | Limit Value - eight hours                                                                                          |
| 2000/39/EC / STEL | : | Short term exposure limit                                                                                          |
| MT OEL / TWA      | : | Long term exposure limit                                                                                           |
| MT OEL / STEL     | : | Occupational exposure limit value Short-term, 15 minute                                                            |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Flam. Liq. 3                      H226

#### Classification procedure:

Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DISPERBYK-187

Version 6.0

SDB\_MT

Revision Date: 08.12.2022

Date of last issue: 27.11.2020

Print Date 15.05.2025

---

MT / EN