

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : NANOBYK-3652

UFI : VCH4-V06J-M00Y-KY24

Product code : 000000000000122084

This substance/ mixture contains nanoforms (according to REACH Regulation)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Additive to Improve Mechanical Properties

#### 1.3 Details of the supplier of the safety data sheet

Company : BYK-Chemie GmbH  
Abelstrasse 45  
46483 Wesel

Telephone : +49 281 670-0  
Telefax : +49 281 65735

Information : Regulatory Affairs  
Telephone : +49 281 670-23532  
Telefax : +49 281 670-23533  
E-mail address : GHS.BYK@altana.com

#### 1.4 Emergency telephone

+44 1235 239670

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|                                                                                      |                                          |
|--------------------------------------------------------------------------------------|------------------------------------------|
| Flammable liquids, Category 3                                                        | H226: Flammable liquid and vapor.        |
| Specific target organ toxicity - single exposure, Category 3, Central nervous system | H336: May cause drowsiness or dizziness. |

#### 2.2 Label elements

##### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

Hazard Statements : H226 Flammable liquid and vapor.  
H336 May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing mist or vapors.

### **Response:**

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### **Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

### **Hazardous ingredients which must be listed on the label:**

- 108-65-6 2-methoxy-1-methylethyl acetate

### **2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

### **3.2 Mixtures**

Chemical nature : Dispersion of surface treated silica nanoparticles

#### **Components**

| Chemical name                   | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification  | Concentration<br>(% w/w) |
|---------------------------------|-------------------------------------------------------|-----------------|--------------------------|
| 2-methoxy-1-methylethyl acetate | 108-65-6                                              | STOT SE 3; H336 | >= 30 - < 50             |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

|                      |                                           |                                                                   |                |
|----------------------|-------------------------------------------|-------------------------------------------------------------------|----------------|
|                      | 203-603-9<br>01-2119475791-29             | Flam. Liq. 3; H226                                                |                |
| 1-methoxy-2-propanol | 107-98-2<br>203-539-1<br>01-2119457435-35 | Flam. Liq. 3; H226<br>STOT SE 3; H336<br>(Central nervous system) | >= 12,5 - < 20 |

For explanation of abbreviations see section 16.

This substance/ mixture contains nanoforms (according to REACH Regulation)

### Components:

#### **Silicon dioxide:**

#### Particle characteristics

|                             |                                                                                                                               |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Particle Size Distribution  | : D50 = 20 nm ± 5 nm<br>Measurement technique: Transmission Electron Microscopy /<br>Electron Microscopy (TEM/EM) calculation |
| Assessment                  | : This substance/ mixture contains nanoforms (according to<br>REACH Regulation)                                               |
| Shape                       | : Shape: spheres<br>Measurement technique: TEM                                                                                |
| Crystallinity               | : Crystallinity: amorphous                                                                                                    |
| Surface treatment /Coatings | : Surface treatment /Coatings: yes<br>Properties of Coated Particle: hydrophobic                                              |

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

|                         |                                                                                                                                              |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| General advice          | : Move out of dangerous area.<br>Show this material safety data sheet to the doctor in<br>attendance.<br>Do not leave the victim unattended. |
| If inhaled              | : Consult a physician after significant exposure.<br>If unconscious, place in recovery position and seek medical<br>advice.                  |
| In case of skin contact | : If on skin, rinse well with water.<br>If on clothes, remove clothes.                                                                       |
| In case of eye contact  | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.                                                  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : May cause drowsiness or dizziness.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
silicone compounds

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapors/dust.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.  
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions. Electrical installations / working materials must comply with the technological safety

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components                      | CAS-No.                                                                                                                     | Value type (Form of exposure) | Control parameters               | Basis      |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------|----------------------------------|------------|
| 2-methoxy-1-methylethyl acetate | 108-65-6                                                                                                                    | TWA                           | 50 ppm<br>275 mg/m <sup>3</sup>  | 2000/39/EC |
|                                 | Further information: Identifies the possibility of significant uptake through the skin, Indicative                          |                               |                                  |            |
|                                 |                                                                                                                             | STEL                          | 100 ppm<br>550 mg/m <sup>3</sup> | 2000/39/EC |
|                                 | Further information: Identifies the possibility of significant uptake through the skin, Indicative                          |                               |                                  |            |
|                                 |                                                                                                                             | TWA                           | 50 ppm<br>275 mg/m <sup>3</sup>  | MT OEL     |
|                                 | Further information: A skin notation assigned to the OEL identifies the possibility of significant uptake through the skin. |                               |                                  |            |
|                                 |                                                                                                                             | STEL                          | 100 ppm<br>550 mg/m <sup>3</sup> | MT OEL     |
|                                 | Further information: A skin notation assigned to the OEL identifies the possibility of significant uptake through the skin. |                               |                                  |            |
| 1-methoxy-2-propanol            | 107-98-2                                                                                                                    | TWA                           | 100 ppm<br>375 mg/m <sup>3</sup> | 2000/39/EC |
|                                 | Further information: Identifies the possibility of significant uptake through the skin, Indicative                          |                               |                                  |            |
|                                 |                                                                                                                             | STEL                          | 150 ppm<br>568 mg/m <sup>3</sup> | 2000/39/EC |
|                                 | Further information: Identifies the possibility of significant uptake through the skin, Indicative                          |                               |                                  |            |
|                                 |                                                                                                                             | TWA                           | 100 ppm<br>375 mg/m <sup>3</sup> | MT OEL     |
|                                 | Further information: A skin notation assigned to the OEL identifies the possibility of significant uptake through the skin. |                               |                                  |            |
|                                 |                                                                                                                             | STEL                          | 150 ppm<br>568 mg/m <sup>3</sup> | MT OEL     |
|                                 | Further information: A skin notation assigned to the OEL identifies the possibility of significant uptake through the skin. |                               |                                  |            |

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

| Substance name                  | End Use   | Routes of exposure | Potential health effects   | Value       |
|---------------------------------|-----------|--------------------|----------------------------|-------------|
| 2-methoxy-1-methylethyl acetate | Workers   | Skin contact       | Long-term systemic effects | 796 mg/kg   |
|                                 | Workers   | Inhalation         | Long-term systemic effects | 275 mg/m3   |
|                                 | Consumers | Skin contact       | Long-term systemic effects | 320 mg/kg   |
|                                 | Consumers | Inhalation         | Long-term systemic effects | 33 mg/m3    |
|                                 | Consumers | Ingestion          | Long-term systemic effects | 36 mg/kg    |
|                                 | Workers   | Inhalation         | Acute local effects        | 550 mg/m3   |
|                                 | Consumers | Inhalation         | Acute local effects        | 33 mg/m3    |
| 1-methoxy-2-propanol            | Workers   | Inhalation         | Acute local effects        | 553,5 mg/m3 |
|                                 | Workers   | Skin contact       | Long-term systemic effects | 50,6 mg/kg  |
|                                 | Workers   | Inhalation         | Long-term systemic effects | 369 mg/m3   |
|                                 | Consumers | Skin contact       | Long-term systemic effects | 18,1 mg/kg  |
|                                 | Consumers | Inhalation         | Long-term systemic effects | 43,9 mg/m3  |
|                                 | Consumers | Ingestion          | Long-term systemic effects | 3,3 mg/kg   |
|                                 |           |                    |                            |             |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name                  | Environmental Compartment | Value       |
|---------------------------------|---------------------------|-------------|
| 2-methoxy-1-methylethyl acetate | Fresh water               | 0,635 mg/l  |
|                                 | Sea water                 | 0,0635 mg/l |
|                                 | Intermittent releases     | 6,35 mg/l   |
|                                 | Sewage treatment plant    | 100 mg/l    |
|                                 | Fresh water sediment      | 3,29 mg/kg  |
|                                 | Sea sediment              | 0,329 mg/kg |
|                                 | Soil                      | 0,29 mg/kg  |
| 1-methoxy-2-propanol            | Fresh water               | 10 mg/l     |
|                                 | Sea water                 | 1 mg/l      |
|                                 | Intermittent releases     | 100 mg/l    |
|                                 | Sewage treatment plant    | 100 mg/l    |
|                                 | Fresh water sediment      | 41,6 mg/kg  |
|                                 | Sea sediment              | 4,17 mg/kg  |
|                                 | Soil                      | 2,47 mg/kg  |

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection

Material : butyl-rubber

Break through time : 480 min

Glove thickness : 0,7 mm

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

|                          |   |                                                                                                                                       |
|--------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------|
| Remarks                  | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves.                             |
| Skin and body protection | : | Impervious clothing<br>Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Respiratory protection   | : | In the case of vapor formation use a respirator with an approved filter.                                                              |

### Environmental exposure controls

|                |   |                                                                                                                                                                                         |
|----------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice | : | Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |
|----------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                  |   |                                             |
|--------------------------------------------------|---|---------------------------------------------|
| Physical state                                   | : | dispersion                                  |
| Color                                            | : | light yellow<br>clear                       |
| Odor                                             | : | solvent                                     |
| Odor Threshold                                   | : | No data available                           |
| Melting point/ range                             | : | < 4 °C<br>Method: derived                   |
| Initial boiling point                            | : | ca. 140 °C<br>Method: derived               |
| Upper explosion limit / Upper flammability limit | : | No data available                           |
| Lower explosion limit / Lower flammability limit | : | No data available                           |
| Flash point                                      | : | 48 °C<br>Method: 48 (Abel-Pensky) DIN 51755 |
| Autoignition temperature                         | : | > 200 °C<br>Method: DIN 51794               |
| Decomposition temperature                        | : | No data available                           |
| pH                                               | : | 5 (20 °C)<br>Concentration: 10 %            |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

Method: Universal pH-value indicator

### Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 9 mm<sup>2</sup>/s (20 °C)

### Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water

: No data available

Vapor pressure

: 3,37 hPa (20 °C)  
Method: derived

Relative density

: No data available

Density

: 1,14 g/cm<sup>3</sup> (20 °C, 1.013 hPa)  
Method: 4 (20°C oscillating U-tube)

Relative vapor density

: No data available

Particle characteristics  
Assessment

: This substance/ mixture contains nanoforms (according to  
REACH Regulation)

Particle size

: Further particle properties for nanomaterials see section 3

## 9.2 Other information

Flammability (liquids) : Sustains combustion

Evaporation rate : No data available

Surface tension : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Vapors may form explosive mixture with air.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents  
Strong acids

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity : Remarks: No data available

#### Components:

##### 2-methoxy-1-methylethyl acetate:

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

##### 1-methoxy-2-propanol:

Acute oral toxicity : LD50 (Rat, male and female): 4.016 mg/kg  
Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg  
Method: Directive 67/548/EEC, Annex V, B.3.  
GLP: yes

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Product:

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

### Components:

#### **2-methoxy-1-methylethyl acetate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

#### **1-methoxy-2-propanol:**

Species : Rabbit  
Method : Directive 67/548/EEC, Annex V, B.4.  
Result : No skin irritation  
GLP : yes

### **Serious eye damage/eye irritation**

Not classified due to lack of data.

### Components:

#### **2-methoxy-1-methylethyl acetate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

#### **1-methoxy-2-propanol:**

Species : Rabbit  
Method : Directive 67/548/EEC, Annex V, B.5.  
Result : No eye irritation  
GLP : yes

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified due to lack of data.

#### **Respiratory sensitization**

Not classified due to lack of data.

### Product:

Remarks : No data available

### Components:

#### **2-methoxy-1-methylethyl acetate:**

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Not a skin sensitizer.  
GLP : yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

### 1-methoxy-2-propanol:

|                    |                                       |
|--------------------|---------------------------------------|
| Test Type          | : Maximization Test                   |
| Routes of exposure | : Dermal                              |
| Species            | : Guinea pig                          |
| Method             | : Directive 67/548/EEC, Annex V, B.6. |
| Result             | : Does not cause skin sensitization.  |
| GLP                | : yes                                 |

### Germ cell mutagenicity

Not classified due to lack of data.

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

### Carcinogenicity

Not classified due to lack of data.

#### Product:

Remarks : No data available

### Reproductive toxicity

Not classified due to lack of data.

#### Product:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

### STOT-single exposure

May cause drowsiness or dizziness.

#### Product:

Remarks : No data available

### STOT-repeated exposure

Not classified due to lack of data.

#### Product:

Remarks : No data available

### Repeated dose toxicity

#### Product:

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

### Aspiration toxicity

Not classified due to lack of data.

### Product:

No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

### Product:

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.  
Concentrations substantially above the TLV value may cause narcotic effects.  
Solvents may degrease the skin.

## SECTION 12: Ecological information

### 12.1 Toxicity

### Product:

Toxicity to fish : Remarks: No data available

### Components:

#### 2-methoxy-1-methylethyl acetate:

Toxicity to fish : LC50 (Fish): 100 - 180 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: no

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

### 1-methoxy-2-propanol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 6.812 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: DIN 38412  
GLP: no

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: No data available

### Components:

#### 2-methoxy-1-methylethyl acetate:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301F  
GLP: yes

#### 1-methoxy-2-propanol:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301  
GLP: yes

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: No data available

### Components:

#### 2-methoxy-1-methylethyl acetate:

Partition coefficient: n-octanol/water : log Pow: 1,2 (20 °C)  
pH: 6,8  
Method: OECD Test Guideline 117  
GLP: yes

#### 1-methoxy-2-propanol:

Partition coefficient: n-octanol/water : log Pow: 0,37 (20 °C)  
pH: 6,8  
Method: OECD Test Guideline 117  
GLP: No information available.

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : UN 1993  
IMDG : UN 1993  
IATA : UN 1993

### 14.2 UN proper shipping name

ADR : FLAMMABLE LIQUID, N.O.S.  
(1-Methoxy-2-propanol acetate, 1-Methoxy-2-propanol)

IMDG : FLAMMABLE LIQUID, N.O.S.  
(1-Methoxy-2-propanol acetate, 1-Methoxy-2-propanol)

IATA : Flammable liquid, n.o.s.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

(1-Methoxy-2-propanol acetate, 1-Methoxy-2-propanol)

### 14.3 Transport hazard class(es)

**ADR** : 3  
**IMDG** : 3  
**IATA** : 3

### 14.4 Packing group

**ADR**  
Packing group : III  
Classification Code : F1  
Hazard Identification Number : 30  
Labels : 3  
Tunnel restriction code : D/E

**IMDG**  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Remarks : IMDG Code segregation group - none

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 366  
Packing group : III  
Labels : Flammable Liquids

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 355  
Packing instruction (LQ) : Y344  
Packing group : III  
Labels : Flammable Liquids

### 14.5 Environmental hazards

**ADR**  
Environmentally hazardous : no

**IMDG**  
Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

|                                                                                                                                                         |     |                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)              | :   | Conditions of restriction for the following entries should be considered:<br>Number on list 3<br><br>Number on list 20: dibutyltin dilaurate, tributyltin compounds<br><br>Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor. |
| REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).                                                               | :   | This product does not contain substances of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 57).                                                                                                                                                         |
| REACH - List of substances subject to authorisation (Annex XIV)                                                                                         | :   | Not applicable                                                                                                                                                                                                                                                             |
| Fire Hazard Class                                                                                                                                       | :   | A II: Flash point 69.8 °F to 131 °F, at 59 °F not miscible in water                                                                                                                                                                                                        |
| Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. | P5c | FLAMMABLE LIQUIDS                                                                                                                                                                                                                                                          |

#### 15.2 Chemical Safety Assessment

Not applicable

### SECTION 16: Other information

Items where relevant changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of H-Statements

|      |   |                                    |
|------|---|------------------------------------|
| H226 | : | Flammable liquid and vapor.        |
| H336 | : | May cause drowsiness or dizziness. |

#### Full text of other abbreviations

|            |   |                                                                                                                    |
|------------|---|--------------------------------------------------------------------------------------------------------------------|
| Flam. Liq. | : | Flammable liquids                                                                                                  |
| STOT SE    | : | Specific target organ toxicity - single exposure                                                                   |
| 2000/39/EC | : | Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0

SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025

Print Date: 16.12.2025

|                   |   |                                                         |
|-------------------|---|---------------------------------------------------------|
| MT OEL            | : | Malta. Occupational Exposure Limits                     |
| 2000/39/EC / TWA  | : | Limit Value - eight hours                               |
| 2000/39/EC / STEL | : | Short term exposure limit                               |
| MT OEL / TWA      | : | Long term exposure limit                                |
| MT OEL / STEL     | : | Occupational exposure limit value Short-term, 15 minute |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|              |      |
|--------------|------|
| Flam. Liq. 3 | H226 |
| STOT SE 3    | H336 |

#### Classification procedure:

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Calculation method                  |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

---

MT / EN

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## NANOBYK-3652

Version: 12.0  
SDB\_MT

Revision Date: 11.12.2025

Date of last issue: 29.09.2025  
Print Date: 16.12.2025

## Annex: Exposure Scenarios

### Table of Contents

| Number | Title |
|--------|-------|
|--------|-------|