

PURABYK-R 5500

Version 1

Revision Date 05/17/2026

Print Date 06/18/2026

SECTION 1. IDENTIFICATION

Product name : PURABYK-R 5500

Manufacturer or supplier's details

Company : BYK USA LLC
524 South Cherry Street
Wallingford CT 06492

Telephone : (203) 265-2086

Visit our web site : www.byk.com

E-mail address : BRIEF.BYK.NAFTA@altana.com

Emergency telephone number : 203-265-2086; CHEMTREC 1-800-424-9300 / +1 703-527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Rheology Additive

Restrictions on use : Refer to Section 15 for any restrictions that may apply

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Synthetic (modified) phyllosilicate

Hazardous components

| Component | CAS-No. | Concentration (%) |
|---------------------------|-----------|-------------------|
| Tetrasodium pyrophosphate | 7722-88-5 | >= 5 - < 10 |

SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Get medical attention immediately if irritation develops and

PURABYK-R 5500

Version 1

Revision Date 05/17/2026

Print Date 06/18/2026

- | | |
|------------------------|---|
| In case of eye contact | : persists. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. |

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---|---|
| Suitable extinguishing media | : Water spray |
| Specific hazards during firefighting | : Material can be slippery when wet. |
| Further information | : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment. Avoid breathing dust. |
| | : Keep people away from and upwind of spill/leak. Material can create slippery conditions. Only qualified personnel equipped with suitable protective equipment may intervene. |
| | : Avoid dust formation. |
| Environmental precautions | : Prevent further leakage or spillage if safe to do so. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : Use approved industrial vacuum cleaner for removal. High efficiency particulate air filter (HEPA filter) Clean-up methods - large spillage Knock down dust with water spray jet. Shovel into suitable container for disposal. After cleaning, flush away traces with water. |

SECTION 7. HANDLING AND STORAGE

- | | |
|-------------------------|--|
| Advice on safe handling | : For personal protection see section 8. |
|-------------------------|--|

PURABYK-R 5500

Version 1

Revision Date 05/17/2026

Print Date 06/18/2026

- Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---------------------------|-----------|----------------------------------|--|-----------|
| Tetrasodium pyrophosphate | 7722-88-5 | TWA | 5 mg/m ³ | NIOSH REL |
| Tetrasodium pyrophosphate | | TWA | 5 mg/m ³ | OSHA P0 |

Further occupational exposure limits

| Description | Value type | Control parameters | Basis |
|------------------------|------------|---|----------|
| inert or nuisance dust | TWA | 50 Million particles per cubic foot total dust | OSHA Z-3 |
| | TWA | 15 mg/m ³ total dust | OSHA Z-3 |
| | TWA | 5 mg/m ³ respirable fraction | OSHA Z-3 |
| | TWA | 15 Million particles per cubic foot respirable fraction | OSHA Z-3 |

- Engineering measures** : Ensure adequate ventilation.
Maintain air concentrations below occupational exposure standards.
Dust must be extracted directly at the point of origin.

Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
No personal respiratory protective equipment normally required.
- Hand protection
Material : Protective gloves
- Remarks : Use protective skin cream before handling the product. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

PURABYK-R 5500

Version 1

Revision Date 05/17/2026

Print Date 06/18/2026

| | |
|--------------------------|---|
| Skin and body protection | : Safety glasses : Work uniform or laboratory coat. : Protective suit |
| Hygiene measures | : General industrial hygiene practice. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|---|
| Physical state | : powder |
| Colour | : white |
| Odour | : odourless |
| Odour Threshold | : Not applicable |
| pH | : 9.7, Concentration: 20 g/l(as a dispersion) |
| Melting point/ range | : Not applicable |
| Boiling point/boiling range | : Not applicable |
| Vapour pressure | : Not applicable |
| Flash point | : Not applicable |
| Upper explosion limit | : Not applicable |
| Lower explosion limit | : Not applicable |
| Evaporation rate | : Not applicable |
| Flammability (solid, gas) | : No data available |
| Relative vapour density | : Not applicable |
| Relative Density/Specific Gravity | : No data available |
| Particle size | : No data available |
| Density | : No data available |
| Bulk density | : 1,000 kg/m ³ |
| Solubility(ies) | |
| Water solubility | : partly soluble |
| Solubility in other solvents | : No data available |
| Partition coefficient: n-octanol/water | : No data available |
| Ignition temperature | : Not applicable |
| Thermal decomposition | : No data available |

PURABYK-R 5500

Version 1

Revision Date 05/17/2026

Print Date 06/18/2026

Viscosity
Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Surface tension : not determined

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.
Chemical stability : No decomposition if stored and applied as directed.
Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.

Conditions to avoid : Exposure to air or moisture over prolonged periods.
Incompatible materials : Strong acids and oxidizing agents
Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : 2,660 mg/kg
Method: Calculation method

Components:**7722-88-5 Tetrasodium pyrophosphate:**

Acute oral toxicity : LD50 (Rat): > 300 - < 2,000 mg/kg
Method: OECD Test Guideline 420
GLP: yes

Skin corrosion/irritation**Product:**

Remarks: No data available

Components:**7722-88-5 Tetrasodium pyrophosphate:**

Result: No skin irritation

PURABYK-R 5500

Version 1

Revision Date 05/17/2026

Print Date 06/18/2026

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes

Serious eye damage/eye irritation**Product:**

Species: Bovine corneal opacity and permeability assay (BCOP)
Result: No eye irritation
Method: OECD Test Guideline 437
GLP: yes

Components:**7722-88-5 Tetrasodium pyrophosphate:**

Result: Severe eye irritation
Assessment: Risk of serious damage to eyes.

Species: Rabbit
Result: Corrosive to eyes
Method: OECD Test Guideline 405
GLP: yes

Respiratory or skin sensitisation**Product:**

Remarks: No data available

Components:**7722-88-5 Tetrasodium pyrophosphate:**

Test Type: Mouse Local Lymph Node assay (LLNA)
Exposure routes: Skin contact
Species: Mouse
Method: OECD Test Guideline 429
Result: Not a skin sensitizer.
GLP: yes

Germ cell mutagenicity**Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity**Product:**

PURABYK-R 5500

Version 1

Revision Date 05/17/2026

Print Date 06/18/2026

Remarks: No data available

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure**Product:**

Remarks: No data available

STOT - repeated exposure**Product:**

Remarks: No data available

Repeated dose toxicity**Product:**

Remarks: No data available

Aspiration toxicity**Product:**

No data available

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

PURABYK-R 5500

Version 1

Revision Date 05/17/2026

Print Date 06/18/2026

Toxicity to fish :
Remarks: No data available

Toxicity to daphnia and other :
aquatic invertebrates : Remarks: No data available

Persistence and degradability**Product:**

Biodegradability : Remarks: No data available

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological : No data available
information

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

PURABYK-R 5500

Version 1

Revision Date 05/17/2026

Print Date 06/18/2026

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****US. EPA CERCLA Hazardous Substances (40 CFR 302)**

This material does not contain any components with a CERCLA RQ.

SARA 304 - Emergency Release Notification

This material does not contain any components with a section 304 EHS RQ.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

This material does not contain any components with a SARA 302 RQ.

SARA 311/312 Hazards : Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for reporting purposes.

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Massachusetts Right To Know

PURABYK-R 5500

Version 1

Revision Date 05/17/2026

Print Date 06/18/2026

Tetrasodium pyrophosphate 7722-88-5

Pennsylvania Right To KnowSynthetic phyllosilicate -
Tetrasodium pyrophosphate 7722-88-5**New Jersey Right To Know****New Jersey Trade Secret Registry Number for the product (NJ TSRN)** : 800963-6315**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

Section 5a : No substances are subject to a Significant New Use Rule.

Section 4 / 12(b) : No substances are subject to TSCA 12(b) export notification requirements.

DSL : The following component(s) is/are not listed on the DSL:

SECTION 16. OTHER INFORMATION

Revision Date : 05/17/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.