

PRODUCT GUIDE POLYURETHANE SYSTEMS

RHEOLOGY
ADDITIVES

DEFOAMERS



SURFACE
ADDITIVES

WETTING AND
DISPERSING ADDITIVES

PROCESSING
ADDITIVES

Additives overview

Product	Effect	Product group	Application		
BYK-088	Deaeration	Air release additives	Very effective, universal		
BYK-A 535			Universal, solvent-free, with food contact legal status**		
BYK-1796			Very effective, universal, polysiloxane-based		
BYK-W 969	Viscosity reduction	Wetting and dispersing additives	All applications, all types of fillers, all types of polyol blends		
BYK-W 903			Casting applications, all types of fillers, preferably for polyether/polyol blends		
DISPERBYK-142			All applications, all types of fillers, all types of polyol blends		
VISCOBYK-4015			Universal, especially for unfilled systems		
BYK-P 9915			Processing additives	Universal, especially for unfilled systems, OH-functional	
GARAMITE-1958			Anti-sagging, viscosity increase	Rheology additives	All applications, especially in combination with RHEOBYK-R 607
RHEOBYK-R 607*					All applications, addition to the polyol component
BYK-W 961	Anti-settling	Wetting and dispersing additives	All applications, all types of fillers		
GARAMITE-1958		Rheology additives	All applications, especially in combination with RHEOBYK-R 605		
RHEOBYK-7410 ET			All applications, all types of fillers		
BYK-370	Surface leveling	Surface additives	Universal, polysiloxane-based, solvent-free		
BYK-S 706			Universal, polysiloxane-based		
BYK-A 525			All applications, with air release properties		
BYK-P 9904			Phase separation	Processing additives	Compatibilizer for incompatible mixtures of polyols with e.g. cyclopentane
BYK-P 9908	Compatibilizer for incompatible mixtures of polyols with e.g. butane diol, PTMEG				
BYK-P 9909	Compatibilizer for incompatible mixtures of polyols, especially based on polyethers				
BYK-P 9912	Mold release	Processing additives			All applications

* Always in combination with a solid thixotrope like fumed silica or clay.

** For details contact foodcontact.byk@altana.com or visit www.byk.com.

BYK-Chemie GmbH
 P.O. Box 10 02 45
 46462 Wesel
 Germany
 Tel +49 281 670-0
 Fax +49 281 65735

info@byk.com
www.byk.com

ADD-MAX®, ADD-VANCE®, ADJUST®, ADVITROL®, ANTI-TERRA®, AQUACER®, AQUAMAT®, AQUATIX®, BENTOLITE®, BYK®, BYK-DYNWET®, BYK-MAX®, BYK-SILCLEAN®, BYKANOL®, BYKETOL®, BYKJET®, BYKO2BLOCK®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, CERACOL®, CERAFLOUR®, CERAFLOUR®, CERAMAT®, CERATIX®, CLAYTONE®, CLOISITE®, DISPERBYK®, DISPERPLAST®, FULACOLOR®, FULCAT®, GARAMITE®, GELWHITE®, HORDAMER®, LACTIMON®, LAPONITE®, MINERAL COLLOID®, MINERPOL®, NANOBYK®, OPTIBENT®, OPTIFLO®, OPTIGEL®, POLYAD®, PRIEX®, PURE THIX®, RECYCLOBLEND®, RECYCLOBYK®, RECYCLOSSORB®, RECYCLOSTAB®, RHEOBYK®, RHEOCIN®, RHEOTIX®, SCONA®, SILBYK®, TIXOGEL®, VISCOBYK® and Y 25® are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions.

