

# ADDITIVE SELECTION CHART CAN COATINGS



FOOD CONTACT

SURFACE OPTIMIZING

FRICTION REDUCING



## Can Coatings (1/2)

Application	Defoaming	Substrate wetting	Leveling	COF reduction	Scratch resistance, abrasion resistance	Meat release	Anti-blocking	Matting	Pigment stabilization	Adhesion on substrate
Solvent-borne systems	<b>Silicone-free:</b> BYK-054 BYK-392 BYK-1790 BYK-1795		<b>Silicone-free:</b> BYK-354 BYK-399*	<b>Wax additives:</b> CERACOL 79 CERACOL 604 CERACOL 605 CERACOL 609 N CERACOL 615 CERAFLOR 925 N	<b>Wax additives:</b> CERACOL 79 CERACOL 604 CERACOL 605 CERACOL 609 N CERACOL 615 CERAFLOR 925 N CERAFLOR 1050 CERAFLOR 1051 CERAFLOR 1052	<b>Wax additives:</b> CERACOL 79 CERACOL 604 CERACOL 605 CERACOL 615 CERAFLOR 994	<b>Wax additives:</b> CERAFLOR 925 N	<b>Wax additives:</b> CERAFLOR 929 N	<b>Inorganic pigments:</b> ANTI-TERRA-U BYK-P 104 DISPERBYK-110* DISPERBYK-180* DISPERBYK-192 DISPERBYK-2025*	BYK-4510 BYK-4512*
	<b>Silicone:</b> BYK-072 BYK-088 BYK-141	<b>Silicone:</b> BYK-310 BYK-313 BYK-333 BYK-3753 BYK-3756 BYK-3760 BYK-3762	<b>Silicone:</b> BYK-310 BYK-313 BYK-3753 BYK-3756 BYK-3762	<b>Silicone:</b> BYK-310 BYK-313 BYK-333 BYK-3760 BYK-3762	<b>Silicone:</b> BYK-310 BYK-313 BYK-333 BYK-3760 BYK-3762	<b>Silicone:</b> BYK-310 BYK-313 BYK-333 BYK-3760 BYK-3762				<b>Organic pigments:</b> DISPERBYK-167 TF* DISPERBYK-174* DISPERBYK-2025*
	<b>BPA-NI systems:</b> BYK-054 BYK-392 BYK-1790 BYK-1795			<b>Hydroxy functional:</b> BYK-375 BYK-3770 BYK-SILCLEAN 3700					<b>Effect pigments:</b> BYK-P 104 DISPERBYK-110* DISPERBYK-167 TF* DISPERBYK-2025*	
	<b>Epoxy/phenol systems:</b> BYK-088 BYK-141									
Aqueous systems	<b>Silicone-free:</b> BYK-014 BYK-016 BYK-1740	<b>Silicone-free:</b> BYK-3410	<b>Silicone-free:</b> BYK-381*	<b>Wax additives:</b> CERACOL 79 CERACOL 605 CERAFLOR 925 N	<b>Wax additives:</b> AQUACER 1547 CERACOL 79 CERACOL 605 CERAFLOR 925 N CERAFLOR 1050 CERAFLOR 1051 CERAFLOR 1052		<b>Wax additives:</b> CERAFLOR 925 N	<b>Wax additives:</b> CERAFLOR 929 N	<b>Inorganic pigments:</b> DISPERBYK-180* DISPERBYK-192	BYK-4509
	<b>Silicone:</b> BYK-022 BYK-023 BYK-024 BYK-028 BYK-092	<b>Silicone:</b> BYK-348* BYK-3420	<b>Silicone:</b> BYK-3456 BYK-3762	<b>Silicone:</b> BYK-333 BYK-3756 BYK-3760 BYK-3762	<b>Silicone:</b> BYK-333 BYK-3756 BYK-3760 BYK-3762	<b>Silicone:</b> BYK-333 BYK-3756 BYK-3760 BYK-3762				<b>Organic pigments:</b> DISPERBYK-190* DISPERBYK-192
									<b>Effect pigments:</b> DISPERBYK-192	

For information regarding the regulatory status according to food contact regulation please visit [www.byk.com/en/service/regulatory-affairs/food-contact](http://www.byk.com/en/service/regulatory-affairs/food-contact) or contact our BRIEF Team.

\* For applications without food contact (status January 2022).



## Can Coatings (2/2)

Application	Defoaming	Substrate wetting	Leveling	COF reduction	Scratch resistance, abrasion resistance	Meat release	Anti-blocking	Matting	Pigment stabilization	Adhesion on substrate
Radiation-curing systems, solvent-free, cationic UV	Silicone-free: BYK-054 BYK-1790 BYK-1795		Silicone-free: BYK-350	Wax additives: CERAFLOUR 925 N	Wax additives: CERAFLOUR 925 N CERAFLOUR 1050 CERAFLOUR 1051 CERAFLOUR 1052			Wax additives: CERAFLOUR 929 N CERAFLOUR 1000* CERAFLOUR 1001*	DISPERBYK-111* DISPERBYK-2013* DISPERBYK-2155*	
	Silicone: BYK-088	Silicone: BYK-3760 BYK-3762	Silicone: BYK-3760 BYK-3762	Silicone: BYK-3760 BYK-3762	Silicone: BYK-3760 BYK-3762				Cationic UV: DISPERBYK-102* DISPERBYK-111*	

For information regarding the regulatory status according to food contact regulation please visit [www.byk.com/en/service/regulatory-affairs/food-contact](http://www.byk.com/en/service/regulatory-affairs/food-contact) or contact our BRIEF Team.

\* For applications without food contact (status January 2022).

**BYK-Chemie GmbH**  
P.O. Box 10 02 45  
46462 Wesel  
Germany  
Tel +49 281 670-0  
Fax +49 281 65735

[info@byk.com](mailto:info@byk.com)  
[www.byk.com](http://www.byk.com)

ADD-MAX®, ADD-VANCE®, ADJUST®, ADVITROL®, ANTI-TERRA®, AQUACER®, AQUAMAT®, AQUATIX®, BENTOLITE®, BYK®, BYK-DYNWET®, BYK-MAX®, BYK-SILCLEAN®, BYKANOL®, BYKETOL®, BYKJET®, BYKO2BLOCK®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, CERACOL®, CERAFLOUR®, CERAFLOUR®, CERAMAT®, CERATIX®, CLAYTONE®, CLOISITE®, DISPERBYK®, DISPERPLAST®, FULACOLOR®, FULCAT®, GARAMITE®, GELWHITE®, HORDAMER®, LACTIMON®, LAPONITE®, MINERAL COLLOID®, MINERPOL®, NANOBYK®, OPTIBENT®, OPTIFLO®, OPTIGEL®, POLYAD®, PRIEX®, PURE THIX®, RECYCLOBLEND®, RECYCLOBYK®, RECYCLOSSORB®, RECYCLOSTAB®, RHEOBYK®, RHEOCIN®, RHEOTIX®, SCONA®, SILBYK®, TIXOGEL®, VISCOBYK® and Y 25® are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions.

