

PRODUCT GUIDE
**ADDITIVES FOR ADHESIVES
AND SEALANTS**

○ DEFOAMERS

○ RHEOLOGY
ADDITIVES



SURFACE
ADDITIVES

○ WETTING AND DISPERSING ADDITIVES

○ SPECIALTIES



Adhesives and sealants – Defoamers (1/3)

Product	Aqueous systems		100%/Solvent systems				Hotmelt systems	Defoamer properties				Non-volatile matter/ Active substance (%)	Solvent	Description	Focus product for food contact applications*
	Acrylate	VAE	Polyurethane	Polyurethane	Epoxy	Acrylate		Silane terminated polymers	Silicone	Silicone-free	Mineral oil				
BYK-012	●							●			●	99.9		Compound of polyether with hydrophobic particles	●
BYK-014	●	●	●					●			●	100		Compound of polyether with hydrophobic particles	●
BYK-016	●							●			●	> 98.5		Compound of foam-destroying polymers and hydrophobic solids	●
BYK-017	●							●				> 98		Compound of foam destroying polysiloxanes and hydrophobic solids	●
BYK-022	●	●	●					●			●	≥ 97	Polyglycol	Mixture of foam-destroying polysiloxanes and hydrophobic solids in polyglycol	●
BYK-037	●							●		●	●	> 50	Water	Emulsion of paraffin based mineral oils and hydrophobic components, containing silicone	●
BYK-039	●									●	●			Mixture of paraffin based mineral oils and hydrophobic components	
BYK-044	●							●			●	> 50	Water	Emulsion of hydrophobic particles and polysiloxanes	●
BYK-070							●	●				9	Xylene/ Methoxypropylacetate/ Butylacetate 10/2/1	Solution of foam destroying polymers and polysiloxanes	
BYK-088				●				●				3.3	Hydrocarbon mixture (Paraffins, naphthenes)	Solution of foam destroying polymers and polysiloxanes	●
BYK-093	●	●	●					●			●	> 98	Polyglycol	Mixture of foam destroying polysiloxanes and hydrophobic solids in polyglycol	●
BYK-094	●		●					●			●	> 96		Compound of foam destroying polysiloxanes and hydrophobic solids	●
BYK-1611	●							●			●	< 50	Water	Emulsion of foam destroying polysiloxanes, hydrophobic solids and emulsifiers	

* For detailed information please check <https://www.byk.com/en/service/regulatory-affairs/food-contact> or contact our Brief Team



Adhesives and sealants – Defoamers (2/3)

Product	Aqueous systems		100 %/Solvent systems				Hotmelt systems	Defoamer properties				Non-volatile matter/ Active substance (%)	Solvent	Description	Focus product for food contact applications*
	Acrylate	VAE	Polyurethane	Polyurethane	Epoxy	Acrylate		Silane terminated polymers	Silicone	Silicone-free	Mineral oil				
BYK-1630	●							●		●	●	≥ 97		Mixture of paraffin based mineral oils and hydrophobic components, containing silicone	
BYK-1640	●	●	●						●		●	62	Water	Defoamer compound based on polyamide particles and hyperbranched polymers	●
BYK-1650	●	●						●			●	27.5	Water	Emulsion of foam destroying polysiloxanes and hydrophobic particles	●
BYK-1691 SD							●		●		●			Defoamer compound, adsorbed on silicone dioxide	●
BYK-1719	●							●			●	100		Compound of foam destroying polysiloxanes and hydrophobic solids	●
BYK-1724		●						●			●	27	Water	Emulsion of foam destroying polysiloxanes and hydrophobic particles	●
BYK-1740	●										●	100		Compound of hydrophobic particles and foam-destroying fat derivatives	●
BYK-1786		●	●					●			●	25	Water	Emulsion of foam destroying polysiloxanes and hydrophobic particles	●
BYK-1790					●				●			100		Polyolefin	●
BYK-1794				●			●		●			100		Solution of polyolefin	●
BYK-1795				●					●			> 99		Solution of polyolefin	●
BYK-1796				●	●		●		●			100		Compound of foam destroying polysiloxanes and hydrophobic solids	
BYK-1799						●		●			●	> 98		Mixture of hydrophobic solids and foam destroying polysiloxanes	
BYK-A 501					●				●					Solution of polyolefin	●
BYK-A 505							●		●		●			Mixture of foam destroying polymers, silicone free	●

* For detailed information please check <https://www.byk.com/en/service/regulatory-affairs/food-contact> or contact our Brief Team



Adhesives and sealants – Defoamers (3/3)

Product	Aqueous systems		100%/Solvent systems				Hotmelt systems	Defoamer properties				Non-volatile matter/ Active substance (%)	Solvent	Description	Focus product for food contact applications*
	Acrylate	VAE	Polyurethane	Polyurethane	Epoxy	Acrylate		Silane terminated polymers	Silicone	Silicone-free	Mineral oil				
BYK-A 515						●		●						Solution of polyalkylene ether	
BYK-A 525					●			●				White spirit/Methoxy-propylacetate 9/1		Solution of a polyether modified methylalkyl polysiloxane copolymer	
BYK-A 530					●			●			5	Hydrocarbon mixture		Solution of foam destroying polymers and polysiloxanes	●
BYK-A 535			●	●				●			> 99			Solution of foam destroying polymers, silicone free	●
BYK-A 550					●			●						Solution of foam destroying polymers, silicone free	

* For detailed information please check <https://www.byk.com/en/service/regulatory-affairs/food-contact> or contact our Brief Team



Adhesives and sealants – Rheology additives (1/2)

Product	Aqueous systems		100%/Solvent systems		Rheology additive properties										Non-volatile matter/ Active substance (%)	Solvent	Description	Focus product for food contact applications*				
	Acrylate	VAE	Polyurethane	Polyurethane	Epoxy	Acrylate	Silane terminated polymers	Acrylate base	Amide waxes	Castor oil base	Hydroclay	Mixed mineral clay	Organoclay	Polyurethane base					Synthetic clay	Synergist	Urea base	VOC-free
BYK-P 2710					●											●			100		High molecular polyester	
BYK-P 2720					●											●			100		Modified Polyethylenimine	
CLAYTONE-40				●	●	●							●						100		Organophilic phyllosilicate	●
GARAMITE-1958	●			●	●	●						●							100		Organophilic phyllosilicate	
GARAMITE-7303				●			●					●							100		Organophilic phyllosilicate	
GARAMITE-7305					●	●						●							100		Organophilic phyllosilicate	
LAPONITE-SL 25	●														●				25	Water	Synthetic (modified) phyllosilicate	
OPTIGEL-WA		●	●								●								100		Phyllosilicate	
OPTIGEL-WX	●	●	●								●								100		Modified/activated phyllosilicate	●
RHEOBYK-HV 80	●	●	●					●										●	30	Water	Solution of a polyacrylate	
RHEOBYK-H 3300 VF	●	●	●											●				●	17.5	Water	Solution of a polyurethane	●
RHEOBYK-H 7500 VF	●	●	●											●				●	17.5	Water	Solution of a polyurethane	
RHEOBYK-L 1400 VF	●	●	●											●				●	20	Water	Solution of a polyurethane	
RHEOBYK-R 605																			52		Solution of polyhydroxycarboxylic acid amides	
RHEOBYK-R 606				●	●	●	●												100		Polyhydroxycarboxylic acid esters	
RHEOBYK-R 607					●		●												100		Solution of polyamine amides of unsaturated polycarboxylic acids	
RHEOBYK-T 1000 VF	●	●	●											●				●	22.5	Water	Solution of a polyurethane	

* For detailed information please check <https://www.byk.com/en/service/regulatory-affairs/food-contact> or contact our Brief Team



Adhesives and sealants – Rheology additives (2/2)

Product	Aqueous systems		100%/Solvent systems		Rheology additive properties										Non-volatile matter/ Active substance (%)	Solvent	Description	Focus product for food contact applications*			
	Acrylate	VAE	Polyurethane	Polyurethane	Epoxy	Acrylate	Silane terminated polymers	Acrylate base	Amide waxes	Castor oil base	Hydroclay	Mixed mineral clay	Organoclay	Polyurethane base					Synthetic clay	Synergist	Urea base
RHEOBYK-T 1010 VF	●	●	●											●				22.5	Water	Solution of a polyurethane	
RHEOBYK-100				●	●		●			●								100		Mixture of castor oil derivative and amide wax	●
RHEOBYK-410					●													52	N-Methylpyrrolidone	Solution of a modified urea	
RHEOBYK-425	●																	50	Polypropyleneglycol	Solution of an urea modified polyurethane	●
RHEOBYK-430				●	●	●												30	Isobutanol/ Solventnaphtha 90/10	Solution of a high molecular urea modified medium polar polyamide	●
RHEOBYK-431						●												25	Isobutanol/ Monophenylglycol 80/20	Solution of a high molecular urea modified non polar polyamide	
RHEOBYK-7405						●									●			52	Polypropylene glycol 600	Solution of polyhydroxycarboxylic acid amides	
RHEOBYK-7410 ET				●	●	●												40	Amide ether	Solution of a modified urea	●
RHEOBYK-7420 ES	●		●															40	Amide ester	Solution of a modified urea	
RHEOBYK-7502							●		●									100		Micronized, modified rheologically active amide	
RHEOBYK-7503							●		●									100		Micronized, rheologically active amide	
RHEOBYK-7590				●	●	●			●									100		Castor oil derivative	●
RHEOBYK-7600	●	●	●											●				15	Water	Solution of a polyurethane	
RHEOBYK-7610	●													●				20	Water	Solution of a polyurethane	

* For detailed information please check <https://www.byk.com/en/service/regulatory-affairs/food-contact> or contact our Brief Team



Adhesives and sealants – Surface additives

Product	Aqueous systems		100%/Solvent systems						Solvent	Description	Focus product for food contact applications*
	Acrylate	VAE	Polyurethane	Polyurethane	Epoxy	Acrylate	Silane terminated polymers	Silicone			
BYK-307				●	●	●	●	●		Polyether modified polydimethylsiloxane	●
BYK-310					●			●	Xylene	Solution of a polyester modified polydimethylsiloxane	●
BYK-333				●	●	●	●	●		Polyether modified polydimethylsiloxane	●
BYK-348	●	●	●					●		Polyether modified siloxane	●
BYK-349	●	●	●					●		Polyether modified siloxane	●
BYK-378				●	●	●	●	●		Polyether modified dimethylpolysiloxane	●
BYK-3400	●	●	●					●		Combination of surface active substances	●
BYK-3410	●	●	●							Solution of sulfosuccinate	●
BYK-3450	●	●						●		Polyether modified siloxane	●
BYK-3451	●	●						●		Polyether modified siloxane	●
BYK-3455	●	●						●		Polyether modified siloxane	●
BYK-DYNWET 800	●	●								Alcohol alkoxyates	●

* For detailed information please check <https://www.byk.com/en/service/regulatory-affairs/food-contact> or contact our Brief Team



Adhesives and sealants – Specialties

Product	Aqueous systems		100%/Solvent systems				Hotmelt systems	Specialties properties						Non-volatile matter/ Active substance (%)	Solvent	Description	Focus product for food contact applications*
	Acrylate	VAE	Polyurethane	Polyurethane	Epoxy	Acrylate		Silane terminated polymers	Adhesion promoter	Anti-blocking	Compatibilizer	Extending opentime	Water scavenger				
AQUACER 527	●	●							●				●	35	Water	Non-ionic aqueous emulsion based on a modified ethylenevinyl-acetate (EVA) copolymer wax	
AQUACER 531							●		●					45	Water	Non-ionic emulsion based on a modified polyethylene wax	●
AQUACER 1031	●	●							●				●	40	Water	Non-ionic emulsion based on an oxidized LD polyethylene wax	●
AQUACER 1040	●	●							●				●	38	Water	Non-ionic/anionic primary polyethylene dispersion	
AQUACER 1063	●	●							●				●	40	Water	Non-ionic/anionic primary polyethylene dispersion	●
BYK-2616				●		●	●						●	> 98		Combination of a specially prepared finely dispersed calcium oxide and a stabilizing wetting agent	●
BYK-4509				●					●					80	Methoxypropanol	Solution of polyester alkyl ammonium salt	●
BYK-4510				●	●				●					80	Methoxypropanol	Solution of a hydroxy functional copolymer with acidic groups	●
BYK-4511					●				●					40	Methoxypropylacetate	Solution of a copolymer with functional groups	
BYK-4512					●				●					60	Methoxypropylacetate	Solution of aminofunctional polyether	
BYK-C 8000						●			●							Solution of modified polyether	
BYK-C 8002						●			●							Solution of a copolymer with filler affinic groups	
BYKETOL-PC	●	●	●										●	90	Water	Formulation of modified urea	
BYK-P 9908				●												Solution of an acrylate copolymer	
BYK-P 9909				●												Solution of an ammonium salt of an acrylic acid copolymer	
HORDAMER PE 02	●	●					●	●	●					40	Water	Anionic primary polyethylene dispersion	●

* For detailed information please check <https://www.byk.com/en/service/regulatory-affairs/food-contact> or contact our Brief Team



Adhesives and sealants – Wetting and dispersing additives (1/2)

Product	Aqueous systems		100%/Solvent systems		Wetting and dispersing additive properties							Non-volatile matter/ Active substance (%)	Solvent	Description	Focus product for food contact applications*				
	Acrylate	VAE	Polyurethane	Polyurethane	Epoxy	Acrylate	Silane terminated polymers	CPT-Polyacrylates	Fatty acid	Hyperbranched polyamines	Phosphoric-/Carboxylic-acid esters					Polyacrylates	VOC-free	Acid value (mg KOH/g)	Amine value (mg KOH/g)
ANTI-TERRA-250	●	●	●					●						46	41	70	Water	Solution of an alkylammonium salt of a high molecular weight acidic polymer	
BYK-154	●	●	●									●	●			42	Water	Solution of an ammonium salt of an acrylate copolymer	●
BYK-9076				●			●			●				38	44	96		Alkylammonium salt of a high molecular weight copolymer	●
BYK-P 105				●		●			●					365		> 97		Lower molecular weight unsaturated polycarboxylic acid polymer	●
BYK-W 940					●	●			●					150		50		Solution of an unsaturated polycarboxylic acid polymer with a polysiloxane copolymer	
BYK-W 961				●					●					60	60	100		Solution of an alkylammonium salt of a polycarboxylic acid	
BYK-W 966				●	●	●			●					26	19	52	Hydrocarbons	Solution of a salt of unsaturated polyamine amides and acidic polyesters	
BYK-W 969				●	●	●				●				30	30	40		Solution of a hydroxy functional alkylammonium salt of an acidic copolymer	
BYK-W 980				●	●	●			●					40	30	80		Solution of a salt of unsaturated polyamine amides and lower molecular weight acidic polyesters	
BYK-W 985				●						●						10		Solution of an acidic polyester	
BYK-W 996					●					●				71		52		Solution of a copolymer with acidic groups	

* For detailed information please check <https://www.byk.com/en/service/regulatory-affairs/food-contact> or contact our Brief Team



Adhesives and sealants – Wetting and dispersing additives (2/2)

Product	Aqueous systems		100%/Solvent systems		Wetting and dispersing additive properties							Non-volatile matter/ Active substance (%)	Solvent	Description	Focus product for food contact applications*				
	Acrylate	VAE	Polyurethane	Polyurethane	Epoxy	Acrylate	Silane terminated polymers	CPT-Polyacrylates	Fatty acid	Hyperbranched polyamines	Phosphoric-/Carboxylic-acid esters					Polyacrylates	VOC-free	Acid value (mg KOH/g)	Amine value (mg KOH/g)
BYK-W 9010			●	●						●				129		100	Phosphoric acid ester		
BYK-W 9011					●					●				65		100	Copolymer with acidic groups		
DISPERBYK-118			●	●						●				36		80	Methoxypropylacetate	Solution of polymeric phosphoric acid ester	
DISPERBYK-190	●	●	●									●	●	10		40	Water	Solution of modified styrene maleic acid copolymer	●
DISPERBYK-191	●	●	●									●	●	30	20	98		Modified polyacrylate	
DISPERBYK-199	●	●	●									●	●			40	Water	Solution of modified styrene maleic acid copolymer	●
DISPERBYK-2015	●	●	●				●					●		10		40	Water	Solution of modified styrene maleic acid copolymer	
DISPERBYK-2080	●	●	●									●				30	Water	Solution of modified styrene maleic acid copolymer	
DISPERBYK-2152			●	●		●			●							>99		High molecular polyester	
DISPERBYK-2155						●			●							48		Polyglycol polyester modified polyalkylene imine	
DISPERBYK-2157						●			●			●		<7	35	100		Polymer with pigment affinic groups	
DISPERPLAST-1142						●				●				85				Polar acidic ester of long chain alcohols	
DISPERPLAST-1148						●				●				70				Polymeric wetting and dispersing agent	
DISPERPLAST-I						●		●						58	11			Solution of a partial amide of an unsaturated polycarboxylic acid polymer	

* For detailed information please check <https://www.byk.com/en/service/regulatory-affairs/food-contact> or contact our Brief Team

BYK-Chemie GmbH
 P.O. Box 10 02 45
 46462 Wesel
 Germany
 Tel +49 281 670-0
 Fax +49 281 65735

info@byk.com
www.byk.com

ADD-MAX®, ADD-VANCE®, ADJUST®, ADVITROL®, ANTI-TERRA®, AQUACER®, AQUAMAT®, AQUATIX®, BENTOLITE®, BYK®, BYK-DYNWET®, BYK-MAX®, BYK-SILCLEAN®, BYKANOL®, BYKETOL®, BYKJET®, BYKO2BLOCK®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, CERACOL®, CERAFLOUR®, CERAFLOUR®, CERAMAT®, CERATIX®, CLAYTONE®, CLOISITE®, DISPERBYK®, DISPERPLAST®, FULACOLOR®, FULCAT®, GARAMITE®, GELWHITE®, HORDAMER®, LACTIMON®, LAPONITE®, MINERAL COLLOID®, MINERPOL®, NANOBYK®, OPTIBENT®, OPTIFLO®, OPTIGEL®, POLYAD®, PRIEX®, PURE THIX®, RECYCLOBLEND®, RECYCLOBYK®, RECYCLOSSORB®, RECYCLOSTAB®, RHEOBYK®, RHEOCIN®, RHEOTIX®, SCONA®, SILBYK®, TIXOGEL®, VISCOBYK® and Y 25® are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions.

