

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ANTI-TERRA-204 SG  
UFI : 188A-K0C3-800D-69FT  
Product code : 00000000000114165

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Wetting & Dispersing Additive

#### 1.3 Details of the supplier of the safety data sheet

Company : BYK USA LLC  
South Cherry Street 524  
06492 Wallingford  
Telephone :  
Information : BYK USA Regulatory Affairs  
Telephone : +1 203-265-2086  
Telefax :  
E-mail address : BRIEF.BYK.NAFTA@altana.com

#### 1.4 Emergency telephone number

+44 1235 239670

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|  |  |
|--|--|
| Flammable liquids, Category 3  | H226: Flammable liquid and vapour.                       |
| Skin sensitisation, Category 1   | H317: May cause an allergic skin reaction.               |
| Carcinogenicity, Category 1B   | H350: May cause cancer.                                  |
| Specific target organ toxicity - single exposure, Category 3, Central nervous system | H336: May cause drowsiness or dizziness.                 |
| Long-term (chronic) aquatic hazard, Category 3                                       | H412: Harmful to aquatic life with long lasting effects. |

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

|                          |   |   |
|--------------------------|---|---|
| Hazard pictograms        | : |   |
| Signal word              | : | Danger  |
| Hazard statements        | : | H226 Flammable liquid and vapour.<br>H317 May cause an allergic skin reaction.<br>H336 May cause drowsiness or dizziness.<br>H350 May cause cancer.<br>H412 Harmful to aquatic life with long lasting effects.  |
| Precautionary statements | : | <b>Prevention:</b><br>P201 Obtain special instructions before use.<br>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P261 Avoid breathing mist or vapours.<br>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.<br><b>Response:</b><br>P308 + P313 IF exposed or concerned: Get medical advice/ attention.<br>P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |

### Hazardous components which must be listed on the label:

- 162627-17-0 Fatty acids, C18, unsatd., dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine
- 107-98-2 1-methoxy-2-propanol
- 98-82-8 cumene

### Additional Labelling

Restricted to professional users.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : Solution of a polycarboxylic acid salt of polyamine amides

#### Components

| Chemical name  | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification   | Concentration<br>(% w/w) |
|--|---|--|--------------------------|
| Fatty acids, C18, unsatd., dimers,<br>reaction products with N,N-<br>dimethyl-1,3-propanediamine and<br>1,3-propanediamine | 162627-17-0<br>01-2119970640-38-<br>0000              | Skin Sens. 1A; H317  | >= 50 - <= 100           |
| 1-methoxy-2-propanol   | 107-98-2<br>203-539-1<br>01-2119457435-35             | Flam. Liq. 3; H226<br>STOT SE 3; H336<br>(Central nervous<br>system)   | >= 30 - < 50             |
| Solvent naphtha (petroleum), light<br>arom.; Low boiling point naphtha -<br>unspecified                                    | 64742-95-6<br>01-2119455851-35                        | Flam. Liq. 3; H226<br>STOT SE 3; H336<br>(Central nervous<br>system)<br>STOT SE 3; H335<br>(Respiratory system)<br>Asp. Tox. 1; H304<br>Aquatic Chronic 2;<br>H411<br>EUH066 | >= 12,5 - < 20           |
| cumene   | 98-82-8<br>202-704-5                                  | Flam. Liq. 3; H226<br>Carc. 1B; H350<br>STOT SE 3; H335<br>(Respiratory system)<br>Asp. Tox. 1; H304<br>Aquatic Chronic 2;<br>H411   | >= 0,25 - < 0,5          |

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical  
advice.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

- In case of skin contact : If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : May cause an allergic skin reaction.  
May cause drowsiness or dizziness.  
May cause cancer.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

Advice on protection against fire and explosion : used.  
Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components           | CAS-No.  | Value type (Form of exposure)   | Control parameters               | Basis      |
|----------------------|----------|---|----------------------------------|------------|
| 1-methoxy-2-propanol | 107-98-2 | TWA   | 100 ppm<br>375 mg/m <sup>3</sup> | 2000/39/EC |
|                      |          | Further information: Identifies the possibility of significant uptake through the skin, Indicative  |                                  |            |
|                      |          | STEL  | 150 ppm<br>568 mg/m <sup>3</sup> | 2000/39/EC |
|                      |          | Further information: Identifies the possibility of significant uptake through the skin, Indicative  |                                  |            |
|                      |          | TWA   | 100 ppm<br>360 mg/m <sup>3</sup> | CH SUVA    |
|                      |          | Further information: Harm to the unborn child is not to be expected when the OEL-value is respected |                                  |            |
|                      |          | STEL  | 200 ppm<br>720 mg/m <sup>3</sup> | CH SUVA    |
|                      |          | Further information: Harm to the unborn child is not to be expected when the OEL-value is respected |                                  |            |
| cumene               | 98-82-8  | TWA   | 20 ppm<br>100 mg/m <sup>3</sup>  | 2000/39/EC |
|                      |          | Further information: Identifies the possibility of significant uptake through the skin, Indicative  |                                  |            |
|                      |          | STEL  | 50 ppm<br>250 mg/m <sup>3</sup>  | 2000/39/EC |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

|  |  |      |                                 |                  |
|--|--|------|---------------------------------|------------------|
|  | Further information: Identifies the possibility of significant uptake through the skin, Indicative   |      |                                 |                  |
|  |  | TWA  | 20 ppm<br>100 mg/m <sup>3</sup> | CH SUVA          |
|  | Further information: Toxic by skin resorption possible; Substances, which are easily absorbed through the skin, can give by additional skin resorption a substantial higher risk compared to only inhalation by the airways., Carcinogenic Category 3, National Institute for Occupational Safety and Health, National Institute of Research and Safety for the prevention of work accidents and occupational diseases, Harm to the unborn child is not to be expected when the OEL-value is respected |      |                                 |                  |
|  |  | STEL | 80 ppm<br>400 mg/m <sup>3</sup> | CH SUVA          |
|  | Further information: Toxic by skin resorption possible; Substances, which are easily absorbed through the skin, can give by additional skin resorption a substantial higher risk compared to only inhalation by the airways., Carcinogenic Category 3, National Institute for Occupational Safety and Health, National Institute of Research and Safety for the prevention of work accidents and occupational diseases, Harm to the unborn child is not to be expected when the OEL-value is respected |      |                                 |                  |
|  |  | TWA  | 10 ppm<br>50 mg/m <sup>3</sup>  | 2019/1831/E<br>U |
|  | Further information: A skin notation assigned to the occupational exposure limit value indicates the possibility of significant uptake through the skin., Indicative   |      |                                 |                  |
|  |  | STEL | 50 ppm<br>250 mg/m <sup>3</sup> | 2019/1831/E<br>U |
|  | Further information: A skin notation assigned to the occupational exposure limit value indicates the possibility of significant uptake through the skin., Indicative   |      |                                 |                  |

### Biological occupational exposure limits

| Substance name       | CAS-No.  | Control parameters   | Sampling time   | Basis  |
|----------------------|----------|--|---|--------|
| 1-methoxy-2-propanol | 107-98-2 | 1-<br>methoxypropanol-<br>2: 221.9 micromol<br>per litre<br>(Urine)                | Immediately after<br>exposure or after<br>working hours | CH BAT |
|                      |          | 1-<br>methoxypropanol-<br>2: 20 mg/l<br>(Urine)                                    | Immediately after<br>exposure or after<br>working hours | CH BAT |
| cumene               | 98-82-8  | 2-phenyl-2-<br>propanol: 20 mg/g<br>creatinine<br>(Urine)                          | Immediately after<br>exposure or after<br>working hours | CH BAT |
|                      |          | 2-phenyl-2-<br>propanol: 16.6<br>micromoles per<br>millimole creatinine<br>(Urine) | Immediately after<br>exposure or after<br>working hours | CH BAT |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

| Substance name  | End Use   | Exposure routes | Potential health effects             | Value                   |
|---|-----------|-----------------|--------------------------------------|-------------------------|
| 1-methoxy-2-propanol  | Workers   | Inhalation      | Acute local effects                  | 553,5 mg/m <sup>3</sup> |
|   | Workers   | Skin contact    | Long-term systemic effects           | 50,6 mg/kg              |
|   | Workers   | Inhalation      | Long-term systemic effects           | 369 mg/m <sup>3</sup>   |
|   | Consumers | Skin contact    | Long-term systemic effects           | 18,1 mg/kg              |
|   | Consumers | Inhalation      | Long-term systemic effects           | 43,9 mg/m <sup>3</sup>  |
|   | Consumers | Ingestion       | Long-term systemic effects           | 3,3 mg/kg               |
| Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified | Workers   | Skin contact    | Long-term exposure, Systemic effects | 25 mg/kg                |
|   | Workers   | Inhalation      | Long-term exposure, Systemic effects | 150 mg/m <sup>3</sup>   |
|   | Consumers | Skin contact    | Long-term exposure, Systemic effects | 11 mg/kg                |
|   | Consumers | Inhalation      | Long-term exposure, Systemic effects | 32 mg/m <sup>3</sup>    |
|   | Consumers | Ingestion       | Long-term exposure, Systemic effects | 11 mg/kg                |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name       | Environmental Compartment | Value      |
|----------------------|---------------------------|------------|
| 1-methoxy-2-propanol | Fresh water               | 10 mg/l    |
|                      | Marine water              | 1 mg/l     |
|                      | Intermittent releases     | 100 mg/l   |
|                      | Sewage treatment plant    | 100 mg/l   |
|                      | Fresh water sediment      | 41,6 mg/kg |
|                      | Marine sediment           | 4,17 mg/kg |
|                      | Soil                      | 2,47 mg/kg |

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber  
Rate of permeability : > 480 min

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of vapour formation use a respirator with an

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

approved filter.

### Environmental exposure controls

General advice : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform  
respective authorities.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : light brown

Odour : amine-like

Odour Threshold : No data available

Melting point/ range : < 0 °C  
Method: derived

Initial boiling point : 120,00 °C  
Method: derived

Upper explosion limit / Upper  
flammability limit : 13,10 %(V)

Lower explosion limit / Lower  
flammability limit : 1,00 %(V)

Flash point : 31,00 °C  
Method: 48 (Abel-Pensky) DIN 51755

Auto-ignition temperature : > 200 °C  
Method: DIN 51794

Decomposition temperature : No data available

pH : 7 (20 °C)  
Concentration: 1 %  
Method: Universal pH-value indicator

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : 209,000 mm<sup>2</sup>/s (20,00 °C)  
99 mm<sup>2</sup>/s (40,00 °C)

Solubility(ies)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

---

|  |   |  |
|--|---|--|
| Water solubility                       | : | immiscible   |
| Solubility in other solvents           | : | No data available  |
| Partition coefficient: n-octanol/water | : | No data available  |
| Vapour pressure                        | : | 12 hPa (20,00 °C)<br>Method: derived                                       |
| Relative density                       | : | No data available  |
| Density                                | : | 0,9300 g/cm <sup>3</sup> (20,00 °C)<br>Method: 4 (20°C oscillating U-tube) |
| Bulk density                           | : | Not applicable   |
| Relative vapour density                | : | No data available  |

### 9.2 Other information

|                        |   |                     |
|------------------------|---|---------------------|
| Flammability (liquids) | : | Sustains combustion |
| Evaporation rate       | : | No data available   |
| Surface tension        | : | No data available   |

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.  
Vapours may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.  
Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity : Remarks: No data available

#### Components:

#### **Fatty acids, C18, unsatd., dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine:**

Acute oral toxicity : LD50 Oral (Rat, male and female): > 10.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

#### **1-methoxy-2-propanol:**

Acute oral toxicity : LD50 (Rat, male and female): 4.016 mg/kg  
Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg  
Method: Directive 67/548/EEC, Annex V, B.3.  
GLP: yes

#### **Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:**

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3.160 mg/kg  
Method: OECD Test Guideline 402

#### **Skin corrosion/irritation**

Not classified due to lack of data.

#### Product:

Remarks : May cause skin irritation and/or dermatitis.

#### Components:

#### **Fatty acids, C18, unsatd., dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine:**

Species : Rabbit

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### 1-methoxy-2-propanol:

Species : Rabbit  
Method : Directive 67/548/EEC, Annex V, B.4.  
Result : No skin irritation  
GLP : yes

### Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### Serious eye damage/eye irritation

Not classified due to lack of data.

### Product:

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

### Components:

### Fatty acids, C18, unsatd., dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

### 1-methoxy-2-propanol:

Species : Rabbit  
Method : Directive 67/548/EEC, Annex V, B.5.  
Result : No eye irritation  
GLP : yes

### Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

### Respiratory sensitisation

Not classified due to lack of data.

#### Product:

Remarks : Causes sensitisation.

#### Components:

##### **Fatty acids, C18, unsatd., dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine:**

Test Type : Mouse Local Lymph Node assay (LLNA)  
Species : Mouse  
Assessment : May cause sensitisation by skin contact.  
Method : OECD Test Guideline 429  
Result : May cause sensitisation by skin contact.  
GLP : yes

##### **1-methoxy-2-propanol:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Method : Directive 67/548/EEC, Annex V, B.6.  
Result : Does not cause skin sensitisation.  
GLP : yes

##### **Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### Germ cell mutagenicity

Not classified due to lack of data.

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### **Fatty acids, C18, unsatd., dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine:**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

GLP: yes

Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes

Test Type: In vitro mammalian cell gene mutation test (mouse lymphoma)

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

### **Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:**

Germ cell mutagenicity-  
Assessment : Classified based on benzene content < 0.1% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note P)

### **Carcinogenicity**

May cause cancer.

### **Product:**

Remarks : No data available

### **Components:**

### **Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:**

Carcinogenicity -  
Assessment : Classified based on benzene content < 0.1% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note P)

### **Reproductive toxicity**

Not classified due to lack of data.

### **Product:**

Effects on fertility : Remarks: No data available

Effects on foetal  
development : Remarks: No data available

### **STOT - single exposure**

May cause drowsiness or dizziness.

### **Product:**

Remarks : No data available

### **STOT - repeated exposure**

Not classified due to lack of data.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

### Product:

Remarks : No data available

### Repeated dose toxicity

### Product:

Remarks : No data available

### Components:

#### **Fatty acids, C18, unsatd., dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine:**

Species : Rat, male and female  
NOAEL : > 1.000 mg/kg  
Application Route : Oral  
Method : OECD Test Guideline 422  
GLP : yes

### Aspiration toxicity

Not classified due to lack of data.

### Product:

No data available

### Components:

#### **Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## 11.2 Information on other hazards

### Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

### Product:

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.  
Concentrations substantially above the TLV value may cause narcotic effects.  
Solvents may degrease the skin.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

##### Components:

##### **Fatty acids, C18, unsatd., dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 150 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: DIN 38412  
GLP: no

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : ErL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 430 mg/l  
End point: Biomass  
Exposure time: 16 h  
Method: DIN 38412, L 8  
GLP: no

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50: > 100 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

##### **1-methoxy-2-propanol:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 6.812 mg/l  
Exposure time: 96 h  
Test Type: static test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

Method: DIN 38412  
GLP: no

### **Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:**

- Toxicity to fish : LL50 (Fish): 9,2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes
- Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 3,2 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes
- Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata): 2,6 mg/l  
plants : Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

### **12.2 Persistence and degradability**

#### **Product:**

Biodegradability : Remarks: No data available

#### **Components:**

#### **Fatty acids, C18, unsatd., dimers, reaction products with N,N-dimethyl-1,3-propanediamine and 1,3-propanediamine:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301  
GLP: yes

#### **1-methoxy-2-propanol:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301  
GLP: yes

### **Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301F

### **12.3 Bioaccumulative potential**

#### **Product:**

Bioaccumulation : Remarks: No data available

#### **Components:**

#### **1-methoxy-2-propanol:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

Partition coefficient: n-octanol/water : log Pow: 0,37 (20 °C)  
pH: 6,8  
Method: OECD Test Guideline 117  
GLP: No information available.

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

### SECTION 14: Transport information

#### 14.1 UN number or ID number

**ADR** : UN 1993  
**RID** : UN 1993  
**IMDG** : UN 1993  
**IATA** : UN 1993

#### 14.2 UN proper shipping name

**ADR** : FLAMMABLE LIQUID, N.O.S.  
(1-Methoxy-2-propanol, Solvent naphtha)  
**RID** : FLAMMABLE LIQUID, N.O.S.  
(1-Methoxy-2-propanol, Solvent naphtha)  
**IMDG** : FLAMMABLE LIQUID, N.O.S.  
(1-Methoxy-2-propanol, Solvent naphtha)  
**IATA** : Flammable liquid, n.o.s.  
(1-Methoxy-2-propanol, Solvent naphtha)

#### 14.3 Transport hazard class(es)

**ADR** : 3  
**RID** : 3  
**IMDG** : 3  
**IATA** : 3

#### 14.4 Packing group

**ADR**  
Packing group : III  
Classification Code : F1  
Hazard Identification Number : 30  
Labels : 3  
Tunnel restriction code : D/E

**RID**  
Packing group : III  
Classification Code : F1  
Hazard Identification Number : 30  
Labels : 3

**IMDG**  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Remarks : IMDG Code segregation group 1 - Acids

**IATA (Cargo)**  
Packing instruction (cargo) : 366

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

aircraft)  
Packing group : III  
Labels : Flammable Liquids

### IATA (Passenger)

Packing instruction : 355  
(passenger aircraft)  
Packing instruction (LQ) : Y344  
Packing group : III  
Labels : Flammable Liquids

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 3  
  
Number on list 28: cumene  
  
Number on list 72: benzene  
  
Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving P5c FLAMMABLE LIQUIDS

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

dangerous substances.

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV)  
Volatile organic compounds (VOC) content: 49,6 %

### Other regulations:

The product belongs to group 1 according to the Swiss Chemicals Ordinance (ChemO 813.11).

### 15.2 Chemical safety assessment

Not applicable

## SECTION 16: Other information

Items where relevant changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H226 : Flammable liquid and vapour.  
H304 : May be fatal if swallowed and enters airways.  
H317 : May cause an allergic skin reaction.  
H335 : May cause respiratory irritation.  
H336 : May cause drowsiness or dizziness.  
H350 : May cause cancer.  
H411 : Toxic to aquatic life with long lasting effects.  
EUH066 : Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard  
Asp. Tox. : Aspiration hazard  
Carc. : Carcinogenicity  
Flam. Liq. : Flammable liquids  
Skin Sens. : Skin sensitisation  
STOT SE : Specific target organ toxicity - single exposure  
2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values  
2019/1831/EU : Europe. Commission Directive 2019/1831/EU establishing a fifth list of indicative occupational exposure limit values  
CH BAT : Switzerland. List of BAT-values  
CH SUVA : Switzerland. Limit values at the work place  
2000/39/EC / TWA : Limit Value - eight hours  
2000/39/EC / STEL : Short term exposure limit  
2019/1831/EU / TWA : Limit Value - eight hours  
2019/1831/EU / STEL : Short term exposure limit  
CH SUVA / TWA : Time Weighted Average  
CH SUVA / STEL : Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation;

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## ANTI-TERRA-204 SG

Version 3.0  
SDB\_CH

Revision Date: 14.03.2025

Date of last issue: 04.12.2024  
Print Date 05.01.2026

Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Flam. Liq. 3      | H226 |
| Skin Sens. 1      | H317 |
| Carc. 1B          | H350 |
| STOT SE 3         | H336 |
| Aquatic Chronic 3 | H412 |

#### Classification procedure:

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Calculation method                  |
| Calculation method                  |
| Calculation method                  |
| Calculation method                  |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CH / EN