

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0

SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024

Print Date: 23.12.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : BYK-1816

UFI : J3UC-K02Y-H00Y-KJ1H

Product code : 000000000000138758

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Defoamer

#### 1.3 Details of the supplier of the safety data sheet

Company : BYK-Chemie GmbH  
Abelstrasse 45  
46483 Wesel

Telephone : +49 281 670-0  
Telefax : +49 281 65735

Information : Regulatory Affairs  
Telephone : +49 281 670-23532  
Telefax : +49 281 670-23533  
E-mail address : GHS.BYK@altana.com

#### 1.4 Emergency telephone

+44 1235 239670

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapor.  
Specific target organ toxicity - single exposure, Category 3, Central nervous system H336: May cause drowsiness or dizziness.

#### 2.2 Label elements

##### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0  
SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024  
Print Date: 23.12.2025

|                                |   |                                                                             |                                                                                                                                                                                                                                                                                                                     |
|--------------------------------|---|-----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazard Statements              | : | H226<br>H336                                                                | Flammable liquid and vapor.<br>May cause drowsiness or dizziness.                                                                                                                                                                                                                                                   |
| Supplemental Hazard Statements | : | EUH066                                                                      | Repeated exposure may cause skin dryness or cracking.                                                                                                                                                                                                                                                               |
| Precautionary Statements       | : | <b>Prevention:</b><br>P210<br>P261                                          | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Avoid breathing mist or vapors.                                                                                                                                                                                   |
|                                |   | <b>Response:</b><br>P303 + P361 + P353<br>P304 + P340 + P312<br>P370 + P378 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.<br>IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.<br>In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |
|                                |   | <b>Storage:</b><br>P403 + P233                                              | Store in a well-ventilated place. Keep container tightly closed.                                                                                                                                                                                                                                                    |

### Hazardous ingredients which must be listed on the label:

- 123-86-4 n-butyl acetate

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Solution of polysiloxanes

#### Components

| Chemical name | CAS-No.<br>EC-No.<br>Index-No. | Classification | Concentration<br>(% w/w) |
|---------------|--------------------------------|----------------|--------------------------|
|               |                                |                |                          |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0

SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024

Print Date: 23.12.2025

|                 | Registration number                       |                                                                                |                |
|-----------------|-------------------------------------------|--------------------------------------------------------------------------------|----------------|
| n-butyl acetate | 123-86-4<br>204-658-1<br>01-2119485493-29 | Flam. Liq. 3; H226<br>STOT SE 3; H336<br>(Central nervous<br>system)<br>EUH066 | >= 50 - <= 100 |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

- General advice : Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : May cause drowsiness or dizziness.  
Repeated exposure may cause skin dryness or cracking.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Alcohol-resistant foam

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0  
SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024  
Print Date: 23.12.2025

Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0

SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024

Print Date: 23.12.2025

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapors/dust.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.  
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.
- Hygiene measures : Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

- Specific use(s) : No data available

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Occupational Exposure Limits

| Components                      | CAS-No.  | Value type (Form of exposure) | Control parameters               | Basis        |
|---------------------------------|----------|-------------------------------|----------------------------------|--------------|
| n-butyl acetate                 | 123-86-4 | OELV - 8 hrs (TWA)            | 50 ppm<br>241 mg/m <sup>3</sup>  | IE OEL       |
|                                 |          | OELV - 15 min (STEL)          | 150 ppm<br>723 mg/m <sup>3</sup> | IE OEL       |
|                                 |          | STEL                          | 150 ppm<br>723 mg/m <sup>3</sup> | 2019/1831/EU |
| Further information: Indicative |          |                               |                                  |              |
|                                 |          | TWA                           | 50 ppm<br>241 mg/m <sup>3</sup>  | 2019/1831/EU |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0  
SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024  
Print Date: 23.12.2025

Further information: Indicative

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

| Substance name  | End Use   | Routes of exposure | Potential health effects   | Value      |
|-----------------|-----------|--------------------|----------------------------|------------|
| n-butyl acetate | Workers   | Inhalation         | Acute local effects        | 600 mg/m3  |
|                 | Workers   | Inhalation         | Long-term local effects    | 300 mg/m3  |
|                 | Consumers | Inhalation         | Acute local effects        | 300 mg/m3  |
|                 | Consumers | Inhalation         | Long-term local effects    | 35,7 mg/m3 |
|                 | Workers   | Dermal             | Long-term systemic effects | 11 mg/kg   |
|                 | Workers   | Dermal             | Acute systemic effects     | 11 mg/kg   |
|                 | Consumers | Dermal             | Long-term systemic effects | 6 mg/kg    |
|                 | Consumers | Dermal             | Acute systemic effects     | 6 mg/kg    |
|                 | Consumers | Oral               | Long-term systemic effects | 2 mg/m3    |
|                 | Consumers | Oral               | Acute systemic effects     | 2 mg/m3    |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name  | Environmental Compartment | Value        |
|-----------------|---------------------------|--------------|
| n-butyl acetate | Fresh water               | 0,18 mg/l    |
|                 | Sea water                 | 0,018 mg/l   |
|                 | Intermittent releases     | 0,36 mg/l    |
|                 | Fresh water sediment      | 0,981 mg/kg  |
|                 | Sea sediment              | 0,0981 mg/kg |
|                 | Soil                      | 0,0903 mg/kg |
|                 | Sewage treatment plant    | 35,6 mg/l    |

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection

Material : butyl-rubber  
Break through time : > 60 min

Remarks : The suitability for a specific workplace should be discussed  
with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and  
concentration of the dangerous substance at the work place.

Respiratory protection : In the case of vapor formation use a respirator with an  
approved filter.

### Environmental exposure controls

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0  
SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024  
Print Date: 23.12.2025

General advice : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform  
respective authorities.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

|                                                     |                                                                        |
|-----------------------------------------------------|------------------------------------------------------------------------|
| Physical state                                      | : liquid                                                               |
| Color                                               | : clear, colourless - light yellow                                     |
| Odor                                                | : solvent                                                              |
| Odor Threshold                                      | : No data available                                                    |
| Melting point/ range                                | : -90 °C (1.013 hPa)<br>Method: derived                                |
| Boiling point/boiling range                         | : 126 °C (1.013 hPa)<br>Method: derived                                |
| Upper explosion limit / Upper<br>flammability limit | : No data available                                                    |
| Lower explosion limit / Lower<br>flammability limit | : No data available                                                    |
| Flash point                                         | : 26 °C(1.013 hPa)<br>Method: 48 (Abel-Pensky) DIN 51755               |
| Autoignition temperature                            | : > 200 °C (1.013 hPa)<br>Method: DIN 51794                            |
| Decomposition temperature                           | : No data available                                                    |
| pH                                                  | : 7,2 (20 °C)<br>Concentration: 1 %<br>Method: DIN 19268 (1% in water) |
| Viscosity                                           |                                                                        |
| Viscosity, dynamic                                  | : 2 mPa.s (20 °C)<br>Method: P/K 20°C                                  |
| Viscosity, kinematic                                | : No data available                                                    |
| Solubility(ies)                                     |                                                                        |
| Water solubility                                    | : immiscible                                                           |
| Solubility in other solvents                        | : No data available                                                    |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0  
SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024  
Print Date: 23.12.2025

|                                        |   |                                                                                   |
|----------------------------------------|---|-----------------------------------------------------------------------------------|
| Partition coefficient: n-octanol/water | : | No data available                                                                 |
| Vapor pressure                         | : | 11,6 hPa (20 °C)<br>Method: derived                                               |
| Density                                | : | 0,886 g/cm <sup>3</sup> (20 °C, 1.013 hPa)<br>Method: 4 (20°C oscillating U-tube) |
| Relative vapor density                 | : | No data available                                                                 |

### 9.2 Other information

|                        |   |                     |
|------------------------|---|---------------------|
| Flammability (liquids) | : | Sustains combustion |
| Evaporation rate       | : | No data available   |

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

|                     |   |                                                     |
|---------------------|---|-----------------------------------------------------|
| Hazardous reactions | : | No decomposition if stored and applied as directed. |
|                     |   | Vapors may form explosive mixture with air.         |

### 10.4 Conditions to avoid

|                     |   |                          |
|---------------------|---|--------------------------|
| Conditions to avoid | : | Heat, flames and sparks. |
|---------------------|---|--------------------------|

### 10.5 Incompatible materials

|                    |   |                                                          |
|--------------------|---|----------------------------------------------------------|
| Materials to avoid | : | Strong oxidizing agents<br>Strong acids and strong bases |
|--------------------|---|----------------------------------------------------------|

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0  
SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024  
Print Date: 23.12.2025

Acute oral toxicity : Remarks: No data available

### Components:

#### **n-butyl acetate:**

Acute oral toxicity : LD50 (Rat, male): > 10.000 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat, male and female): > 21,1 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: OECD Test Guideline 403  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 14.000 mg/kg  
Method: OECD Test Guideline 402

### **Skin corrosion/irritation**

Repeated exposure may cause skin dryness or cracking.

### Product:

Remarks : No data available

### Components:

#### **n-butyl acetate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified due to lack of data.

### Components:

#### **n-butyl acetate:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified due to lack of data.

#### **Respiratory sensitization**

Not classified due to lack of data.

### Product:

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0  
SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024  
Print Date: 23.12.2025

### Components:

#### **n-butyl acetate:**

|           |   |                                    |
|-----------|---|------------------------------------|
| Test Type | : | Buehler Test                       |
| Species   | : | Guinea pig                         |
| Method    | : | OECD Test Guideline 406            |
| Result    | : | Does not cause skin sensitization. |

#### **Germ cell mutagenicity**

Not classified due to lack of data.

### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### **Carcinogenicity**

Not classified due to lack of data.

### Product:

Remarks : No data available

#### **Reproductive toxicity**

Not classified due to lack of data.

### Product:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

#### **STOT-single exposure**

May cause drowsiness or dizziness.

### Product:

Remarks : No data available

#### **STOT-repeated exposure**

Not classified due to lack of data.

### Product:

Remarks : No data available

#### **Repeated dose toxicity**

### Product:

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0  
SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024  
Print Date: 23.12.2025

### Aspiration toxicity

Not classified due to lack of data.

### Product:

No data available

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.  
Concentrations substantially above the TLV value may cause narcotic effects.  
Solvents may degrease the skin.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

#### Components:

##### **n-butyl acetate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 18 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 44 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Scenedesmus subspicatus): 675 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other : NOEC: 23 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0  
SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024  
Print Date: 23.12.2025

aquatic invertebrates  
(Chronic toxicity)

End point: Reproduction  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

#### Components:

##### **n-butyl acetate:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

#### Components:

##### **n-butyl acetate:**

Partition coefficient: n-octanol/water : log Pow: 2,3 (25 °C)  
pH: 7  
Method: OECD Test Guideline 117  
GLP: yes

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0

SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024

Print Date: 23.12.2025

### 12.7 Other adverse effects

#### Product:

Additional ecological information : No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR : UN 1123  
RID : UN 1123  
IMDG : UN 1123  
IATA : UN 1123

### 14.2 UN proper shipping name

ADR : BUTYL ACETATES, SOLUTION  
RID : BUTYL ACETATES, SOLUTION  
IMDG : BUTYL ACETATES, SOLUTION  
IATA : Butyl acetates, solution

### 14.3 Transport hazard class(es)

ADR : 3  
RID : 3  
IMDG : 3  
IATA : 3

### 14.4 Packing group

ADR  
Packing group : III  
Classification Code : F1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0

SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024

Print Date: 23.12.2025

Hazard Identification Number : 30  
Labels : 3  
Tunnel restriction code : D/E

### RID

Packing group : III  
Classification Code : F1  
Hazard Identification Number : 30  
Labels : 3

### IMDG

Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Remarks : IMDG Code segregation group - none

### IATA (Cargo)

Packing instruction (cargo aircraft) : 366  
Packing instruction (LQ) : Y344  
Packing group : III  
Labels : Flammable Liquids

### IATA (Passenger)

Packing instruction (passenger aircraft) : 355  
Packing instruction (LQ) : Y344  
Packing group : III  
Labels : Flammable Liquids

## 14.5 Environmental hazards

### ADR

Environmentally hazardous : no

### RID

Environmentally hazardous : no

### IMDG

Marine pollutant : no

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0  
SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024  
Print Date: 23.12.2025

|                                                                                                                                                         |     |                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)              | :   | Conditions of restriction for the following entries should be considered:<br>Number on list 3                                                                                                                         |
| REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).                                                               | :   | Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.<br>This product does not contain substances of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 57). |
| REACH - List of substances subject to authorisation (Annex XIV)                                                                                         | :   | Not applicable                                                                                                                                                                                                        |
| Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. | P5c | FLAMMABLE LIQUIDS                                                                                                                                                                                                     |

### 15.2 Chemical Safety Assessment

Not applicable

## SECTION 16: Other information

Items where relevant changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

|        |   |                                                       |
|--------|---|-------------------------------------------------------|
| H226   | : | Flammable liquid and vapor.                           |
| H336   | : | May cause drowsiness or dizziness.                    |
| EUH066 | : | Repeated exposure may cause skin dryness or cracking. |

### Full text of other abbreviations

|                               |   |                                                                                                                               |
|-------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------|
| Flam. Liq.                    | : | Flammable liquids                                                                                                             |
| STOT SE                       | : | Specific target organ toxicity - single exposure                                                                              |
| 2019/1831/EU                  | : | Europe. Commission Directive 2019/1831/EU establishing a fifth list of indicative occupational exposure limit values          |
| IE OEL                        | : | Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2 |
| 2019/1831/EU / TWA            | : | Limit Value - eight hours                                                                                                     |
| 2019/1831/EU / STEL           | : | Short term exposure limit                                                                                                     |
| IE OEL / OELV - 8 hrs (TWA)   | : | Occupational exposure limit value (8-hour reference period)                                                                   |
| IE OEL / OELV - 15 min (STEL) | : | Occupational exposure limit value (15-minute reference period)                                                                |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-1816

Version: 4.0

SDB\_IE

Revision Date: 22.12.2025

Date of last issue: 07.02.2024

Print Date: 23.12.2025

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|              |      |
|--------------|------|
| Flam. Liq. 3 | H226 |
| STOT SE 3    | H336 |

#### Classification procedure:

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Calculation method                  |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN