

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BYK-2616

Version 3.1

SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022

Print Date 19.05.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : BYK-2616

UFI : 7U31-T0WP-600S-MDVU

Product code : 000000000000105870

This substance/ mixture contains nanoforms

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Additive to Eliminate Moisture

#### 1.3 Details of the supplier of the safety data sheet

Company : BYK-Chemie GmbH  
Abelstrasse 45  
46483 Wesel

Telephone : +49 281 670-0

Telefax : +49 281 65735

  

Information : Regulatory Affairs

Telephone : +49 281 670-23532

Telefax : +49 281 670-23533

E-mail address : GHS.BYK@altana.com

#### 1.4 Emergency telephone number

Europe +44 1235 239670

Middle East/Africa +44 1235 239671

Americas +1 215 207 0061

East/South East Asia +65 3158 1074

(Local India: 000 800 100 7479)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|                                                                                  |                                                          |
|----------------------------------------------------------------------------------|----------------------------------------------------------|
| Skin irritation, Category 2                                                      | H315: Causes skin irritation.                            |
| Serious eye damage, Category 1                                                   | H318: Causes serious eye damage.                         |
| Specific target organ toxicity - single exposure, Category 3, Respiratory system | H335: May cause respiratory irritation.                  |
| Long-term (chronic) aquatic hazard, Category 3                                   | H412: Harmful to aquatic life with long lasting effects. |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BYK-2616

Version 3.1

SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022

Print Date 19.05.2025

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Danger

Hazard statements

: H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

#### Hazardous components which must be listed on the label:

- 1305-78-8 calcium oxide

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature

: Combination of a specially prepared finely dispersed calcium oxide and a stabilizing wetting agent

#### Components

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BYK-2616

Version 3.1

SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022

Print Date 19.05.2025

| Chemical name                                                                             | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                                                                                                                                                           | Concentration<br>(% w/w) |
|-------------------------------------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| calcium oxide                                                                             | 1305-78-8<br>215-138-9<br>01-2119475325-36            | Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>STOT SE 3; H335<br>(Respiratory system)                                                                                       | $\geq 50 - \leq 100$     |
| Poly(oxy-1,2-ethanediyl), a-hydro-<br>w-hydroxy-, mono-C13-15-alkyl<br>ethers, succinates | 162627-31-8                                           | Eye Irrit. 2; H319<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute<br>aquatic toxicity): 1<br>M-Factor (Chronic<br>aquatic toxicity): 1 | $\geq 1 - < 2,5$         |
| Substances with a workplace exposure limit :                                              |                                                       |                                                                                                                                                                          |                          |
| Silicon dioxide                                                                           | 7631-86-9<br>231-545-4<br>01-2119379499-16            |                                                                                                                                                                          | $\geq 1 - < 3$           |

For explanation of abbreviations see section 16.

This substance/ mixture contains nanoforms

### Components:

#### **Silicon dioxide:**

#### Particle characteristics

|                                |                                                          |
|--------------------------------|----------------------------------------------------------|
| Assessment                     | : Assessment: This substance/ mixture contains nanoforms |
| Shape                          | : Shape: spheres                                         |
| Crystallinity                  | : Crystallinity: amorphous                               |
| Surface treatment<br>/Coatings | : Surface treatment /Coatings: no                        |

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

|                |                                                                                                                                                          |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice | : Move out of dangerous area.<br>Consult a physician.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended. |
| If inhaled     | : If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                          |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BYK-2616

Version 3.1

SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022

Print Date 19.05.2025

- |                         |   |                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In case of skin contact | : | If skin irritation persists, call a physician.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.                                                                                                                                                                                                                                                                        |
| In case of eye contact  | : | Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.<br>Continue rinsing eyes during transport to hospital.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed            | : | Keep respiratory tract clear.<br>Do NOT induce vomiting.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.                                                                                                                                              |

### 4.2 Most important symptoms and effects, both acute and delayed

- |          |   |                           |
|----------|---|---------------------------|
| Symptoms | : | No information available. |
| Risks    | : | No information available. |

### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |                           |
|-----------|---|---------------------------|
| Treatment | : | No information available. |
|-----------|---|---------------------------|

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                                |   |                                                                                                    |
|--------------------------------|---|----------------------------------------------------------------------------------------------------|
| Suitable extinguishing media   | : | Special powder against metal fire<br><br>Foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical |
| Unsuitable extinguishing media | : | High volume water jet                                                                              |
|                                |   | Reacts violently with water.                                                                       |

### 5.2 Special hazards arising from the substance or mixture

- |                                       |   |                                                                                                                                    |
|---------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------|
| Specific hazards during fire-fighting | : | The product reacts with water and generates heat.<br><br>Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion prod-            | : | Carbon oxides                                                                                                                      |

## BYK-2616

Version 3.1  
SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022  
Print Date 19.05.2025

ucts

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

## BYK-2616

Version 3.1  
SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022  
Print Date 19.05.2025

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : Keep away from isocyanates.  
Keep away from oxidizing agents.  
Keep away from strong acids.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components                                   | CAS-No.   | Value type (Form of exposure) | Control parameters    | Basis       |
|----------------------------------------------|-----------|-------------------------------|-----------------------|-------------|
| calcium oxide                                | 1305-78-8 | (Respirable fraction)         | 1 mg/m <sup>3</sup>   | 2017/164/EU |
| Further information: Indicative              |           |                               |                       |             |
|                                              |           | STEL (Respirable fraction)    | 4 mg/m <sup>3</sup>   | 2017/164/EU |
| Further information: Indicative              |           |                               |                       |             |
| Silicon dioxide                              | 7631-86-9 | TWA (Respirable dust)         | 0,1 mg/m <sup>3</sup> | 2004/37/EC  |
| Further information: Carcinogens or mutagens |           |                               |                       |             |

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name            | End Use   | Exposure routes | Potential health effects   | Value                  |
|---------------------------|-----------|-----------------|----------------------------|------------------------|
| bis(2-ethylhexyl) adipate | Workers   | Skin contact    | Long-term systemic effects | 25,5 mg/kg             |
|                           | Workers   | Inhalation      | Long-term systemic effects | 17,8 mg/m <sup>3</sup> |
|                           | Consumers | Skin contact    | Long-term systemic effects | 13 mg/kg               |
|                           | Consumers | Inhalation      | Long-term systemic effects | 4,4 mg/m <sup>3</sup>  |
|                           | Consumers | Ingestion       | Long-term systemic effects | 1,3 mg/kg              |
|                           | Workers   | Inhalation      | Long-term systemic effects | 4 mg/m <sup>3</sup>    |

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name            | Environmental Compartment | Value       |
|---------------------------|---------------------------|-------------|
| bis(2-ethylhexyl) adipate | Fresh water               | 0,0032 mg/l |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BYK-2616

Version 3.1

SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022

Print Date 19.05.2025

|  |                        |             |
|--|------------------------|-------------|
|  | Marine water           | 0,0032 mg/l |
|  | Sewage treatment plant | 35 mg/l     |
|  | Fresh water sediment   | 15,6 mg/kg  |
|  | Marine sediment        | 0,19 mg/kg  |
|  | Soil                   | 0,865 mg/kg |
|  | Intermittent releases  | 0,0032 mg/l |

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Hand protection  
Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0,4 mm

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

#### Environmental exposure controls

General advice : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : paste  
Colour : light grey  
Odour : not significant  
Odour Threshold : No data available

Melting point/range : No data available

Initial boiling point : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : 162,00 °C

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BYK-2616

Version 3.1

SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022

Print Date 19.05.2025

|                                        |                                                                              |
|----------------------------------------|------------------------------------------------------------------------------|
|                                        | Method: 49 (Pensky-Martens)                                                  |
| Auto-ignition temperature              | : > 350,00 °C<br>Method: calculated                                          |
| Decomposition temperature              | : No data available                                                          |
| pH                                     | : 12,1 (20 °C)<br>Concentration: 1 %<br>Method: DIN 19268                    |
| Viscosity                              |                                                                              |
| Viscosity, dynamic                     | : No data available                                                          |
| Solubility(ies)                        |                                                                              |
| Water solubility                       | : immiscible                                                                 |
| Solubility in other solvents           | : No data available                                                          |
| Partition coefficient: n-octanol/water | : No data available                                                          |
| Vapour pressure                        | : < 1,0000000 hPa (20,00 °C)<br>Method: derived                              |
| Relative density                       | : No data available                                                          |
| Density                                | : 1,9400 g/cm <sup>3</sup> (20,00 °C)<br>Method: 4 (20°C oscillating U-tube) |
| Bulk density                           | : Not applicable                                                             |
| Relative vapour density                | : No data available                                                          |
| Particle characteristics               |                                                                              |
| Assessment                             | : Assessment: This substance/ mixture contains nanoforms                     |
| Particle size                          | : Further particle properties for nanomaterials see section 3                |

### 9.2 Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.  
Reacts violently with water.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

Exothermic reaction with acids.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BYK-2616

Version 3.1

SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022

Print Date 19.05.2025

### 10.4 Conditions to avoid

Conditions to avoid : Exposure to moisture

### 10.5 Incompatible materials

Materials to avoid : Aluminium  
Copper alloys  
Strong acids and oxidizing agents  
Water

### 10.6 Hazardous decomposition products

Hydrogen, by reaction with metals

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: Remarks: No data available

##### Components:

Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates

:

Acute oral toxicity : LD50 (Rat, male and female): > 4.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

#### Silicon dioxide:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): 58,8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes

#### Skin corrosion/irritation

Causes skin irritation.

##### Product:

Species : EPISKIN human epidermis skin constructs  
Exposure time : > 4 h  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 435  
Result : Skin irritation  
Remarks : Irritating to skin.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BYK-2616

Version 3.1  
SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022  
Print Date 19.05.2025

Remarks : Causes skin irritation.

### Components:

Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates

:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### Serious eye damage/eye irritation

#### Product:

Remarks : May cause irreversible eye damage.

### Components:

Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates

:

Species : Rabbit  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 405  
Result : Eye irritation  
GLP : yes

### Respiratory or skin sensitisation

#### Product:

Remarks : No data available

### Components:

Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates

:

Remarks : No data available

### Repeated dose toxicity

#### Product:

Remarks : No data available

### Components:

Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates

:

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BYK-2616

Version 3.1

SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022

Print Date 19.05.2025

### 11.2 Information on other hazards

#### Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Further information

**Product:**

Remarks : No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

**Product:**

Toxicity to fish : Remarks: No data available

**Components:**

Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates

:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3,5 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum): > 0,78 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

### 12.2 Persistence and degradability

**Product:**

Biodegradability : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BYK-2616

Version 3.1

SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022

Print Date 19.05.2025

### Components:

Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates

:

Biodegradability : Remarks: No data available

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

### Components:

Poly(oxy-1,2-ethanediyl), a-hydro-w-hydroxy-, mono-C13-15-alkyl ethers, succinates

:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Pow:  $\geq 4$  (25 °C)  
log Pow:  $\geq 0,6$  (25 °C)  
Method: OECD Test Guideline 107  
GLP: yes

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

## BYK-2616

Version 3.1  
SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022  
Print Date 19.05.2025

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

- |                        |   |                                                                                                                                                                                                                  |
|------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                | : | The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.                                                                                                                    |

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- |                                                                                                                                                         |   |                                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------|
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).                                                               | : | This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). |
| REACH - List of substances subject to authorisation (Annex XIV)                                                                                         | : | Not applicable                                                                                                    |
| Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. | : | Not applicable                                                                                                    |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BYK-2616

Version 3.1

SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022

Print Date 19.05.2025

### 15.2 Chemical safety assessment

Not applicable

## SECTION 16: Other information

Items where relevant changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

|      |                                                         |
|------|---------------------------------------------------------|
| H315 | : Causes skin irritation.                               |
| H318 | : Causes serious eye damage.                            |
| H319 | : Causes serious eye irritation.                        |
| H335 | : May cause respiratory irritation.                     |
| H400 | : Very toxic to aquatic life.                           |
| H410 | : Very toxic to aquatic life with long lasting effects. |

### Full text of other abbreviations

|                    |                                                                                                                                   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Aquatic Acute      | : Short-term (acute) aquatic hazard                                                                                               |
| Aquatic Chronic    | : Long-term (chronic) aquatic hazard                                                                                              |
| Eye Dam.           | : Serious eye damage                                                                                                              |
| Eye Irrit.         | : Eye irritation                                                                                                                  |
| Skin Irrit.        | : Skin irritation                                                                                                                 |
| STOT SE            | : Specific target organ toxicity - single exposure                                                                                |
| 2004/37/EC         | : Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work |
| 2017/164/EU        | : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values            |
| 2004/37/EC / TWA   | : Long term exposure limit                                                                                                        |
| 2017/164/EU / STEL | : Short term exposure limit                                                                                                       |
| 2017/164/EU /      | : Limit Value - eight hours                                                                                                       |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## BYK-2616

Version 3.1

SDB\_IS

Revision Date: 17.03.2023

Date of last issue: 11.11.2022

Print Date 19.05.2025

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Skin Irrit. 2     | H315 |
| Eye Dam. 1        | H318 |
| STOT SE 3         | H335 |
| Aquatic Chronic 3 | H412 |

#### Classification procedure:

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Based on product data or assessment |
| Calculation method                  |
| Calculation method                  |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN