

BYK CI-1010

Concentrate corrosion inhibitor base used in the formulation of corrosion inhibitors for production, refinery, and pipeline applications.

Product Data

Composition

Amine ethoxylate

Typical Properties

The values indicated in this data sheet describe typical properties and do not constitute specification limits.

Appearance: Dark viscous liquid
Gardner color number: 20 max
Flash point: > 66 °C
Moisture content: max. 0.2 %
OH value: 230-270 mg KOH/g

Applications

Oil and Gas Industry

Special Features and Benefits

BYK CI-1010 has a very low moisture content.

Recommended Use

Production	<input checked="" type="checkbox"/>
Pipelines	<input checked="" type="checkbox"/>
Refinery	<input checked="" type="checkbox"/>

especially recommended recommended

Recommended Levels

Dosage range will typically range between 1-3 ppm evaluated in laboratory or field tests.

The above recommended levels can be used for orientation. Optimal levels are determined through a series of laboratory tests.

BYK CI-1010

Data Sheet
Issue 02/2021



Additive Guide



BYK-Chemie GmbH
P.O. Box 10 02 45
46462 Wesel
Germany
Tel +49 281 670-0
Fax +49 281 65735

info@byk.com
www.byk.com

ACTAL®, ADD-MAX®, ADD-VANCE®, ADJUST®, ADVITROL®, ANTI-TERRA®, AQUACER®, AQUAMAT®, AQUATIX®, BENTOLITE®, BYK®, BYK®-DYNWET®, BYK®-MAX®, BYK®-SILCLEAN®, BYKANOL®, BYKETOL®, BYKJET®, BYKO2BLOCK®, BYKOPLAST®, BYKUMEN®, CARBOBYK®, CERACOL®, CERAFAC®, CERAFLOUR®, CERAMAT®, CERATIX®, CLAYTONE®, CLOÍSITE®, DISPERBYK®, DISPERPLAST®, FULACOLOR®, FULCAT®, GARAMITÉ®, GELWHITE®, HORDAMER®, LACTIMON®, LAPONITE®, MINERAL COLLOID®, MINERPOL®, NANOBYK®, OPTIBENT®, OPTIFLO®, OPTIGEL®, PAPERBYK®, PERMONT®, POLYAD®, PRIEX®, PURE THIX®, RECYCLOBLEND®, RECYCLOBYK®, RECYCLOSSORB®, RECYCLOSTAB®, RHEOBYK®, RHEOCIN®, RHEOTIX®, SCONA®, SILBYK®, TIXOGEL®, VISCOBYK® and Y 25® are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions – Printed in Germany