

## BYK-P 9065

Version 7

Revision Date 07/12/2024

Print Date 05/07/2026

### SECTION 1. IDENTIFICATION

Product name : BYK-P 9065

#### Manufacturer or supplier's details

Company : BYK USA LLC  
524 South Cherry Street  
Wallingford CT 06492

Telephone : (203) 265-2086

Visit our web site : [www.byk.com](http://www.byk.com)E-mail address : [BRIEF.BYK.NAFTA@altana.com](mailto:BRIEF.BYK.NAFTA@altana.com)

Emergency telephone : 203-265-2086; CHEMTREC 1-800-424-9300 / +1  
number : 703-527-3887

#### Recommended use of the chemical and restrictions on use

Recommended use : Processing Additive

Restrictions on use : Refer to Section 15 for any restrictions that may apply

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Combination of surface active substances and polymers

#### Hazardous components

| Component                                    | CAS-No.  | Concentration (%) |
|--|----------|-------------------|
| Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- | 128-37-0 | >= 1 - < 5        |

### SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.

If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. Wash thoroughly with soap and water.

**BYK-P 9065**

Version 7

Revision Date 07/12/2024

Print Date 05/07/2026

- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : No information available.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Will not explode on mechanical impact.  
Cool closed containers exposed to fire with water spray.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)
- Further information : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Wear protective equipment: goggles, chemically resistant clothing and gloves, and appropriate respirator if in a confined area.
- Environmental precautions : Prevent spilled material from entering the ground, water and/or air by using appropriate containment methods.
- Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Keep in a dry, cool and well-ventilated place.  
Keep product and empty container away from heat and

**BYK-P 9065**

Version 7

Revision Date 07/12/2024

Print Date 05/07/2026

sources of ignition.  
 Take measures to prevent the build up of electrostatic charge.  
 Electrical installations / working materials must comply with  
 the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Components with workplace control parameters**

| Components                                   | CAS-No.  | Value type<br>(Form of exposure)      | Control parameters /<br>Permissible concentration | Basis     |
|--|----------|---------------------------------------|---|-----------|
| Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- | 128-37-0 | TWA                                   | 10 mg/m <sup>3</sup>                              | NIOSH REL |
| Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- |          | TWA<br>(Inhalable fraction and vapor) | 2 mg/m <sup>3</sup>                               | ACGIH     |

**Engineering measures** : Use with local exhaust ventilation.

**Personal protective equipment**

Respiratory protection : Unless air monitoring demonstrates vapor/mist/dust levels are below the PEL/TLV wear a properly fitted respirator (NIOSH approved) or dust mask during exposure.  
 No personal respiratory protective equipment normally required.

Hand protection  
 Material : Neoprene gloves

Eye protection : Safety glasses

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
 Protective suit

Hygiene measures : General industrial hygiene practice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid  
 Colour : amber  
 Odour : characteristic  
 Odour Threshold : No data available

pH : 6, Concentration: 1 % (68 °F (20 °C)) Method: Universal pH-value indicator

Melting point/freezing point : < 32 °F (< 0 °C)

**BYK-P 9065**

Version 7

Revision Date 07/12/2024

Print Date 05/07/2026

|   |  |
|---|--|
|   | Method: derived  |
| Initial boiling point and boiling range | : > 392 °F (> 200 °C)<br>(1,013 hPa)<br>Method: derived                          |
| Vapour pressure                         | : < 0.01 hPa (68 °F (20 °C))<br>Method: derived                                  |
| Flash point                             | : > 212 °F (> 100 °C)<br>Method: 49 (Pensky-Martens)                             |
| Upper explosion limit                   | : No data available  |
| Lower explosion limit                   | : No data available  |
| Evaporation rate                        | : No data available  |
| Relative vapour density                 | : No data available  |
| Relative Density/Specific Gravity       | : No data available  |
| Density                                 | : 0.945 g/cm <sup>3</sup> (68 °F (20 °C))<br>Method: 4 (20°C oscillating U-tube) |
| Bulk density                            | : Not applicable   |
| Solubility(ies)                         |  |
| Water solubility                        | : immiscible   |
| Solubility in other solvents            | : No data available  |
| Partition coefficient: n-octanol/water  | : No data available  |
| Ignition temperature                    | : > 392 °F (> 200 °C)<br>Method: DIN 51794                                       |
| Thermal decomposition                   | : No data available  |
| Viscosity                               |  |
| Viscosity, dynamic                      | : No data available  |

**SECTION 10. STABILITY AND REACTIVITY**

|                          |   |
|--------------------------|---|
| Reactivity               | : No decomposition if stored and applied as directed. |
| Chemical stability       | : No decomposition if stored and applied as directed. |
| Possibility of hazardous | : Stable under recommended storage conditions.        |

**BYK-P 9065**

Version 7

Revision Date 07/12/2024

Print Date 05/07/2026

reactions No hazards to be specially mentioned.

Conditions to avoid : No data available  
Incompatible materials : Strong oxidizing agents  
Hazardous decomposition products : None expected

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Ingestion  
Eyes  
Skin contact

**Acute toxicity****Product:**Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation methodAcute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method**Components:****128-37-0 Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-**Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yesAcute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes**Skin corrosion/irritation****Product:**

Remarks: No data available

**Serious eye damage/eye irritation****Product:**

Remarks: No data available

**Respiratory or skin sensitisation****Product:**

Remarks: No data available

**BYK-P 9065**

Version 7

Revision Date 07/12/2024

Print Date 05/07/2026

**Carcinogenicity****IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Repeated dose toxicity****Product:**

Remarks: Absorption of ingredients (solvents) by inhalation and/or repeated skin contact has caused injury to liver/kidney/blood in laboratory animals.

**Experience with human exposure****Product:**

Inhalation:

Symptoms:

High concentrations of heated vapors may irritate the respiratory tract and mucous membranes.

Skin contact:

Symptoms:

Contact may cause irritation and sensitization.

Eye contact:

Symptoms:

Contact may cause irritation.

Ingestion:

Symptoms:

Ingestion may irritate the digestive tract.

**Further information****Product:**

Remarks: No data available

**BYK-P 9065**

Version 7

Revision Date 07/12/2024

Print Date 05/07/2026

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish :  
Remarks: No data available

**Persistence and degradability****Product:**

Biodegradability : Remarks: No data available

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

EPA Hazardous Waste Code(s) : Not applicable.

Waste from residues : Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

**SECTION 14. TRANSPORT INFORMATION****International Regulations**

**BYK-P 9065**

Version 7

Revision Date 07/12/2024

Print Date 05/07/2026

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****49 CFR**

Not regulated as a dangerous good

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****US. EPA CERCLA Hazardous Substances (40 CFR 302)**

Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 - Emergency Release Notification**

This material does not contain any components with a section 304 EHS RQ.

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)**

This material does not contain any components with a SARA 302 RQ.

**SARA 311/312 Hazards** : Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for reporting purposes.

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

**BYK-P 9065**

Version 7

Revision Date 07/12/2024

Print Date 05/07/2026

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Non-volatile (Wt) : > 97 %  
 Method: 22 (10min/150°C)  
 DIN EN ISO 3251  
 Non-volatile information is not a specification.

**Massachusetts Right To Know**

Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- 128-37-0

**Pennsylvania Right To Know**

Dimer Acid -  
 Fatty acids 68334-05-4  
 Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl- 128-37-0  
 n-Butyl Acetate 123-86-4

**New Jersey Right To Know**

**New Jersey Trade Secret** : 800963-5374

**Registry Number for the product (NJ TSRN)**
**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : We certify that all of the components of this product are either listed on the TSCA Inventory or are not subject to the notification requirements per 40 CFR 720 30(h).

Section 5a : No substances are subject to a Significant New Use Rule.

Section 4 / 12(b) : No substances are subject to TSCA 12(b) export notification requirements.

CEPA Category : Polymer  
 Weight percent : 27 %  
 NSN Filed : Schedule 9  
 Max. NSN Required : Schedule 10

**SECTION 16. OTHER INFORMATION**

Revision Date : 07/12/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the

**BYK-P 9065**

Version 7

Revision Date 07/12/2024

Print Date 05/07/2026

specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.