

PURABYK-P 5541 SATIN XR

Product code: 000000000000139367

Version

1.0 SDS_REG_UN

Revision Date:

03.04.2024

Date of last issue: -

Date of first issue: 03.04.2024

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PURABYK-P 5541 SATIN XR

Type of Application (Use) : Rheology Additive

Manufacturer or supplier's details

Company : BYK USA LLC

Address : South Cherry Street 524
06492 Wallingford

Telephone : +1 203-265-2086

Telefax :

E-mail address : BRIEF.BYK.NAFTA@altana.com

Emergency telephone number : Europe +44 1235 239670
Middle East/Africa +44 1235 239671
Americas +1 215 207 0061
East/South East Asia +65 3158 1074
(Local India: 000 800 100 7479)**2. HAZARDS IDENTIFICATION****GHS Classification**

Carcinogenicity : Category 1A

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H350 May cause cancer.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

PURABYK-P 5541 SATIN XR

Product code: 000000000000139367

Version

1.0 SDS_REG_UN

Revision Date:

03.04.2024

Date of last issue: -

Date of first issue: 03.04.2024

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance
Chemical nature : Natural phyllosilicate

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO ₂)	14808-60-7	>= 0,5 - < 1

4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : No information available.
No information available.

Notes to physician : No information available.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO₂)
Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : The product itself does not burn.

PURABYK-P 5541 SATIN XR

Product code: 000000000000139367

Version

1.0 SDS_REG_UN

Revision Date:

03.04.2024

Date of last issue: -

Date of first issue: 03.04.2024

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz (SiO ₂)	14808-60-7	TWA (Respirable fraction)	0,025 mg/m ³ (Silica)	ACGIH

Filter type : Filter type P

Hand protection

Material : Protective gloves

PURABYK-P 5541 SATIN XR

Product code: 000000000000139367

Version

1.0 SDS_REG_UN

Revision Date:

03.04.2024

Date of last issue: -

Date of first issue: 03.04.2024

Hygiene measures :

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: off-white
Odour	: odourless
pH	: 7,0 - 8,5
	Concentration: 2 % (as a dispersion)
Melting point/range	: Not applicable
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Flammability (solid, gas)	: Does not sustain combustion.
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: Not applicable
Density	: 2,6 g/cm ³ (20 °C, 1.013 hPa)
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: insoluble
Ignition temperature	: Not applicable
Decomposition temperature	: Not applicable
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: No decomposition if stored and applied as directed.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: No decomposition if stored and applied as directed.

PURABYK-P 5541 SATIN XR

Product code: 000000000000139367

Version

1.0 SDS_REG_UN

Revision Date:

03.04.2024

Date of last issue: -

Date of first issue: 03.04.2024

11. TOXICOLOGICAL INFORMATION**Acute toxicity****Product:**

Acute oral toxicity : Remarks: No data available

Skin corrosion/irritation**Product:**

Remarks: No data available

Serious eye damage/eye irritation**Product:**

Remarks: No data available

Respiratory or skin sensitisation**Product:**

Remarks: No data available

Repeated dose toxicity**Product:**

Remarks: No data available

12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**Toxicity to fish :
Remarks: No data availableToxicity to daphnia and other :
aquatic invertebrates Remarks: No data available**Persistence and degradability****Product:**

Biodegradability : Remarks: No data available

PURABYK-P 5541 SATIN XR

Product code: 000000000000139367

Version

1.0 SDS_REG_UN

Revision Date:

03.04.2024

Date of last issue: -

Date of first issue: 03.04.2024

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: No data available

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

16. OTHER INFORMATION

The information contained herein is based on the present state of our knowledge and does therefore not guarantee certain properties.