

**RHEOBYK-R 607**

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

**SECTION 1. IDENTIFICATION**

Product name : RHEOBYK-R 607

**Manufacturer or supplier's details**Company : BYK USA LLC  
524 South Cherry Street  
Wallingford CT 06492

Telephone : (203) 265-2086

Visit our web site : [www.byk.com](http://www.byk.com)E-mail address : [BRIEF.BYK.NAFTA@altana.com](mailto:BRIEF.BYK.NAFTA@altana.com)Emergency telephone : 203-265-2086; CHEMTREC 1-800-424-9300 / +1  
number 703-527-3887**Recommended use of the chemical and restrictions on use**

Recommended use : Rheology Additive

Restrictions on use : Refer to Section 15 for any restrictions that may apply

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 4

Skin irritation : Category 2

Serious eye damage : Category 1

Skin sensitisation : Category 1

Carcinogenicity : Category 2

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H227 Combustible liquid.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H351 Suspected of causing cancer.Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read

## RHEOBYK-R 607

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
 Chemical nature : Solution of polyamine amides of unsaturated polycarboxylic acids

**Hazardous components**

Component	CAS-No.	Concentration (%)
Fatty acids, C18-unsatd., trimers, reaction products triethylenetetramine	162627-18-1	>= 68 - < 69
Solvent naphtha, petroleum, light aromatic	64742-95-6	>= 16 - < 17
Benzyl alcohol	100-51-6	>= 10 - < 11
Triethylenetetramine	112-24-3	>= 3 - < 4

The specific chemical identity/weight percent of proprietary ingredient(s) is a trade secret

## RHEOBYK-R 607

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

### SECTION 4. FIRST AID MEASURES

- |   |   |
|---|---|
| General advice  | : Move out of dangerous area.<br>Consult a physician.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.  |
| If inhaled  | : If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.   |
| In case of skin contact                                     | : If skin irritation persists, call a physician.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.  |
| In case of eye contact                                      | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.<br>Continue rinsing eyes during transport to hospital.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed  | : Keep respiratory tract clear.<br>Do NOT induce vomiting.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.  |
| Most important symptoms and effects, both acute and delayed | : No information available.   |

### SECTION 5. FIREFIGHTING MEASURES

- |                                      |   |
|--------------------------------------|---|
| Suitable extinguishing media         | : Carbon dioxide (CO <sub>2</sub> )   |
| Unsuitable extinguishing media       | : High volume water jet   |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses.   |
| Hazardous combustion products        | : Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )   |
| Further information                  | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br>For safety reasons in case of fire, cans should be stored separately in closed containments.<br>Use a water spray to cool fully closed containers. |

**RHEOBYK-R 607**

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : No smoking. Keep in a well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Keep away from strong acids. Keep away from strong bases. Keep away from oxidizing agents.

## RHEOBYK-R 607

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Benzyl alcohol	100-51-6	TWA	10 ppm	US WEEL
Triethylenetetramine	112-24-3	TWA	1 ppm	US WEEL

Hazardous components without workplace control parameters

**Engineering measures** : Use with local exhaust ventilation.

#### Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection  
Material : Nitrile rubber

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid  
Colour : dark brown  
Odour : hydrocarbon-like  
Odour Threshold : No data available

pH : Not applicable

Melting point/range : < 32 °F (< 0 °C)  
Method: derived

Initial boiling point : 320 °F (160 °C)  
Method: derived

Vapour pressure : 4 hPa (ca. 68 °F (20 °C))  
Method: derived

**RHEOBYK-R 607**

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

Flash point	:	144 °F (62 °C) Method: 48 (Abel-Pensky)
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Relative vapour density	:	No data available
Relative Density/Specific Gravity	:	No data available
Density	:	0.976 g/cm <sup>3</sup> (68 °F (20 °C)) Method: 4 (20°C oscillating U-tube)
Solubility(ies)	:	
Water solubility	:	immiscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Ignition temperature	:	> 392 °F (> 200 °C) Method: derived
Thermal decomposition	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	4155 mm <sup>2</sup> /s (104 °F (40 °C))
Conductivity	:	1,200,000 µS/cm Method: measured, method 61

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.

Vapours may form explosive mixture with air.

**RHEOBYK-R 607**

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

Conditions to avoid : Heat, flames and sparks.  
Incompatible materials : Strong oxidizing agents  
Acids  
Bases  
Hazardous decomposition products : No data available

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Ingestion  
Eyes  
Skin Absorption  
Skin contact

**Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : 13.99 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

**Components:****64742-95-6 Solvent naphtha, petroleum, light aromatic:**

Acute oral toxicity : LD50 (Rat): > 4,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3670 ppm  
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): > 3,480 mg/kg

**100-51-6 Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,230 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4,178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg

**RHEOBYK-R 607**

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

**112-24-3 Triethylenetetramine:**

Acute oral toxicity : LD50 (Rat): 2,500 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 805 mg/kg

**Skin corrosion/irritation****Product:**

Remarks: Extremely corrosive and destructive to tissue.

**Components:****162627-18-1 Fatty acids, C18-unsatd., trimers, reaction products triethylenetetramine:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

**64742-95-6 Solvent naphtha, petroleum, light aromatic:**

Species: Rabbit

Result: Moderate skin irritation

**100-51-6 Benzyl alcohol:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

**112-24-3 Triethylenetetramine:**

Method: OECD Test Guideline 435

Result: Corrosive

**Serious eye damage/eye irritation****Product:**

Remarks: May cause irreversible eye damage.

**Components:****162627-18-1 Fatty acids, C18-unsatd., trimers, reaction products triethylenetetramine:**

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

GLP: yes

Species: Bovine corneal opacity and permeability assay (BCOP)

Result: No eye irritation

Method: OECD Test Guideline 437

GLP: yes

**RHEOBYK-R 607**

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

**64742-95-6 Solvent naphtha, petroleum, light aromatic:**

Species: Rabbit

Result: Eye irritation

**100-51-6 Benzyl alcohol:**

Species: Rabbit

Result: Eye irritation

Method: OECD Test Guideline 405

GLP: yes

**112-24-3 Triethylenetetramine:**

Species: Rabbit

Result: Corrosive to eyes

**Respiratory or skin sensitisation****Product:**

Remarks: Causes sensitisation.

**Components:****162627-18-1 Fatty acids, C18-unsatd., trimers, reaction products triethylenetetramine:**

Test Type: Mouse Local Lymph Node assay (LLNA)

Species: Mouse

Assessment: The product is a skin sensitiser, sub-category 1B.

Method: OECD Test Guideline 429

Result: The product is a skin sensitiser, sub-category 1B.

GLP: yes

**64742-95-6 Solvent naphtha, petroleum, light aromatic:**

Test Type: Maximisation Test

Exposure routes: Dermal

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

**112-24-3 Triethylenetetramine:**

Test Type: Buehler Test

Exposure routes: Dermal

Species: Guinea pig

Method: OECD Test Guideline 406

Result: May cause sensitisation by skin contact.

GLP: yes

**Germ cell mutagenicity****Components:****162627-18-1 Fatty acids, C18-unsatd., trimers, reaction products triethylenetetramine:**

Genotoxicity in vitro

: Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

**RHEOBYK-R 607**

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

Result: negative  
GLP: yes

: Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes

: Test Type: In vitro mammalian cell gene mutation test (mouse lymphoma)

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

**Carcinogenicity**
**IARC**

Group 2B: Possibly carcinogenic to humans

Cumene 98-82-8

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

Reasonably anticipated to be a human carcinogen

Cumene 98-82-8

**Reproductive toxicity**
**Components:**
**162627-18-1 Fatty acids, C18-unsatd., trimers, reaction products triethylenetetramine:**

Effects on fertility

:  
Species: Rat  
Sex: male and female  
Application Route: Oral  
NOAEL: 1,000 mg/kg,  
F1: 1,000 mg/kg,  
Method: OECD Test Guideline 422  
GLP: yes

Effects on foetal development

: Species: Rat  
Application Route: Oral  
1,000 mg/kg  
1,000 mg/kg  
Method: OECD Test Guideline 422  
GLP: yes

**RHEOBYK-R 607**

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

**Repeated dose toxicity**
**Product:**

Remarks: Solvent absorption by inhalation and/or repeated skin contact may cause injury to liver, kidney and respiratory system.

Reports have associated repeated and prolonged occupational exposure to solvents with permanent brain and nervous system damage.

Intentional misuse by deliberately concentrating and inhaling vapors may be harmful or fatal. Cumene is an IARC 2B and NTP Group 2 Carcinogen. Cumene has caused tumors in rats and mice (lung, liver and kidney). Proposed cancer causing mechanisms for lung and liver tumors are similar to human metabolic pathways. The relevance of kidney tumors in humans is uncertain.

**Components:**
**162627-18-1 Fatty acids, C18-unsatd., trimers, reaction products triethylenetetramine:**

Species: Rat, male and female

NOAEL: 300 mg/kg

Application Route: Oral

Method: OECD Test Guideline 422

GLP: yes

Target Organs: Heart

**Aspiration toxicity**
**Components:**
**64742-95-6 Solvent naphtha, petroleum, light aromatic:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Experience with human exposure**
**Product:**

Inhalation:

Symptoms:

High concentrations are irritating to the respiratory tract. Has caused headaches, dizziness, nausea, vomiting and CNS depression (drowsiness, loss of coordination and fatigue).

Skin contact:

Symptoms:

Contact will probably cause irritation; may cause skin sensitization.

Eye contact:

Symptoms:

Contact will probably cause severe irritation and corrosion.

## RHEOBYK-R 607

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

Ingestion:

Symptoms:

Ingestion will probably irritate the digestive tract; high dosages may cause CNS depression.

### Further information

#### Product:

Remarks: No data available

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish

:

Remarks: No data available

Toxicity to daphnia and other  
aquatic invertebrates

:

Remarks: No data available

### Persistence and degradability

#### Product:

Biodegradability

:

Remarks: No data available

### Bioaccumulative potential

#### Product:

Bioaccumulation

:

Remarks: No data available

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Results of PBT and vPvB  
assessment

:

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

## RHEOBYK-R 607

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

Additional ecological information : No data available

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

EPA Hazardous Waste Code(s) : D001: D001: Ignitability

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Fatty acid-amine react. prod., Solvent naphtha)  
Class : 9  
Packing group : III  
Labels : Class 9 - Miscellaneous dangerous substances and articles  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Fatty acid-amine react. prod., SOLVENT NAPHTHA)  
)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : IMDG Code segregation group - none

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## RHEOBYK-R 607

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

### National Regulations

#### 49 CFR

UN/ID/NA number : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
 (Fatty acid-amine react. prod., Solvent naphtha)  
 Class : 9  
 Packing group : III  
 Labels : Class 9 - Miscellaneous dangerous substances and articles  
 ERG Code : 171  
 Marine pollutant : yes  
 Container sizes: 55 gallon drums, 5 or 6-gallon pails, 2oz/16oz samples

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### US. EPA CERCLA Hazardous Substances (40 CFR 302)

This material does not contain any components with a CERCLA RQ.

##### SARA 304 - Emergency Release Notification

This material does not contain any components with a section 304 EHS RQ.

##### US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

This material does not contain any components with a SARA 302 RQ.

**SARA 311/312 Hazards** : Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for reporting purposes.

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

1,2,4-Trimethylbenzene	95-63-6	5.7 %
Cumene	98-82-8	.5 %

#### Clean Air Act

## RHEOBYK-R 607

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489):

Benzyl alcohol	100-51-6	10.7 %
----------------	----------	--------

Non-volatile (Wt) : 76.6 %  
 Method: 22 (10min/150°C)  
 DIN EN ISO 3251  
 Non-volatile information is not a specification.

### Massachusetts Right To Know

Benzyl alcohol	100-51-6
Triethylenetetramine	112-24-3

### Pennsylvania Right To Know

Fatty acids, C18-unsatd., trimers, reaction products triethylenetetramine	162627-18-1
Solvent naphtha, petroleum, light aromatic	64742-95-6
Benzyl alcohol	100-51-6
Triethylenetetramine	112-24-3
Cumene	98-82-8

### New Jersey Right To Know

Fatty acids, C18-unsatd., trimers, reaction products triethylenetetramine	162627-18-1
Solvent naphtha, petroleum, light aromatic	64742-95-6
Benzyl alcohol	100-51-6
Triethylenetetramine	112-24-3

**New Jersey Trade Secret** : 800963-5485

### Registry Number for the product (NJ TSRN)

### California Prop. 65

**⚠ WARNING:** This product can expose you to chemicals including Cumene, Naphthalene, Ethyl benzene, Benzene, which is/are known to the State of California to cause cancer, and Toluene, Benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**CONEG Heavy Metal:** We confirm that we use packaging and/or packaging components in which the sum of the incidental concentration levels of lead, mercury, cadmium and hexavalent chromium do not exceed 100 parts per million by weight.

### The components of this product are reported in the following inventories:

**TSCA** : We certify that all of the components of this product are either

**RHEOBYK-R 607**

Version 4

Revision Date 01/28/2020

Print Date 01/06/2026

listed on the TSCA Inventory or are not subject to the notification requirements per 40 CFR 720 30(h).

Section 4 / 12(b)

: Not applicable

TSCA Inventory Active List

All components of this product are listed active and/or are exempt

DSL

: We certify that all of the components of this product are listed on the DSL.

**SECTION 16. OTHER INFORMATION**

Revision Date : 01/28/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.