

**VISCOBYK-4041**

Product code: 000000000000106972

Version 2.0 SDS\_APJ\_MY

Revision Date 05.12.2022

Print Date 09.08.2023

**SECTION 1: Identification of the hazardous chemical and of the supplier****Product identifier**

Product name : VISCOBYK-4041

Recommended use : Rheology Additive

**Manufacturer or supplier's details**

Company : BYK-Chemie GmbH

Address : Abelstrasse 45  
46483 Wesel

Telephone : +49 281 670-23532

Telefax : +49 281 670-23533

E-mail address : GHS.BYK@altana.com

Emergency telephone number : +60 3 6207 4347 (Malay and English)  
+65 3158 1074 (All languages)**SECTION 2: Hazards identification****Classification of the hazardous chemical**

Aspiration hazard : Category 1

**Label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.

Precautionary statements : **Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.  
P331 Do NOT induce vomiting.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**VISCOBYK-4041**

Product code: 000000000000106972

Version 2.0 SDS\_APJ\_MY

Revision Date 05.12.2022

Print Date 09.08.2023

**SECTION 3: Composition and information of the ingredients of the hazardous chemical**

Substance / Mixture : Mixture

Chemical nature : Aliphatic hydrocarbons with neutral wetting and dispersing component

**Components**

| Chemical name                                                            | CAS-No.    | Concentration (% w/w) |
|--------------------------------------------------------------------------|------------|-----------------------|
| Distillates (petroleum), hydro- treated light;<br>Kerosine — unspecified | 64742-47-8 | >= 50 -<= 100         |

**SECTION 4: First aid measures**

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : No information available.  
No information available.

Notes to physician : No information available.

**SECTION 5: Firefighting measures****Extinguishing media**

Suitable extinguishing media : Water mist  
Dry powder  
Foam  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)

Foam  
Carbon dioxide (CO<sub>2</sub>)

**VISCOBYK-4041**

Product code: 000000000000106972

Version 2.0 SDS\_APJ\_MY

Revision Date 05.12.2022

Print Date 09.08.2023

Dry chemical

Unsuitable extinguishing media : High volume water jet

**Physicochemical hazards arising from the chemical**

Hazardous combustion products : Carbon oxides

**Special protective equipment and precautions for fire-fighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

**SECTION 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

**SECTION 7: Handling and storage****Handling****Precautions for safe handling**

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

**Storage****Conditions for safe storage, including any incompatibilities**

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

**VISCOBYK-4041**

Product code: 000000000000106972

Version 2.0 SDS\_APJ\_MY

Revision Date 05.12.2022

Print Date 09.08.2023

place.

Observe label precautions.

Electrical installations / working materials must comply with the technological safety standards.

Further information on  
storage stability

: No decomposition if stored and applied as directed.

**SECTION 8: Exposure controls and personal protection****Control parameters**

| Components                                                           | CAS-No.    | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration  | Basis |
|----------------------------------------------------------------------|------------|----------------------------------|----------------------------------------------------|-------|
| Distillates (petroleum), hydro-treated light; Kerosine — unspecified | 64742-47-8 | TWA                              | 200 mg/m <sup>3</sup><br>(total hydrocarbon vapor) | ACGIH |

**Individual protection measures, such as personal protective equipment**Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety gogglesSkin protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.Hand protection  
Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.4 mm

Remarks : Wear suitable gloves.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.**SECTION 9: Physical and chemical properties**

Appearance : liquid

Colour : colourless

Odour : not significant

Odour Threshold : No data available

pH : 5 (20 °C)

**VISCOBYK-4041**

Product code: 000000000000106972

Version 2.0 SDS\_APJ\_MY

Revision Date 05.12.2022

Print Date 09.08.2023

|                                                  |                                        |
|--------------------------------------------------|----------------------------------------|
|                                                  | Concentration: 1 %                     |
|                                                  | Method: Universal pH-value indicator   |
| Pour point                                       | : ca. < -15 °C                         |
| Initial boiling point                            | : > 200.00 °C                          |
| Flash point                                      | : 106 °C                               |
|                                                  | Method: 49 (Pensky-Martens)            |
| Evaporation rate                                 | : No data available                    |
| Flammability (liquids)                           | : Sustains combustion                  |
| Upper explosion limit / Upper flammability limit | : 8.00 %(V)                            |
| Lower explosion limit / Lower flammability limit | : 0.60 %(V)                            |
| Vapour pressure                                  | : < 0.1 hPa (20.00 °C)                 |
|                                                  | Method: calculated                     |
| Relative vapour density                          | : No data available                    |
| Relative density                                 | : No data available                    |
| Density                                          | : 0.81 g/cm <sup>3</sup> (20.00 °C)    |
|                                                  | Method: 4 (20°C oscillating U-tube)    |
| Solubility(ies)                                  |                                        |
| Water solubility                                 | : immiscible                           |
| Solubility in other solvents                     | : No data available                    |
| Partition coefficient: n-octanol/water           | : No data available                    |
| Auto-ignition temperature                        | : > 200 °C                             |
|                                                  | Method: DIN 51794                      |
| Decomposition temperature                        | : No data available                    |
| Viscosity                                        |                                        |
| Viscosity, dynamic                               | : No data available                    |
| Viscosity, kinematic                             | : 3.000 mm <sup>2</sup> /s ( 40.00 °C) |

**SECTION 10: Stability and reactivity**

|                    |                                                       |
|--------------------|-------------------------------------------------------|
| Reactivity         | : No decomposition if stored and applied as directed. |
| Chemical stability | : No decomposition if stored and applied as directed. |

**VISCOBYK-4041**

Product code: 000000000000106972

Version 2.0 SDS\_APJ\_MY

Revision Date 05.12.2022

Print Date 09.08.2023

|                                    |   |                                                     |
|------------------------------------|---|-----------------------------------------------------|
| Possibility of hazardous reactions | : | No decomposition if stored and applied as directed. |
| Conditions to avoid                | : | No data available                                   |
| Incompatible materials             | : | Strong acids<br>Oxidizing agents                    |
| Hazardous decomposition products   | : | No decomposition if stored and applied as directed. |

**SECTION 11: Toxicological information**

Information on likely routes of exposure : None known.

**Acute toxicity****Product:**

Acute oral toxicity : Remarks: No data available

**Components:****Distillates (petroleum), hydro- treated light; Kerosine — unspecified:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

**Skin corrosion/irritation****Product:**

Remarks : No data available

**Components:****Distillates (petroleum), hydro- treated light; Kerosine — unspecified:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

**Serious eye damage/eye irritation****Product:**

Remarks : No data available

**VISCOBYK-4041**

Product code: 000000000000106972

Version 2.0 SDS\_APJ\_MY

Revision Date 05.12.2022

Print Date 09.08.2023

**Respiratory or skin sensitisation****Product:**

Remarks : No data available

**Germ cell mutagenicity****Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Carcinogenicity****Product:**

Remarks : No data available

**Reproductive toxicity****Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**STOT - single exposure****Product:**

Remarks : No data available

**STOT - repeated exposure****Product:**

Remarks : No data available

**Repeated dose toxicity****Product:**

Remarks : No data available

**Aspiration toxicity****Product:**

No data available

**Further information****Product:**

Remarks : Solvents may degrease the skin.

**VISCOBYK-4041**

Product code: 000000000000106972

Version 2.0 SDS\_APJ\_MY

Revision Date 05.12.2022

Print Date 09.08.2023

**SECTION 12: Ecological information****Ecotoxicity****Product:**

Toxicity to fish :  
Remarks: No data available

**Components:****Distillates (petroleum), hydro- treated light; Kerosine — unspecified:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): >  
plants 1,000 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

**Persistence and degradability****Product:**

Biodegradability : Remarks: No data available

**Components:****Distillates (petroleum), hydro- treated light; Kerosine — unspecified:**

Biodegradability : aerobic  
Result: Readily biodegradable.  
Method: OECD Test Guideline 301F  
GLP: yes

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: No data available

**Mobility in soil**

No data available

**VISCOBYK-4041**

Product code: 000000000000106972

Version 2.0 SDS\_APJ\_MY

Revision Date 05.12.2022

Print Date 09.08.2023

**Other adverse effects****Product:**

Additional ecological information : No data available

---

**SECTION 13: Disposal information****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

**SECTION 14: Transport information****International Regulations****UNRTDG**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

**IATA-DGR**

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

**IMDG-Code**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**VISCOBYK-4041**

Product code: 000000000000106972

Version 2.0 SDS\_APJ\_MY

Revision Date 05.12.2022

Print Date 09.08.2023

**Special precautions for user**

Not applicable

**SECTION 15: Regulatory information****Safety, health, and environmental regulations specific for the hazardous chemical**

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

**SECTION 16: Other information**

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

**VISCOBYK-4041**

Product code: 000000000000106972

Version 2.0 SDS\_APJ\_MY

Revision Date 05.12.2022

Print Date 09.08.2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MY / EN