

添加剤選択チャート
熱可塑性プラスチック用添加剤(コンバーター向け)

相溶化



カップリング

加工性



ポリエチレン

用途	天然繊維強化	ミネラル充填	ガラス繊維強化	顔料充填	非強化
カップリング	SCONA TPPE 1102 GALL ● SCONA TSPE 2102 GAHD ● SCONA 12031 ○	SCONA TPPE 1102 GALL ● SCONA TSPE 2102 GAHD ● SCONA 12031 ○	SCONA TPPE 1102 GALL ● SCONA TSPE 2102 GAHD ● SCONA 12031 ○		
臭気低減	BYK-MAX OR 4207 ●	BYK-MAX OR 4207 ●	BYK-MAX OR 4207 ●	BYK-MAX OR 4207 ●	BYK-MAX OR 4207 ●
耐傷付き性	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●
難燃性	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●
光安定化	RECYCLOBYK 4372 ●	RECYCLOBYK 4372 ●	RECYCLOBYK 4372 ●	RECYCLOBYK 4372 ●	RECYCLOBYK 4372 ●
熱安定化	RECYCLOBYK 4371 ● RECYCLOBYK 4370 ○	RECYCLOBYK 4371 ● RECYCLOBYK 4370 ○	RECYCLOBYK 4371 ● RECYCLOBYK 4370 ○	RECYCLOBYK 4371 ● RECYCLOBYK 4370 ○	RECYCLOBYK 4371 ● RECYCLOBYK 4370 ○
結晶核剤	BYK-MAX NU 4230 LDPE ●	BYK-MAX NU 4230 LDPE ●	BYK-MAX NU 4230 LDPE ●	BYK-MAX NU 4230 LDPE ●	BYK-MAX NU 4230 LDPE ●
加工助剤	BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ● BYK-MAX P 4102 ○	BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ● BYK-MAX P 4102 ○	BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ● BYK-MAX P 4102 ○	BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ● BYK-MAX P 4102 ○	BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ● BYK-MAX P 4102 ○
帯電防止				BYK-MAX AS 4170 ●	BYK-MAX AS 4170 ●
防曇性				BYK-MAX AF 4160 ●	BYK-MAX AF 4160 ●
スリップ性	BYK-MAX SA 4190 ●	BYK-MAX SA 4190 ●	BYK-MAX SA 4190 ●	BYK-MAX SA 4190 ●	BYK-MAX SA 4190 ●

● 最推奨 ○ 次推奨



ポリプロピレン

用途	天然繊維強化	ミネラル充填	ガラス繊維強化	顔料充填	非強化
カップリング	SCONA TPPP 8112 GA ● SCONA TPPP 9212 GA ● SCONA TSPP 8219 GA ● SCONA TSPP 10213 GB ● SCONA 20097 ○ SCONA 20098 ○ SCONA TSPP 22113 GA ○	SCONA TPPP 2003 GB ● SCONA TPPP 9112 GA ● SCONA TSPP 8219 GA ○	SCONA TPPP 8112 GA ● SCONA TPPP 9112 GA ● SCONA TPPP 9212 GA ● SCONA TSPP 8219 GA ● SCONA 20097 ○ SCONA 20098 ○ SCONA TPPP 9012 GA ○ SCONA TSPP 10213 GB ○ SCONA TSPP 22113 GA ○	SCONA TSPP 5013 GB ● SCONA TSPPR 30113 GB ● SCONA TSPPR 31113 GB ●	SCONA TSPP 5013 GB ● SCONA TSPPR 30113 GB ● SCONA TSPPR 31113 GB ●
臭気低減	BYK-MAX OR 4207 ● BYK-MAX OR 4206 ○	BYK-MAX OR 4207 ● BYK-MAX OR 4206 ○	BYK-MAX OR 4207 ● BYK-MAX OR 4206 ○	BYK-MAX OR 4207 ● BYK-MAX OR 4206 ○	BYK-MAX OR 4207 ● BYK-MAX OR 4206 ○
耐傷付き性	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●	BYK-MAX ASC 4181 ● BYK-MAX ASC 4182 ●
難燃性	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●	BYK-MAX FR 4143 ●
光安定化	BYK-MAX LS 4125 ● RECYCLOBYK 4372 ●	BYK-MAX LS 4125 ● RECYCLOBYK 4372 ●	BYK-MAX LS 4125 ● RECYCLOBYK 4372 ●	BYK-MAX LS 4125 ● RECYCLOBYK 4372 ●	BYK-MAX LS 4125 ● RECYCLOBYK 4372 ●
熱安定化	BYK-MAX HS 4301 ● BYK-MAX HS 4302 ○ BYK-MAX HS 4303 ○ BYK-MAX HS 4311 ○ RECYCLOBYK 4370 ○ RECYCLOBYK 4371 ○ 黒色製品: BYK-MAX HS 4334 ● BYK-MAX HS 4332 ○	BYK-MAX HS 4311 ● BYK-MAX HS 4301 ○ BYK-MAX HS 4302 ○ BYK-MAX HS 4303 ○ BYK-MAX HS 4303 ○ RECYCLOBYK 4370 ○ RECYCLOBYK 4371 ○ 黒色製品: BYK-MAX HS 4332 ○ BYK-MAX HS 4334 ○	BYK-MAX HS 4301 ● BYK-MAX HS 4302 ○ BYK-MAX HS 4303 ○ BYK-MAX HS 4311 ○ RECYCLOBYK 4370 ○ RECYCLOBYK 4371 ○ 黒色製品: BYK-MAX HS 4334 ● BYK-MAX HS 4332 ○	BYK-MAX HS 4301 ● BYK-MAX HS 4311 ● BYK-MAX HS 4302 ○ BYK-MAX HS 4303 ○ BYK-MAX HS 4311 ○ RECYCLOBYK 4370 ○ RECYCLOBYK 4371 ○ 黒色製品: BYK-MAX HS 4334 ● BYK-MAX HS 4332 ○	BYK-MAX HS 4301 ● BYK-MAX HS 4302 ○ BYK-MAX HS 4303 ○ BYK-MAX HS 4311 ○ RECYCLOBYK 4370 ○ RECYCLOBYK 4371 ○ 黒色製品: BYK-MAX HS 4334 ● BYK-MAX HS 4332 ○
結晶核剤	BYK-MAX NU 4230 PP ● BYK-MAX NU 4232 ● BYK-MAX NU 4230 LDPE ○	BYK-MAX NU 4230 PP ● BYK-MAX NU 4232 ● BYK-MAX NU 4230 LDPE ○	BYK-MAX NU 4230 PP ● BYK-MAX NU 4232 ● BYK-MAX NU 4230 LDPE ○	BYK-MAX NU 4230 PP ● BYK-MAX NU 4232 ● BYK-MAX NU 4230 LDPE ○	BYK-MAX NU 4230 PP ● BYK-MAX NU 4232 ● BYK-MAX NU 4230 LDPE ○
加工助剤	BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○	BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○	BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○	BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○	BYK-MAX P 4104 ● BYK-MAX STARTSTOP 4205 ○
帯電防止				BYK-MAX AS 4171 ●	BYK-MAX AS 4171 ●
スリップ性	BYK-MAX SA 4191 ●	BYK-MAX SA 4191 ●	BYK-MAX SA 4191 ●	BYK-MAX SA 4191 ●	BYK-MAX SA 4191 ●
多機能 (耐安定性およびカップリング)	BYK-MAX HS 4350 ● 黒色製品: BYK-MAX HS 4342 ● BYK-MAX HS 4344 ●		BYK-MAX HS 4350 ● 黒色製品: BYK-MAX HS 4342 ● BYK-MAX HS 4344 ●		

BYK-Chemie GmbH
Abelstraße 45
46483 Wesel
Germany
Tel +49 281 670-0
Fax +49 281 65735

info@byk.com
www.byk.com

ADD-MAX[®], ADD-VANCE[®], ANTI-TERRA[®], AQUACER[®], AQUAMAT[®], AQUATIX[®], BENTOLITE[®], BYK[®], BYK-AQUAGEL[®], BYK-DYNWET[®], BYK-MAX[®], BYK-SILCLEAN[®], BYKANOL[®], BYKCARE[®], BYKETOL[®], BYKJET[®], BYKO2BLOCK[®], BYKONITE[®], BYKOPLAST[®], BYKUMEN[®], CARBOBYK[®], CERACOL[®], CERAFAK[®], CERAFLOUR[®], CERAMAT[®], CERATIX[®], CLAYTONE[®], CLOISITE[®], DISPERBYK[®], DISPERPLAST[®], FULACOLOR[®], FULCAT[®], GARAMITE[®], GELWHITE[®], HORDAMER[®], LACTIMON[®], LAPONITE[®], MINERPOL[®], NANOBYK[®], OPTIBENT[®], OPTIFLO[®], OPTIGEL[®], POLYAD[®], PRIEX[®], PURABYK[®], PURE THIX[®], RECYCLOBLEND[®], RECYCLOBYK[®], RECYCLOSSORB[®], RECYCLOSTAB[®], RHEOBYK[®], RHEOCIN[®], RHEOTIX[®], SCONA[®], SILBYK[®], TIXOGEL[®] and VISCOBYK[®] are registered trademarks of the BYK group.

The information herein is based on our present knowledge and experience. The information merely describes the properties of our products but no guarantee of properties in the legal sense shall be implied. We recommend testing our products as to their suitability for your envisaged purpose prior to use. No warranties of any kind, either express or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding any products mentioned herein and data or information set forth, or that such products, data or information may be used without infringing intellectual property rights of third parties. We reserve the right to make any changes according to technological progress or further developments.

This issue replaces all previous versions.

