

**AQUACER 1510**

Version 3

Revision Date 05/12/2022

Print Date 01/06/2026

**SECTION 1. IDENTIFICATION**

Product name : AQUACER 1510

**Manufacturer or supplier's details**Company : BYK USA LLC  
524 South Cherry Street  
Wallingford CT 06492

Telephone : (203) 265-2086

Visit our web site : [www.byk.com](http://www.byk.com)E-mail address : [BRIEF.BYK.NAFTA@altana.com](mailto:BRIEF.BYK.NAFTA@altana.com)Emergency telephone number : 203-265-2086; CHEMTREC 1-800-424-9300 / +1  
703-527-3887**Recommended use of the chemical and restrictions on use**

Recommended use : Wax Additive

Restrictions on use : Refer to Section 15 for any restrictions that may apply

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Serious eye damage : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

Precautionary statements : **Prevention:**  
P280 Wear eye protection/ face protection.  
**Response:**  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Non-ionic emulsion of a modified polypropylene wax

## AQUACER 1510

Version 3

Revision Date 05/12/2022

Print Date 01/06/2026

### Hazardous components

Component	CAS-No.	Concentration (%)
Alcohols, C9-11-iso-, C10-rich, ethoxylated	78330-20-8	>= 8 - < 9

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Remove to fresh air. Administer artificial respiration if necessary. Get medical aid as soon as possible.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Remove contaminated clothing. Immediately flush contaminated skin w/water at least 20 min. Get medical aid as soon as possible.
- In case of eye contact : Immediately flush with plenty of water for at least 30 minutes. Get medical aid.  
Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting. Dilute with 1-2 glasses of water. Get medical aid.  
Never give anything by mouth to an unconscious person.  
Clean mouth with water and drink afterwards plenty of water.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : No information available.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam

## AQUACER 1510

Version 3

Revision Date 05/12/2022

Print Date 01/06/2026

	Carbon dioxide (CO <sub>2</sub> ) Dry chemical Foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: No information available.
Specific hazards during firefighting	: High volume water jet Cool closed containers exposed to fire with water spray. Will not explode on mechanical impact. Water solution - will not support combustion.  Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon oxides Sulphur oxides
Further information	: Keep away from heat and sources of ignition. Keep away from oxidizing agents. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.  Wear self-contained breathing apparatus for firefighting if necessary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Wear protective equipment: goggles, chemically resistant clothing and gloves, and appropriate respirator if in a confined area.  : Use personal protective equipment.
Environmental precautions	: Prevent spilled material from entering the ground, water and/or air by using appropriate containment methods.  Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Stop leak. Dike and contain spill. Absorb with suitable material and remove with sparkless shovel and/or scoop.  Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

## AQUACER 1510

Version 3

Revision Date 05/12/2022

Print Date 01/06/2026

Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Harmful in contact with skin.  
 Avoid contact with skin and eyes.  
 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
 Keep container closed when not in use.  
 Handle as an industrial chemical.  
 Do not breathe vapours/dust.  
 Avoid contact with skin and eyes.  
 For personal protection see section 8.  
 Smoking, eating and drinking should be prohibited in the application area.  
 To avoid spills during handling keep bottle on a metal tray.  
 Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep in a dry, cool and well-ventilated place.  
 Keep product and empty container away from heat and sources of ignition.  
 Take measures to prevent the build up of electrostatic charge.  
 Keep container tightly closed in a dry and well-ventilated place.  
 Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Keep away from strong bases.  
 Keep away from oxidizing agents.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Hazardous components without workplace control parameters  
 Contains no substances with occupational exposure limit values.

**Engineering measures** : Use with local exhaust ventilation.

#### Personal protective equipment

Respiratory protection : Unless air monitoring demonstrates vapor/mist/dust levels are below the PEL/TLV wear a properly fitted respirator (NIOSH approved) or dust mask during exposure.

Hand protection

Material : Nitrile rubber

Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Safety glasses with side-shields  
 Tightly fitting safety goggles  
 Eye wash bottle with pure water  
 Tightly fitting safety goggles

## AQUACER 1510

Version 3

Revision Date 05/12/2022

Print Date 01/06/2026

Skin and body protection	: Wear face-shield and protective suit for abnormal processing problems. : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Clean long legged, long sleeved work clothes. If splashing is possible, wear chemically resistant protective clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: yellow - brown
Odour	: characteristic
Odour Threshold	: No data available
pH	: 9, Concentration: 100 % (68 °F (20 °C))
Melting point/range	: 36 °F (2 °C) (1,013 hPa)
Boiling point/boiling range	: 212 °F (100 °C) (1,013 hPa)
Vapour pressure	: No data available
Flash point	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Evaporation rate	: No data available
Relative vapour density	: No data available
Relative Density/Specific Gravity	: No data available
Density	: 0.98 g/cm <sup>3</sup> (68 °F (20 °C))
Solubility(ies)	
Water solubility	: completely miscible

**AQUACER 1510**

Version 3

Revision Date 05/12/2022

Print Date 01/06/2026

Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Ignition temperature	:	No data available
Thermal decomposition	:	No data available
Viscosity	:	
Viscosity, dynamic	:	40 mPa.s Method: NV, 23°C

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard. No decomposition if stored and applied as directed.
Chemical stability	:	Stable; polymerization will not occur No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No data available  No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available No data available
Incompatible materials	:	Bases Strong oxidizing agents
Hazardous decomposition products	:	No data available

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Eyes  
Skin contact  
Skin Absorption

**Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

## AQUACER 1510

Version 3

Revision Date 05/12/2022

Print Date 01/06/2026

### Skin corrosion/irritation

**Product:**

Remarks: Extremely corrosive and destructive to tissue.

### Serious eye damage/eye irritation

**Product:**

Remarks: May cause irreversible eye damage.

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

### Respiratory or skin sensitisation

#### Carcinogenicity

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Repeated dose toxicity

**Product:**

Remarks: No known chronic health effects.

### Experience with human exposure

**Product:**

Inhalation:

Symptoms:

High concentrations of vapors, resulting from the product being heated, misted or sprayed may cause irritation to the respiratory tract.

Skin contact:

Symptoms:

Contact will probably cause severe irritation and corrosion.

Eye contact:

Symptoms:

Contact will probably cause severe irritation and corrosion.

## AQUACER 1510

Version 3

Revision Date 05/12/2022

Print Date 01/06/2026

Ingestion:

Symptoms:

Ingestion will probably irritate the digestive tract; high dosages may cause CNS depression.

### Further information

#### Product:

Remarks: No data available

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish

:

Remarks: No data available

Toxicity to daphnia and other  
aquatic invertebrates

:

Remarks: No data available

### Persistence and degradability

#### Product:

Biodegradability

:

Remarks: No data available

### Bioaccumulative potential

#### Product:

Bioaccumulation

:

Remarks: No data available

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Results of PBT and vPvB  
assessment

:

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act

**AQUACER 1510**

Version 3

Revision Date 05/12/2022

Print Date 01/06/2026

Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : There is no data available for this product.  
No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

EPA Hazardous Waste Code(s) : Not applicable.

Waste from residues : Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.  
Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****49 CFR**

Not regulated as a dangerous good

Container sizes: 55 gallon drums, 5 or 6-gallon pails, 2oz/16oz samples

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****US. EPA CERCLA Hazardous Substances (40 CFR 302)**

Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 - Emergency Release Notification**

## AQUACER 1510

Version 3

Revision Date 05/12/2022

Print Date 01/06/2026

This material does not contain any components with a section 304 EHS RQ.

### US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

This material does not contain any components with a SARA 302 RQ.

**SARA 311/312 Hazards** : Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for reporting purposes.

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM1 Intermediate or Final VOC's (40 CFR 60.489).

Non-volatile (Wt) : 40 %  
Method: 60min/125°C  
DIN EN ISO 3251  
Non-volatile information is not a specification.

### Massachusetts Right To Know

1,4-Dioxane	123-91-1
-------------	----------

### Pennsylvania Right To Know

Water	7732-18-5
Modified polypropylene wax	-
Alcohols, C9-11-iso-, C10-rich, ethoxylated	78330-20-8
Maleic anhydride	108-31-6

### New Jersey Right To Know

Water	7732-18-5
Modified polypropylene wax	-

**AQUACER 1510**

Version 3

Revision Date 05/12/2022

Print Date 01/06/2026

Alcohols, C9-11-iso-, C10-rich, ethoxylated 78330-20-8

**New Jersey Trade Secret** : 800963-5910  
**Registry Number for the product (NJ TSRN)**

**California Prop. 65**

**⚠ WARNING:** This product can expose you to chemicals including 1,4-Dioxane, Ethylene oxide, which is/are known to the State of California to cause cancer, and Ethylene oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**The components of this product are reported in the following inventories:**

**TSCA** : A polymer in this product is exempt from Inventory listing because it meets the polymer exemption under 40 CFR 723.250. Importers or manufacturers of exempt polymers are subject to recordkeeping and reporting; processors are not subject to these requirements.

**Section 4 / 12(b)** : Not applicable

**TSCA Inventory Active List** All components of this product are listed active and/or are exempt

**DSL** : We certify that all of the components of this product are listed on the DSL.

**SECTION 16. OTHER INFORMATION**

Revision Date : 05/12/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.