

**AQUACER 537 N**

Product code: 000000000000139147

Version 2.0 SDS\_APJ\_MY

Revision Date 15.02.2024

Print Date 24.07.2024

**SECTION 1: Identification of the hazardous chemical and of the supplier****Product identifier**

Product name : AQUACER 537 N

Recommended use : Wax Additive

**Manufacturer or supplier's details**

Company : BYK Netherlands BV

Address : Danzigweg 23  
7418 EN Deventer

Telephone : +49 281 670-23532

Telefax : +49 281 670-23533

E-mail address : GHS.BYK@altana.com

Emergency telephone number : +60 3 6207 4347 (Malay and English)  
+65 3158 1074 (All languages)**SECTION 2: Hazards identification****Classification of the hazardous chemical**

Not a hazardous substance or mixture.

**Label elements**

Not a hazardous substance or mixture.

**Other hazards which do not result in classification**

None known.

**SECTION 3: Composition and information of the ingredients of the hazardous chemical**

Substance / Mixture : Mixture

Chemical nature : Anionic emulsion based on a modified paraffin wax

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
2-diethylaminoethanol	100-37-8	>= 0.1 -< 0.25

**SECTION 4: First aid measures**

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.

If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

**AQUACER 537 N**

Product code: 000000000000139147

Version 2.0 SDS\_APJ\_MY

Revision Date 15.02.2024

Print Date 24.07.2024

Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : No information available.  
Notes to physician : No information available.

**SECTION 5: Firefighting measures****Extinguishing media**

Suitable extinguishing media : Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

**Physicochemical hazards arising from the chemical**

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

**Special protective equipment and precautions for fire-fighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**SECTION 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Try to prevent the material from entering drains or water courses.

Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

**SECTION 7: Handling and storage****Handling****Precautions for safe handling**

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.

**Storage****Conditions for safe storage, including any incompatibilities**

## AQUACER 537 N

Product code: 000000000000139147

Version 2.0 SDS\_APJ\_MY

Revision Date 15.02.2024

Print Date 24.07.2024

- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8: Exposure controls and personal protection

#### Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-diethylaminoethanol	100-37-8	TWA	2 ppm 9.6 mg/m <sup>3</sup>	MY PEL
Further information: Skin				
		TWA	2 ppm	ACGIH

#### Individual protection measures, such as personal protective equipment

- Eye/face protection : Safety glasses
- Skin protection : Protective suit
- Hand protection  
Material : Nitrile rubber
- Remarks : Wear suitable gloves.
- Respiratory protection : No personal respiratory protective equipment normally required.
- Hygiene measures : General industrial hygiene practice.

### SECTION 9: Physical and chemical properties

- Appearance : Emulsion
- Colour : yellow - brown
- Odour : Wax like
- Odour Threshold : No data available
- pH : 9.5 (20 °C)  
Concentration: 100 %
- Melting point/freezing point : 2 °C  
(1,013 hPa)
- Boiling point/boiling range : 100 °C  
(1,013 hPa)
- Flash point : Not applicable
- Evaporation rate : No data available
- Upper explosion limit / Upper : No data available

## AQUACER 537 N

Product code: 00000000000139147

Version 2.0 SDS\_APJ\_MY

Revision Date 15.02.2024

Print Date 24.07.2024

flammability limit

Lower explosion limit / Lower  
flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 0.98 g/cm<sup>3</sup> (20 °C, 1,013 hPa)

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-  
octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 40 mPa.s  
Method: DIN 53019

Viscosity, kinematic : No data available

### SECTION 10: Stability and reactivity

Reactivity : No decomposition if stored and applied as directed.  
 Chemical stability : No decomposition if stored and applied as directed.  
 Possibility of hazardous  
 reactions : Stable under recommended storage conditions.  
 No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : Strong acids and strong bases  
Strong oxidizing agentsHazardous decomposition  
products : No hazardous decomposition products are known.

### SECTION 11: Toxicological information

Information on likely routes of  
exposure : None known.

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: &gt; 2,000 mg/kg

**AQUACER 537 N**

Product code: 000000000000139147

Version 2.0 SDS\_APJ\_MY

Revision Date 15.02.2024

Print Date 24.07.2024

Method: Calculation method

**Components:****2-diethylaminoethanol:**

Acute oral toxicity : LD50 (Rat, male and female): 1,320 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 4.6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Guinea pig): 885 mg/kg

**Skin corrosion/irritation****Product:**

Remarks : No data available

**Components:****2-diethylaminoethanol:**Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive**Serious eye damage/eye irritation****Product:**

Remarks : No data available

**Components:****2-diethylaminoethanol:**Species : Rabbit  
Result : Risk of serious damage to eyes.**Respiratory or skin sensitisation****Product:**

Remarks : No data available

**Components:****2-diethylaminoethanol:**Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

**AQUACER 537 N**

Product code: 000000000000139147

Version 2.0 SDS\_APJ\_MY

Revision Date 15.02.2024

Print Date 24.07.2024

**Repeated dose toxicity****Product:**

Remarks : No data available

**Further information****Product:**

Remarks : No data available

**SECTION 12: Ecological information****Ecotoxicity****Product:**Toxicity to fish :  
Remarks: No data availableToxicity to daphnia and other :  
aquatic invertebrates Remarks: No data available**Components:****2-diethylaminoethanol:**Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 147 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: DIN 38412Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 83.6 mg/l  
aquatic invertebrates Exposure time: 48 h  
Test Type: static test  
Method: Directive 67/548/EEC, Annex V, C.2.Toxicity to algae/aquatic : ErC50 (Scenedesmus subspicatus): 44 mg/l  
plants Exposure time: 72 h  
Test Type: static testNOEC (Scenedesmus subspicatus): 5 mg/l  
Exposure time: 72 h  
Test Type: static test**Persistence and degradability****Product:**

Biodegradability : Remarks: No data available

**Components:****2-diethylaminoethanol:**Biodegradability : aerobic  
Result: Readily biodegradable.

**AQUACER 537 N**

Product code: 000000000000139147

Version 2.0 SDS\_APJ\_MY

Revision Date 15.02.2024

Print Date 24.07.2024

Method: OECD Test Guideline 301A  
GLP: yes**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: No data available

**Components:****2-diethylaminoethanol:**Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): < 6.1  
Exposure time: 28 d  
Method: OECD Test Guideline 305CPartition coefficient: n-octanol/water : log Pow: 0.21 (23 °C)  
Method: OECD Test Guideline 107**Mobility in soil**

No data available

**Other adverse effects****Product:**

Additional ecological information : No data available

**SECTION 13: Disposal information****Disposal methods**

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

**SECTION 14: Transport information****International Regulations****UNRTDG**UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable**IATA-DGR**UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo) : Not applicable

**AQUACER 537 N**

Product code: 000000000000139147

Version 2.0 SDS\_APJ\_MY

Revision Date 15.02.2024

Print Date 24.07.2024

aircraft)  
Packing instruction : Not applicable  
(passenger aircraft)

**IMDG-Code**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

**SECTION 15: Regulatory information****Safety, health, and environmental regulations specific for the hazardous chemical**

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

**SECTION 16: Other information**

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
MY PEL : Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

ACGIH / TWA : 8-hour, time-weighted average  
MY PEL / TWA : Eight-hour time-weighted average airborne concentration

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -

**AQUACER 537 N**

Product code: 000000000000139147

Version 2.0 SDS\_APJ\_MY

Revision Date 15.02.2024

Print Date 24.07.2024

International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MY / EN