

**BYK-088**

Version 9

Revision Date 01/16/2025

Print Date 04/30/2026

**SECTION 1. IDENTIFICATION**

Product name : BYK-088

**Manufacturer or supplier's details**Company : BYK USA LLC  
524 South Cherry Street  
Wallingford CT 06492

Telephone : (203) 265-2086

Visit our web site : [www.byk.com](http://www.byk.com)E-mail address : [BRIEF.BYK.NAFTA@altana.com](mailto:BRIEF.BYK.NAFTA@altana.com)Emergency telephone : 203-265-2086; CHEMTREC 1-800-424-9300 / +1  
number 703-527-3887**Recommended use of the chemical and restrictions on use**

Recommended use : Defoamer

Restrictions on use : Refer to Section 15 for any restrictions that may apply

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3

Eye irritation : Category 2B

Aspiration hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H320 Causes eye irritation.Precautionary statements : **Prevention:**  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.  
No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting  
equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.

**BYK-088**

Version 9

Revision Date 01/16/2025

Print Date 04/30/2026

P264 Wash skin thoroughly after handling.  
 P280 Wear protective gloves/ eye protection/ face protection.

**Response:**  
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P331 Do NOT induce vomiting.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**  
 P403 + P235 Store in a well-ventilated place. Keep cool.  
 P405 Store locked up.

**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture  
 Chemical nature : Solution of polyolefins and polysiloxanes

**Hazardous components**

| Component                          | CAS-No.    | Concentration (%) |
|------------------------------------|------------|-------------------|
| Naphtha, petroleum, heavy alkylate | 64741-65-7 | >= 80 - < 100     |

The specific chemical identity/weight percent of proprietary ingredient(s) is a trade secret

**SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.  
 Show this safety data sheet to the doctor in attendance.  
 Symptoms of poisoning may appear several hours later.  
 Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
 If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.  
 If on clothes, remove clothes.

**BYK-088**

Version 9

Revision Date 01/16/2025

Print Date 04/30/2026

|   |  |
|---|--|
| In case of eye contact                                      | : Wash clothing before reuse.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.<br>Immediately flush eye(s) with plenty of water.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed  | : Keep respiratory tract clear.<br>Do NOT induce vomiting.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.   |
| Most important symptoms and effects, both acute and delayed | : No information available.  |
| Notes to physician  | : Treat symptomatically.   |

**SECTION 5. FIREFIGHTING MEASURES**

|   |   |
|---|---|
| Suitable extinguishing media                  | : Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical   |
| Unsuitable extinguishing media                | : High volume water jet   |
| Specific hazards during firefighting          | : Cool closed containers exposed to fire with water spray.<br>Will not explode on mechanical impact.<br><br>Do not allow run-off from fire fighting to enter drains or water courses.   |
| Hazardous combustion products                 | : Carbon oxides<br>silicone compounds<br>formaldehyde   |
| Further information                           | : Keep away from heat and sources of ignition.<br>Keep away from oxidizing agents.<br>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br>For safety reasons in case of fire, cans should be stored separately in closed containments.<br>Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.  |

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

|                       |                                      |
|-----------------------|--------------------------------------|
| Personal precautions, | : Use personal protective equipment. |
|-----------------------|--------------------------------------|

**BYK-088**

Version 9

Revision Date 01/16/2025

Print Date 04/30/2026

|   |   |
|---|---|
| protective equipment and emergency procedures         | Ensure adequate ventilation.<br>Remove all sources of ignition.<br>Evacuate personnel to safe areas.<br>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.                     |
| Environmental precautions                             | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities.   |
| Methods and materials for containment and cleaning up | : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). |

**SECTION 7. HANDLING AND STORAGE**

|                             |   |
|-----------------------------|---|
| Advice on safe handling     | : Avoid formation of aerosol.<br>Do not breathe vapours/dust.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Take precautionary measures against static discharges.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Open drum carefully as content may be under pressure.<br>Dispose of rinse water in accordance with local and national regulations. |
| Conditions for safe storage | : No smoking.<br>Keep container tightly closed in a dry and well-ventilated place.<br>Containers which are opened must be carefully resealed and kept upright to prevent leakage.<br>Observe label precautions.<br>Electrical installations / working materials must comply with the technological safety standards.  |
| Materials to avoid          | : Keep away from oxidizing agents.  |

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**
**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.  
Hazardous components without workplace control parameters

**Engineering measures** : Use with local exhaust ventilation.

**Personal protective equipment**

Respiratory protection : In the case of vapour formation use a respirator with an

**BYK-088**

Version 9

Revision Date 01/16/2025

Print Date 04/30/2026

|                          |   |
|--------------------------|---|
| Hand protection          | approved filter.  |
| Material                 | : Neoprene gloves   |
| Remarks                  | : The suitability for a specific workplace should be discussed with the producers of the protective gloves.                             |
| Eye protection           | : Eye wash bottle with pure water<br>Tightly fitting safety goggles   |
| Skin and body protection | : Impervious clothing<br>Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Hygiene measures         | : When using do not eat or drink.<br>When using do not smoke.<br>Wash hands before breaks and at the end of workday.                    |

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|                                   |   |
|-----------------------------------|---|
| Appearance                        | : liquid  |
| Colour                            | : colourless  |
| Odour                             | : hydrocarbon-like  |
| Odour Threshold                   | : No data available   |
| pH                                | : 7, Concentration: 1 % (68 °F (20 °C)) Method: Universal pH-value indicator            |
| Melting point/ range              | : < 32 °F (< 0 °C)<br>Method: derived   |
| Initial boiling point             | : 311.00 °F (155.00 °C)<br>Method: derived  |
| Vapour pressure                   | : ca. 2 hPa (68.00 °F (20.00 °C))<br>Method: derived                                    |
| Flash point                       | : 113 °F (45 °C)<br>Method: 48 (Abel-Pensky) DIN 51755                                  |
| Upper explosion limit             | : 7.00 %(V)   |
| Lower explosion limit             | : 0.60 %(V)   |
| Evaporation rate                  | : No data available   |
| Relative vapour density           | : No data available   |
| Relative Density/Specific Gravity | : No data available   |
| Density                           | : 0.7500 g/cm <sup>3</sup> (68.00 °F (20.00 °C))<br>Method: 4 (20°C oscillating U-tube) |

**BYK-088**

Version 9

Revision Date 01/16/2025

Print Date 04/30/2026

|  |   |
|--|---|
| Solubility(ies)                        |   |
| Water solubility                       | : immiscible  |
| Solubility in other solvents           | : No data available   |
| Partition coefficient: n-octanol/water | : No data available   |
| Ignition temperature                   | : > 392 °F (> 200 °C)<br>Method: DIN 51794  |
| Thermal decomposition                  | : No data available   |
| Viscosity                              |   |
| Viscosity, dynamic                     | : No data available   |
| Viscosity, kinematic                   | : < 5.000 mm <sup>2</sup> /s (68.00 °F (20.00 °C))<br><br>4 mm <sup>2</sup> /s (104.00 °F (40.00 °C)) |
| Surface tension                        | : 21.70 mN/m, ring dynamometer  |

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |
|------------------------------------|---|
| Reactivity                         | : No decomposition if stored and applied as directed.   |
| Chemical stability                 | : No decomposition if stored and applied as directed.   |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed.<br><br>Vapours may form explosive mixture with air. |
| Conditions to avoid                | : Heat, flames and sparks.  |
| Incompatible materials             | : Strong oxidizing agents   |
| Hazardous decomposition products   | : No decomposition if stored and applied as directed.   |

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Skin contact  
Skin Absorption  
Inhalation  
Eyes  
Ingestion

**BYK-088**

Version 9

Revision Date 01/16/2025

Print Date 04/30/2026

**Acute toxicity****Product:**

Acute oral toxicity : Remarks: No data available

**Components:****64741-65-7 Naphtha, petroleum, heavy alkylate:**

Acute oral toxicity : LD50 (Rat): 34,600 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3684 ppm  
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): 15,400 mg/kg

**Skin corrosion/irritation****Product:**

Remarks: No data available

**Components:****64741-65-7 Naphtha, petroleum, heavy alkylate:**

Species: Rabbit

Result: slight irritation

**Serious eye damage/eye irritation****Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

**Components:****64741-65-7 Naphtha, petroleum, heavy alkylate:**

Species: Rabbit

Result: Mild eye irritation

**Respiratory or skin sensitisation****Product:**

Remarks: No data available

**Germ cell mutagenicity****Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Carcinogenicity**

**BYK-088**

Version 9

Revision Date 01/16/2025

Print Date 04/30/2026

**Product:**

Remarks: No data available

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity****Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**STOT - single exposure****Product:**

Remarks: No data available

**STOT - repeated exposure****Product:**

Remarks: No data available

**Repeated dose toxicity****Product:**

Remarks: No known chronic health effects.  
Reports have associated repeated and prolonged occupational exposure to solvents with permanent brain and nervous system damage.  
Intentional misuse by deliberately concentrating and inhaling vapors may be harmful or fatal.

**Aspiration toxicity****Product:**

No data available

**Experience with human exposure****Product:**

Inhalation:

Symptoms:

High concentrations of vapors may be

**BYK-088**

Version 9

Revision Date 01/16/2025

Print Date 04/30/2026

irritating to the respiratory tract. May cause headaches, dizziness, nausea and vomiting. May cause CNS depression (drowsiness, loss of coordination and fatigue).

Skin contact:

Symptoms:

Contact may cause irritation.

Eye contact:

Symptoms:

Contact may cause irritation.

Ingestion:

Symptoms:

Ingestion may irritate the digestive tract; high dosages may cause CNS depression.

**Further information**
**Product:**

Remarks: Solvents may degrease the skin.

**SECTION 12. ECOLOGICAL INFORMATION**
**Ecotoxicity**
**Product:**

Toxicity to fish

:

Remarks: No data available

**Persistence and degradability**
**Product:**

Biodegradability

:

Remarks: No data available

**Bioaccumulative potential**
**Product:**

Bioaccumulation

:

Remarks: No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:**

**BYK-088**

Version 9

Revision Date 01/16/2025

Print Date 04/30/2026

|                                   |   |
|-----------------------------------|---|
| Regulation                        | 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  |
| Remarks                           | This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). |
| Additional ecological information | : No data available   |

**SECTION 13. DISPOSAL CONSIDERATIONS**
**Disposal methods**

|                             |  |
|-----------------------------|--|
| EPA Hazardous Waste Code(s) | : D001: Ignitable  |
| Waste from residues         | : Do not dispose of waste into sewer.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company. |
| Contaminated packaging      | : Empty remaining contents.<br>Dispose of as unused product.<br>Do not re-use empty containers.<br>Do not burn, or use a cutting torch on, the empty drum.               |

**SECTION 14. TRANSPORT INFORMATION**
**International Regulations**
**IATA-DGR**

|  |                                |
|--|--------------------------------|
| UN/ID No.                                | : UN 3295                      |
| Proper shipping name                     | : Hydrocarbons, liquid, n.o.s. |
| Class                                    | : 3                            |
| Packing group                            | : III                          |
| Labels                                   | : Flammable Liquids            |
| Packing instruction (cargo aircraft)     | : 366                          |
| Packing instruction (passenger aircraft) | : 355                          |

**IMDG-Code**

|                      |                                      |
|----------------------|--------------------------------------|
| UN number            | : UN 3295                            |
| Proper shipping name | : HYDROCARBONS, LIQUID, N.O.S.       |
| Class                | : 3                                  |
| Packing group        | : III                                |
| Labels               | : 3                                  |
| EmS Code             | : F-E, S-D                           |
| Marine pollutant     | : yes                                |
| Remarks              | : IMDG Code segregation group - none |

**BYK-088**

Version 9

Revision Date 01/16/2025

Print Date 04/30/2026

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****49 CFR**

UN/ID/NA number : UN 3295  
Proper shipping name : Hydrocarbons, liquid, n.o.s.  
Class : 3  
Packing group : III  
Labels : FLAMMABLE LIQUID  
ERG Code : 128  
Marine pollutant : no  
Container sizes: 55 gallon drums, 5 or 6-gallon pails, 2oz/16oz samples

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know Act****US. EPA CERCLA Hazardous Substances (40 CFR 302)**

This material does not contain any components with a CERCLA RQ.

**SARA 304 - Emergency Release Notification**

This material does not contain any components with a section 304 EHS RQ.

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)**

This material does not contain any components with a SARA 302 RQ.

**SARA 311/312 Hazards** : Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for reporting purposes.

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

**BYK-088**

Version 9

Revision Date 01/16/2025

Print Date 04/30/2026

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Non-volatile (Wt) : 2.8 - 3.8 %  
Method: 22 (10min/150°C)  
DIN EN ISO 3251  
Non-volatile information is not a specification.

**Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know**

Naphtha, petroleum, heavy alkylate 64741-65-7

**New Jersey Right To Know**

**New Jersey Trade Secret Registry Number for the product (NJ TSRN)** : 800963-5011

**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

TSCA : All substances listed as active on the TSCA inventory

Section 5a : No substances are subject to a Significant New Use Rule.

Section 4 / 12(b) : No substances are subject to TSCA 12(b) export notification requirements.

DSL : We certify that all of the components of this product are listed on the DSL.

**SECTION 16. OTHER INFORMATION**

Revision Date : 01/16/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.