

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : BYK-ET 3000  
UFI : K9N5-V044-900D-TW7D  
Product code : 000000000000158383

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Wetting & Dispersing Additive  
Recommended restrictions on use : For industrial use only.

#### 1.3 Details of the supplier of the safety data sheet

Company : BYK-Chemie GmbH  
Abelstrasse 45  
46483 Wesel  
Telephone : +49 281 670-0  
Telefax : +49 281 65735  
  
Information : Regulatory Affairs  
Telephone : +49 281 670-23532  
Telefax : +49 281 670-23533  
E-mail address : GHS.BYK@altana.com

#### 1.4 Emergency telephone

Europe +44 1235 239670  
Middle East/Africa +44 1235 239671  
Americas +1 215 207 0061  
East/South East Asia +65 3158 1074  
(Local India: 000 800 100 7479)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|  |  |
|--|--|
| Skin irritation, Category 2  | H315: Causes skin irritation.                          |
| Eye irritation, Category 2   | H319: Causes serious eye irritation.                   |
| Reproductive toxicity, Category 1B   | H360D: May damage the unborn child.                    |
| Specific target organ toxicity - single exposure, Category 3, Respiratory system | H335: May cause respiratory irritation.                |
| Long-term (chronic) aquatic hazard,  | H411: Toxic to aquatic life with long lasting effects. |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

Category 2

### 2.2 Label elements

#### Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H360D May damage the unborn child.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P261 Avoid breathing mist or vapors.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

#### **Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

#### **Hazardous ingredients which must be listed on the label:**

- 872-50-4 N-methyl-2-pyrrolidone

#### **Additional Labeling**

Restricted to professional users.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : Solution of modified styrene maleic acid copolymer

##### Components

| Chemical name   | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification   | Concentration<br>(% w/w) |
|---|---|--|--------------------------|
| N-methyl-2-pyrrolidone  | 872-50-4<br>212-828-1<br>01-2119472430-46             | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Repr. 1B; H360D<br>STOT SE 3; H335<br>(Respiratory system)<br><br>specific concentration<br>limit<br>STOT SE 3; H335<br>>= 10 % | >= 50 - <= 100           |
| 2,5-Furandione, telomer with ethenylbenzene and (1-methylethyl)benzene, 3-(dimethylamino)propyl imide, imide with polyethylene-polypropylene glycol 2-aminopropyl Me ether, 2-[(C10-16-alkyloxy)methyl]oxirane-quaternized, benzoates (salts) | 1431957-88-8  | Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute<br>aquatic toxicity): 1<br>M-Factor (Chronic<br>aquatic toxicity): 1                           | >= 12,5 - < 20           |
| 2-pyrrolidone   | 616-45-5<br>210-483-1                                 | Eye Irrit. 2; H319<br>Repr. 1B; H360<br><br>specific concentration<br>limit<br>Repr. 1B; H360<br>>= 3 %  | >= 0,3 - < 0,5           |
| Pyrrolidinone, dimethyl-  | 60544-40-3  | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Repr. 1B; H360<br>STOT SE 3; H335<br>(Respiratory system)   | >= 0,25 - < 0,3          |

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

General advice : Move out of dangerous area.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

- Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : Causes skin irritation.  
Causes serious eye irritation.  
May cause respiratory irritation.  
May damage the unborn child.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

---

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapors/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components             | CAS-No.  | Value type (Form of exposure) | Control parameters             | Basis       |
|------------------------|--|-------------------------------|--------------------------------|-------------|
| N-methyl-2-pyrrolidone | 872-50-4   | TWA                           | 10 ppm<br>40 mg/m <sup>3</sup> | 2009/161/EU |
|                        | Further information: Identifies the possibility of significant uptake through the skin, Indicative |                               |                                |             |
|                        |  | STEL                          | 20 ppm<br>80 mg/m <sup>3</sup> | 2009/161/EU |
|                        | Further information: Identifies the possibility of significant uptake through the skin, Indicative |                               |                                |             |
|                        |  | TWA                           | 10 ppm<br>40 mg/m <sup>3</sup> | 2004/37/EC  |
|                        | Further information: Skin, Carcinogens or mutagens   |                               |                                |             |
|                        |  | STEL                          | 20 ppm<br>80 mg/m <sup>3</sup> | 2004/37/EC  |
|                        | Further information: Skin, Carcinogens or mutagens   |                               |                                |             |

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

| Substance name         | End Use   | Routes of exposure | Potential health effects   | Value                  |
|------------------------|-----------|--------------------|----------------------------|------------------------|
| N-methyl-2-pyrrolidone | Workers   | Inhalation         | Long-term local effects    | 40 mg/m <sup>3</sup>   |
|                        | Workers   | Inhalation         | Long-term systemic effects | 14,4 mg/m <sup>3</sup> |
|                        | Workers   | Skin contact       | Long-term systemic effects | 4,8 mg/kg              |
|                        | Consumers | Inhalation         | Long-term systemic effects | 3,6 mg/m <sup>3</sup>  |
|                        | Consumers | Inhalation         | Long-term local effects    | 4,5 mg/m <sup>3</sup>  |
|                        | Consumers | Ingestion          | Long-term systemic         | 0,85 mg/kg             |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

|  |              |              |                            |           |
|--|--------------|--------------|----------------------------|-----------|
|  |              |              | effects                    |           |
|  | Consumer use | Skin contact | Long-term systemic effects | 2,4 mg/kg |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name         | Environmental Compartment | Value       |
|------------------------|---------------------------|-------------|
| N-methyl-2-pyrrolidone | Fresh water               | 0,25 mg/l   |
|                        | Sea water                 | 0,025 mg/l  |
|                        | Fresh water sediment      | 1,09 mg/kg  |
|                        | Sea sediment              | 0,109 mg/kg |
|                        | Soil                      | 0,07 mg/kg  |
|                        | Sewage treatment plant    | 10 mg/l     |
|                        | Intermittent releases     | 5 mg/l      |

## 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Hand protection  
Material : butyl-rubber  
Break through time : > 480 min  
Glove thickness : 0,7 mm

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of vapor formation use a respirator with an approved filter.

### Environmental exposure controls

General advice : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Color : light yellow

Odor : characteristic

Odor Threshold : No data available

Melting point/freezing point : < 0 °C

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

---

|  |  |
|--|--|
|  | Method: derived  |
| Boiling point/boiling range                      | : > 200 °C<br>Method: derived  |
| Flammability                                     | :  |
| Upper explosion limit / Upper flammability limit | : No data available  |
| Lower explosion limit / Lower flammability limit | : No data available  |
| Flash point                                      | : 87 °C<br>Method: 49 (Pensky-Martens)   |
| Autoignition temperature                         | : > 200 °C<br>Method: M0062 (Analytics Wesel)  |
| Decomposition temperature                        | : No data available  |
| pH   | : 6 (20 °C)<br>Concentration: 10 %<br>Method: Universal pH-value indicator           |
| Viscosity  |  |
| Viscosity, dynamic                               | : 150 mPa.s (20,0 °C)<br>Method: P/K 20°C  |
| Viscosity, kinematic                             | : No data available  |
| Solubility(ies)                                  |  |
| Water solubility                                 | : (20 °C)<br>soluble   |
| Solubility in other solvents                     | : No data available  |
| Partition coefficient: n-octanol/water           | : No data available  |
| Vapor pressure                                   | : 0,32 hPa (20 °C)<br>Method: derived  |
| Relative density                                 | : No data available  |
| Density  | : 1,0696 g/cm <sup>3</sup> (20 °C, 1.013 hPa)<br>Method: 4 (20°C oscillating U-tube) |
| Relative vapor density                           | : No data available  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

---

### 9.2 Other information

Evaporation rate : No data available  
Surface tension : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents  
Strong bases

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity : Remarks: No data available

#### Components:

##### **N-methyl-2-pyrrolidone:**

Acute oral toxicity : LD50 (Rat): 4.150 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

Acute inhalation toxicity : LC50 (Rat): > 5,1 mg/l  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: No information available.

2,5-Furandione, telomer with ethenylbenzene and (1-methylethyl)benzene, 3-(dimethylamino)propyl imide, imide with polyethylene-polypropylene glycol 2-aminopropyl Me ether, 2-[(C10-16-alkyloxy)methyl]oxirane-quaternized, benzoates (salts):

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg  
Method: OECD Test Guideline 420  
GLP: yes

### 2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): > 5.000,000000 mg/kg

### Skin corrosion/irritation

Causes skin irritation.

#### Product:

Remarks : May irritate skin.  
May cause skin irritation in susceptible persons.

#### Components:

##### N-methyl-2-pyrrolidone:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : slight irritation  
GLP : yes

##### 2-pyrrolidone:

Species : Rabbit  
Assessment : No skin irritation  
Method : Draize Test  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Remarks : Causes serious eye irritation.

#### Components:

##### N-methyl-2-pyrrolidone:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Severe eye irritation  
GLP : no

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

### **2-pyrrolidone:**

Species : Rabbit  
Assessment : No eye irritation  
Method : Draize Test  
Result : No eye irritation

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified due to lack of data.

#### **Respiratory sensitization**

Not classified due to lack of data.

#### **Product:**

Remarks : No data available

### **Components:**

#### **N-methyl-2-pyrrolidone:**

Test Type : Mouse Local Lymph Node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Not a skin sensitizer.  
GLP : yes

### **2-pyrrolidone:**

Assessment : Did not cause sensitization on laboratory animals.  
Method : No information available.  
Result : Did not cause sensitization on laboratory animals.

### **Germ cell mutagenicity**

Not classified due to lack of data.

#### **Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

### **Components:**

#### **2-pyrrolidone:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative

### **Carcinogenicity**

Not classified due to lack of data.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

---

### **Product:**

Remarks : No data available

### **Reproductive toxicity**

May damage the unborn child.

### **Product:**

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

### **STOT-single exposure**

May cause respiratory irritation.

### **Product:**

Remarks : No data available

### **STOT-repeated exposure**

Not classified due to lack of data.

### **Product:**

Remarks : No data available

### **Repeated dose toxicity**

### **Product:**

Remarks : No data available

### **Aspiration toxicity**

Not classified due to lack of data.

### **Product:**

No data available

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

### **Product:**

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

##### Components:

##### **N-methyl-2-pyrrolidone:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l  
Exposure time: 96 h  
Test Type: static test  
GLP: no

Toxicity to algae/aquatic plants : (Scenedesmus subspicatus): > 500 mg/l  
Exposure time: 72 h  
GLP: no

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 12,5 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

2,5-Furandione, telomer with ethenylbenzene and (1-methylethyl)benzene, 3-(dimethylamino)propyl imide, imide with polyethylene-polypropylene glycol 2-aminopropyl Me ether, 2-[(C10-16-alkyloxy)methyl]oxirane-quaternized, benzoates (salts):

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,25 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

##### **2-pyrrolidone:**

Toxicity to fish : LC50 (zebra danio): 4.600,000000 mg/l  
Exposure time: 96,0 h

Toxicity to daphnia and other : EC50 (Daphnia): > 500,000000 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

|                                  |  |
|----------------------------------|--|
| aquatic invertebrates            | Exposure time: 48,0 h  |
| Toxicity to algae/aquatic plants | : EC50 : 250,0000000 mg/l<br>Exposure time: 72,00 h                                      |
| Toxicity to microorganisms       | : No data available (No data available): > 10.000,0000000 mg/l<br>Exposure time: 17,00 h |

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

#### Components:

##### **N-methyl-2-pyrrolidone:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301C  
GLP: No information available.

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

#### Components:

##### **N-methyl-2-pyrrolidone:**

Partition coefficient: n-octanol/water : log Pow: -0,46 (25 °C)  
Method: OECD Test Guideline 107  
GLP: no

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 3082  
ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082  
IATA : UN 3082

### 14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Ionic SMA copolymer)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Ionic SMA copolymer)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Ionic SMA copolymer)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Ionic SMA copolymer)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(Ionic SMA copolymer)

### 14.3 Transport hazard class(es)

**ADN** : 9  
**ADR** : 9  
**RID** : 9  
**IMDG** : 9  
**IATA** : 9

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : -

**RID**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Remarks : IMDG Code segregation group - none

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous Dangerous Goods

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous Dangerous Goods

### 14.5 Environmental hazards

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 3  
  
Number on list 30: N-methyl-2-pyrrolidone  
  
Number on list 71: N-methyl-2-pyrrolidone  
  
Number on list 72: N-methyl-2-pyrrolidone  
  
Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Number on list: 78:

Polymers of vinyl acetate or of other vinyl esters, in primary forms; other vinyl polymers in primary forms  
**synthetic polymer microparticles (SPM) content: 10 - 20%**  
The synthetic polymer microparticles supplied is subject to conditions laid down by entry 78 of Annex XVII to

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

Regulation (EC) No 1907/2006 of  
the European Parliament and of the  
Council

REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). : N-methyl-2-pyrrolidone

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E2 ENVIRONMENTAL HAZARDS

### 15.2 Chemical Safety Assessment

Not applicable

## SECTION 16: Other information

Items where relevant changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H315 : Causes skin irritation.  
H319 : Causes serious eye irritation.  
H335 : May cause respiratory irritation.  
H360 : May damage fertility or the unborn child.  
H360D : May damage the unborn child.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Irrit. : Eye irritation  
Repr. : Reproductive toxicity  
Skin Irrit. : Skin irritation  
STOT SE : Specific target organ toxicity - single exposure  
2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III  
2009/161/EU : Europe. COMMISSION DIRECTIVE 2009/161/EU establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC  
2004/37/EC / STEL : Short term exposure limit

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

2004/37/EC / TWA : Long term exposure limit  
2009/161/EU / TWA : Limit Value - eight hours  
2009/161/EU / STEL : Short term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|                   |       |
|-------------------|-------|
| Skin Irrit. 2     | H315  |
| Eye Irrit. 2      | H319  |
| Repr. 1B          | H360D |
| STOT SE 3         | H335  |
| Aquatic Chronic 2 | H411  |

#### Classification procedure:

|                    |
|--------------------|
| Calculation method |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

---

specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## BYK-ET 3000

Version: 6.0  
SDB\_LI

Revision Date: 29.09.2025

Date of last issue: 28.03.2025  
Print Date: 30.09.2025

---

## Annex: Exposure Scenarios

### Table of Contents

| Number | Title |
|--------|-------|
|--------|-------|