

**BYK-MAX CT 4260**

Product code: 000000000000156544

Version 7.0 SDS\_APJ\_MY

Revision Date 23.10.2024

Print Date 30.10.2024

**SECTION 1: Identification of the hazardous chemical and of the supplier****Product identifier**

Product name : BYK-MAX CT 4260

Recommended use : Polymer Additive

**Manufacturer or supplier's details**

Company : BYK-Chemie GmbH

Address : Abelstrasse 45  
46483 Wesel

Telephone : +49 281 670-23532

Telefax : +49 281 670-23533

E-mail address : GHS.BYK@altana.com

Emergency telephone number : +60 3 6207 4347 (Malay and English)  
+65 3158 1074 (All languages)**SECTION 2: Hazards identification****Classification of the hazardous chemical**

Carcinogenicity : Category 1A

Specific target organ toxicity - : Category 2 (Lungs)  
repeated exposure**Label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H350 May cause cancer.  
H373 May cause damage to organs (Lungs) through prolonged  
or repeated exposure.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read  
and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P281 Use personal protective equipment as required.

**Response:**P308 + P313 IF exposed or concerned: Get medical advice/  
attention.**Disposal:**P501 Dispose of contents/ container to an approved waste  
disposal plant.

**BYK-MAX CT 4260**

Product code: 000000000000156544

Version 7.0 SDS\_APJ\_MY

Revision Date 23.10.2024

Print Date 30.10.2024

**Other hazards which do not result in classification**

None known.

**SECTION 3: Composition and information of the ingredients of the hazardous chemical**

Substance / Mixture : Substance  
 Chemical nature : Organophilic phyllosilicate

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO <sub>2</sub> )	14808-60-7	>= 1 -< 3

**SECTION 4: First aid measures**

General advice : Move out of dangerous area.  
 Show this safety data sheet to the doctor in attendance.  
 Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.  
 If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.  
 If skin irritation persists, call a physician.  
 Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.  
 Remove contact lenses.  
 Protect unharmed eye.  
 Keep eye wide open while rinsing.  
 If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.  
 Keep respiratory tract clear.  
 Do not give milk or alcoholic beverages.  
 Never give anything by mouth to an unconscious person.  
 If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : No information available.  
 No information available.

Notes to physician : Treat symptomatically.

**SECTION 5: Firefighting measures**
**Extinguishing media**

Suitable extinguishing media : Foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical

Unsuitable extinguishing media : High volume water jet

**Physicochemical hazards arising from the chemical**

Specific hazards during firefighting : Dust can form an explosive mixture in air.  
 Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

**BYK-MAX CT 4260**

Product code: 000000000000156544

Version 7.0 SDS\_APJ\_MY

Revision Date 23.10.2024

Print Date 30.10.2024

potential dust explosion hazard.  
Take measures to prevent the build up of electrostatic charge.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

**Special protective equipment and precautions for fire-fighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Specific extinguishing methods : Standard procedure for chemical fires.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**SECTION 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

**SECTION 7: Handling and storage****Handling****Precautions for safe handling**

Advice on protection against fire and explosion : Avoid dust formation.  
Provide appropriate exhaust ventilation at places where dust is formed.

Use explosion-proof ventilating equipment.

Advice on safe handling : Avoid spillage on floor as the product can become very slippery when wet.  
Avoid formation of respirable particles.  
Do not breathe vapours/dust.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

**Storage****Conditions for safe storage, including any incompatibilities**

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

## BYK-MAX CT 4260

Product code: 000000000000156544

Version 7.0 SDS\_APJ\_MY

Revision Date 23.10.2024

Print Date 30.10.2024

Further information on storage stability : Electrical installations / working materials must comply with the technological safety standards.  
: Keep in a dry place.  
: No decomposition if stored and applied as directed.

### SECTION 8: Exposure controls and personal protection

#### Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz (SiO <sub>2</sub> )	14808-60-7	TWA (Respirable fraction)	0.1 mg/m <sup>3</sup>	MY PEL
		TWA (Respirable fraction)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH

**Appropriate engineering controls** : Use explosion-proof ventilating equipment.  
: Maintain air concentrations below occupational exposure standards.

#### Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Eye wash bottle with pure water  
: Tightly fitting safety goggles

Skin protection : Dust impervious protective suit  
: Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection  
Material : Protective gloves

Remarks : Use protective skin cream before handling the product.  
: Wear suitable gloves.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.  
: Dust safety masks are recommended when the dust concentration is more than 10 mg/m<sup>3</sup>.

Filter type : Filter type P

Hygiene measures : When using do not eat or drink.  
: When using do not smoke.  
: Wash hands before breaks and at the end of workday.

### SECTION 9: Physical and chemical properties

Appearance : powder

Colour : off-white

Odour : odourless

Odour Threshold : Not applicable

pH : 4 - 6 (20 °C)

**BYK-MAX CT 4260**

Product code: 00000000000156544

Version 7.0 SDS\_APJ\_MY

Revision Date 23.10.2024

Print Date 30.10.2024

	Concentration: 1 %
	Method: Universal pH-value indicator
Melting point/ range	: Not applicable
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Combustible Solids
Upper explosion limit / Upper flammability limit	: Not applicable
Lower explosion limit / Lower flammability limit	: 85 g/m <sup>3</sup>
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data available
Density	: 1.6 g/cm <sup>3</sup> (20 °C, 1,013 hPa) Method: No information available.
Bulk density	: 320 - 413 kg/m <sup>3</sup> Pour density
Solubility(ies)	
Water solubility	: insoluble
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: 190 °C Ignition temperature dust layer
Decomposition temperature	: Not applicable
Viscosity	
Viscosity, dynamic	: Not applicable
Dust deflagration index (Kst)	: 147 m.b_/s
Dust explosion class	: St1
Minimum ignition energy	: 3 - 10 mJ with inductivity  350 mJ without inductivity

**SECTION 10: Stability and reactivity**

**BYK-MAX CT 4260**

Product code: 000000000000156544

Version 7.0 SDS\_APJ\_MY

Revision Date 23.10.2024

Print Date 30.10.2024

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Keep away from open flames, hot surfaces and sources of ignition. Exposure to air or moisture over prolonged periods.
Incompatible materials	:	Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information**

Information on likely routes of exposure : None known.

**Acute toxicity****Product:**

Acute oral toxicity : Remarks: No data available

**Skin corrosion/irritation****Product:**

Remarks : No data available

**Serious eye damage/eye irritation****Product:**

Remarks : No data available

**Respiratory or skin sensitisation****Product:**

Remarks : No data available

**Germ cell mutagenicity****Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Carcinogenicity****Product:**

Remarks : No data available

**BYK-MAX CT 4260**

Product code: 000000000000156544

Version 7.0 SDS\_APJ\_MY

Revision Date 23.10.2024

Print Date 30.10.2024

**Reproductive toxicity****Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**STOT - single exposure****Product:**

Remarks : No data available

**STOT - repeated exposure****Product:**

Remarks : No data available

**Repeated dose toxicity****Product:**

Remarks : No data available

**Aspiration toxicity****Product:**

No data available

**Further information****Product:**

Remarks : No data available

---

**SECTION 12: Ecological information****Ecotoxicity****Product:**

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

**Persistence and degradability****Product:**

Biodegradability : Remarks: No data available

**BYK-MAX CT 4260**

Product code: 000000000000156544

Version 7.0 SDS\_APJ\_MY

Revision Date 23.10.2024

Print Date 30.10.2024

**Bioaccumulative potential**
**Product:**

Bioaccumulation : Remarks: No data available

**Mobility in soil**

No data available

**Other adverse effects**
**Product:**

Additional ecological information : No data available

**SECTION 13: Disposal information**
**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

**SECTION 14: Transport information**
**International Regulations**
**UNRTDG**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

**IATA-DGR**

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

**IMDG-Code**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable

## BYK-MAX CT 4260

Product code: 000000000000156544

Version 7.0 SDS\_APJ\_MY

Revision Date 23.10.2024

Print Date 30.10.2024

Labels : Not applicable  
 EmS Code : Not applicable  
 Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

Not applicable

## SECTION 15: Regulatory information

### Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

## SECTION 16: Other information

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 MY PEL : Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

ACGIH / TWA : 8-hour, time-weighted average  
 MY PEL / TWA : Eight-hour time-weighted average airborne concentration

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines

**BYK-MAX CT 4260**

Product code: 000000000000156544

Version 7.0 SDS\_APJ\_MY

Revision Date 23.10.2024

Print Date 30.10.2024

Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MY / EN