

CERAFLOUR 921

Version 9

Revision Date 04/21/2026

Print Date 04/30/2026

SECTION 1. IDENTIFICATION

Product name : CERAFLOUR 921

Manufacturer or supplier's detailsCompany : BYK USA LLC
524 South Cherry Street
Wallingford CT 06492

Telephone : (203) 265-2086

Visit our web site : www.byk.comE-mail address : BRIEF.BYK.NAFTA@altana.comEmergency telephone : 203-265-2086; CHEMTREC 1-800-424-9300 / +1
number : 703-527-3887**Recommended use of the chemical and restrictions on use**

Recommended use : Wax Additive

Restrictions on use : Refer to Section 15 for any restrictions that may apply

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Combustible dust :

Skin sensitisation : Category 1

Carcinogenicity : Category 1A

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : May form combustible dust concentrations in air.
H317 May cause an allergic skin reaction.
H350 May cause cancer.Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

CERAFLOUR 921

Version 9

Revision Date 04/21/2026

Print Date 04/30/2026

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
 Chemical nature : Micronized organic polymer

Hazardous components

| Component | CAS-No. | Concentration (%) |
|--------------|---------|-------------------|
| Formaldehyde | 50-00-0 | >= 0.1 - < 1 |

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
 If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact : Flush eyes with water as a precaution.
 Remove contact lenses.
 Protect unharmed eye.
 Keep eye wide open while rinsing.
 If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.
 Keep respiratory tract clear.
 Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.
 Take victim immediately to hospital.

Most important symptoms and effects, both acute and : No information available.

CERAFLOUR 921

Version 9

Revision Date 04/21/2026

Print Date 04/30/2026

delayed

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Will not explode on mechanical impact.
Cool closed containers exposed to fire with water spray.
Keep dust to a minimum to avoid potential formation of explosive air/dust mixture.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Fluorinated hydrocarbons
- Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

CERAFLOUR 921

Version 9

Revision Date 04/21/2026

Print Date 04/30/2026

- Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Keep away from oxidizing agents.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|--------------|---------|----------------------------------|---|----------|
| Formaldehyde | 50-00-0 | C | 0.3 ppm | ACGIH |
| Formaldehyde | | TWA | 0.75 ppm | OSHA Z-1 |
| Formaldehyde | | STEL | 2 ppm | OSHA Z-2 |

Further occupational exposure limits

| Description | Value type | Control parameters | Basis |
|------------------------|------------|---|----------|
| inert or nuisance dust | TWA | 50Million particles per cubic foot total dust | OSHA Z-3 |
| | TWA | 15 mg/m3 total dust | OSHA Z-3 |
| | TWA | 5 mg/m3 respirable fraction | OSHA Z-3 |
| | TWA | 15Million particles per cubic foot respirable fraction | OSHA Z-3 |

Engineering measures : Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : Unless air monitoring demonstrates vapor/mist/dust levels are below the PEL/TLV wear a properly fitted respirator (NIOSH approved) or dust mask during exposure.
In the case of dust or aerosol formation use respirator with an approved filter.
Dust safety masks are recommended when the dust concentration is more than 10 mg/m3.

Hand protection
Material : Neoprene gloves

CERAFLOUR 921

Version 9

Revision Date 04/21/2026

Print Date 04/30/2026

| | |
|--------------------------|---|
| Remarks | : The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Eye protection | : Eye wash bottle with pure water Tightly fitting safety goggles |
| Skin and body protection | : Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Hygiene measures | : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|--|
| Physical state | : micropowder |
| Colour | : white |
| Odour | : characteristic |
| Odour Threshold | : No data available |
| pH | : insoluble |
| Melting point/freezing point | : No data available |
| Initial boiling point and boiling range | : No data available |
| Vapour pressure | : No data available |
| Flash point | : > 392 °F (> 200 °C) |
| Upper explosion limit | : No data available |
| Lower explosion limit | : No data available |
| Evaporation rate | : No data available |
| Flammability (solid, gas) | : May form combustible dust concentrations in air. |
| Relative vapour density | : No data available |
| Relative Density/Specific Gravity | : No data available |
| Particle size | : No data available |
| Density | : 1.47 g/cm ³ (68 °F (20 °C)) |
| Solubility(ies) | |
| Water solubility | : insoluble |
| Solubility in other solvents | : No data available |

CERAFLOUR 921

Version 9

Revision Date 04/21/2026

Print Date 04/30/2026

| | | |
|--|---|-------------------|
| Partition coefficient: n-octanol/water | : | No data available |
| Ignition temperature | : | No data available |
| Thermal decomposition | : | No data available |
| Viscosity | : | |
| Viscosity, dynamic | : | No data available |
| Viscosity, kinematic | : | Not applicable |

SECTION 10. STABILITY AND REACTIVITY

| | | |
|------------------------------------|---|---|
| Reactivity | : | No decomposition if stored and applied as directed. |
| Chemical stability | : | No decomposition if stored and applied as directed. |
| Possibility of hazardous reactions | : | No decomposition if stored and applied as directed. |
| | | Dust may form explosive mixture in air. |
| Conditions to avoid | : | No data available |
| Incompatible materials | : | Strong oxidizing agents |
| Hazardous decomposition products | : | No data available |

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Ingestion
Eyes
Skin Absorption
Skin contact

Acute toxicity**Skin corrosion/irritation****Product:**

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation**Product:**

Remarks: Product dust may be irritating to eyes, skin and respiratory system.

Respiratory or skin sensitisation**Product:**

CERAFLOUR 921

Version 9

Revision Date 04/21/2026

Print Date 04/30/2026

Remarks: Causes sensitisation.

Carcinogenicity

| | | |
|-------------|--|---------|
| IARC | Group 1: Carcinogenic to humans | |
| | Formaldehyde | 50-00-0 |
| OSHA | OSHA specifically regulated carcinogen | |
| | Formaldehyde | 50-00-0 |
| NTP | Known to be human carcinogen | |
| | Formaldehyde | 50-00-0 |

Repeated dose toxicity

Product:

Remarks: Formaldehyde is identified by the NTP, IARC and OSHA as a carcinogen. Specifically, formaldehyde causes cancer to the nasal and sinus cavities. Formaldehyde is also considered a respiratory sensitizer.

Experience with human exposure

Product:

| | | |
|---------------|-----------|---|
| Inhalation: | Symptoms: | Dust particles may cause irritation of the respiratory tract. |
| Skin contact: | Symptoms: | Contact will probably cause irritation; may cause skin sensitization. |
| Eye contact: | Symptoms: | Contact will probably cause severe irritation. |
| Ingestion: | Symptoms: | Ingestion will probably cause irritation of the digestive tract. |

Further information

Product:

Remarks: No data available

CERAFLOUR 921

Version 9

Revision Date 04/21/2026

Print Date 04/30/2026

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish :
Remarks: No data available

Persistence and degradability**Product:**

Biodegradability : Remarks: No data available

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

EPA Hazardous Waste Code(s) : Not applicable.

Waste from residues : Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.
Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.

CERAFLOUR 921

Version 9

Revision Date 04/21/2026

Print Date 04/30/2026

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

US. EPA CERCLA Hazardous Substances (40 CFR 302)

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|--------------|---------|-----------------------|--------------------------------|
| Formaldehyde | 50-00-0 | 100 | 20408 |

SARA 304 - Emergency Release Notification

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|--------------|---------|-----------------------|--------------------------------|
| Formaldehyde | 50-00-0 | 100 | 20408 |

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|--------------|---------|-----------------------|--------------------------------|
| Formaldehyde | 50-00-0 | 100 | 20408 |

SARA 311/312 Hazards

: Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for reporting purposes.

CERAFLOUR 921

Version 9

Revision Date 04/21/2026

Print Date 04/30/2026

SARA 302 : The following components are subject to reporting levels established by SARA Title III, Section 302:

| | | |
|--------------|---------|------|
| Formaldehyde | 50-00-0 | .4 % |
|--------------|---------|------|

SARA 313 : This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

| | | |
|--------------|---------|------|
| Formaldehyde | 50-00-0 | .4 % |
|--------------|---------|------|

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Massachusetts Right To Know

| | |
|--------------|---------|
| Formaldehyde | 50-00-0 |
|--------------|---------|

Pennsylvania Right To Know

| | |
|--------------|-----------|
| Polymer | - |
| Water | 7732-18-5 |
| Formaldehyde | 50-00-0 |

New Jersey Right To Know

New Jersey Trade Secret Registry Number for the product (NJ TSRN) : 800963-5718

California Prop. 65

⚠ WARNING: This product can expose you to chemicals including Formaldehyde, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

Section 5a : No substances are subject to a Significant New Use Rule.

Section 4 / 12(b) : No substances are subject to TSCA 12(b) export notification requirements.

CERAFLOUR 921

Version 9

Revision Date 04/21/2026

Print Date 04/30/2026

DSL

: We certify that all of the components of this product are listed on the DSL.

SECTION 16. OTHER INFORMATION

Revision Date : 04/21/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.