

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## OPTIBENT-7925

Version 2.0

SDB\_MT

Revision Date: 08.05.2023

Date of last issue: 07.07.2022

Print Date 02.08.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : OPTIBENT-7925  
Product code : 000000000000138043

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Rheology Additive

#### 1.3 Details of the supplier of the safety data sheet

Company : BYK-Chemie GmbH  
Abelstrasse 45  
46483 Wesel  
Telephone : +49 281 670-0  
Telefax : +49 281 65735  
  
Information : Regulatory Affairs  
Telephone : +49 281 670-23532  
Telefax : +49 281 670-23533  
E-mail address : GHS.BYK@altana.com

#### 1.4 Emergency telephone number

+44 1235 239670

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture.

#### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture.

#### **Additional Labelling**

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## OPTIBENT-7925

Version 2.0

SDB\_MT

Revision Date: 08.05.2023

Date of last issue: 07.07.2022

Print Date 02.08.2023

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

The product contains less than 1% w/w RCS (respirable crystalline silica) as determined by the SWeRF method. The respirable crystalline silica content can be measured using the "Size-Weighted Respirable Fraction – SWeRF" method. All details about the SWeRF method is available at [www.crystallinesilica.eu](http://www.crystallinesilica.eu).

Depending on the handling and use (grinding, drying, bagging), airborne respirable dust may be generated. Dust contains respirable crystalline silica. Prolonged and or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis. Principal symptoms of silicosis are cough and breathlessness. Occupational exposure to respirable dust should be monitored and controlled. The product should be handled using methods and techniques that minimize or eliminate dust generation.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : Activated Bentonite

##### Components

| Chemical name                                                         | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                                                                                                                                                                                                                            | Concentration<br>(% w/w) |
|-----------------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 68439-57-6<br>270-407-8<br>01-2119513401-57           | Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br><br>specific concentration limit<br>Skin Irrit. 2; H315<br>38 %<br>Eye Dam. 1; H318<br>38 %<br>Skin Irrit. 2; H315<br>5 - 38 %<br>Eye Irrit. 2; H319<br>5 - 38 %<br>Skin Irrit. 2; H315<br>5 % | >= 3 - < 5               |

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## OPTIBENT-7925

Version 2.0

SDB\_MT

Revision Date: 08.05.2023

Date of last issue: 07.07.2022

Print Date 02.08.2023

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                            |   |                                                                                                                                                                                   |
|----------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice             | : | Do not leave the victim unattended.                                                                                                                                               |
| <br>If inhaled             | : | <br>If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                                                 |
| <br>In case of eye contact | : | <br>Remove contact lenses.<br>Protect unharmed eye.<br>If eye irritation persists, consult a specialist.                                                                          |
| <br>If swallowed           | : | <br>Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician. |

#### 4.2 Most important symptoms and effects, both acute and delayed

- |           |   |                               |
|-----------|---|-------------------------------|
| Symptoms  | : | No information available.     |
| <br>Risks | : | <br>No information available. |

#### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |                           |
|-----------|---|---------------------------|
| Treatment | : | No information available. |
|-----------|---|---------------------------|

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- |                                    |   |                                                                             |
|------------------------------------|---|-----------------------------------------------------------------------------|
| Suitable extinguishing media       | : | Foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical<br><br>Water mist |
| <br>Unsuitable extinguishing media | : | <br>High volume water jet                                                   |

#### 5.2 Special hazards arising from the substance or mixture

- |                               |   |                                   |
|-------------------------------|---|-----------------------------------|
| Hazardous combustion products | : | The product itself does not burn. |
|-------------------------------|---|-----------------------------------|

#### 5.3 Advice for firefighters

- |                                               |   |                                                                                                             |
|-----------------------------------------------|---|-------------------------------------------------------------------------------------------------------------|
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary.                                      |
| <br>Further information                       | : | <br>Standard procedure for chemical fires.<br>Use extinguishing measures that are appropriate to local cir- |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## OPTIBENT-7925

Version 2.0

SDB\_MT

Revision Date: 08.05.2023

Date of last issue: 07.07.2022

Print Date 02.08.2023

cumstances and the surrounding environment.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.  
Use personal protective equipment.  
Avoid breathing dust.

#### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.  
Pick up and arrange disposal without creating dust.  
Sweep up and shovel.  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Hygiene measures : General industrial hygiene practice.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : No materials to be especially mentioned.

Further information on storage stability : Keep in a dry place.  
No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

Specific use(s) : No data available

## OPTIBENT-7925

Version 2.0  
SDB\_MT

Revision Date: 08.05.2023

Date of last issue: 07.07.2022  
Print Date 02.08.2023

---

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

##### Personal protective equipment

Eye protection : Safety glasses

Hand protection  
Material : Protective gloves

Skin and body protection : Protective suit

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.  
Dust safety masks are recommended when the dust concentration is more than 10 mg/m<sup>3</sup>.

No personal respiratory protective equipment normally required.

##### Environmental exposure controls

General advice : Try to prevent the material from entering drains or water courses.

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state : powder

Colour : off-white

Odour : odourless

Odour Threshold : Not applicable

: Not applicable

Boiling point/boiling range :  $\geq 1.000$  °C

Flammability : May form combustible dust concentrations in air.

Upper explosion limit / Upper flammability limit : Not applicable

Lower explosion limit / Lower flammability limit : Not applicable

Flash point : Not applicable

Auto-ignition temperature : 390 °C

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## OPTIBENT-7925

Version 2.0

SDB\_MT

Revision Date: 08.05.2023

Date of last issue: 07.07.2022

Print Date 02.08.2023

Ignition temperature dust layer

|                              |   |                                    |
|------------------------------|---|------------------------------------|
| Decomposition temperature    | : | Not applicable                     |
| pH                           | : | 10,6 (23 °C)<br>Concentration: 2 % |
| Viscosity                    |   |                                    |
| Viscosity, dynamic           | : | Not applicable                     |
| Viscosity, kinematic         | : | Not applicable                     |
| Solubility(ies)              |   |                                    |
| Water solubility             | : | partly soluble                     |
| Solubility in other solvents | : | partly soluble                     |
| Vapour pressure              | : | Not applicable                     |
| Density                      | : | 2,6 g/cm <sup>3</sup>              |
| Bulk density                 | : | 500 - 1.100 kg/m <sup>3</sup>      |
| Relative vapour density      | : | Not applicable                     |

### 9.2 Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
Dust may form explosive mixture in air.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : None known.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## OPTIBENT-7925

Version 2.0

SDB\_MT

Revision Date: 08.05.2023

Date of last issue: 07.07.2022

Print Date 02.08.2023

---

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

**Product:**

Acute oral toxicity : Remarks: No data available

##### Skin corrosion/irritation

**Product:**

Remarks : No data available

##### Serious eye damage/eye irritation

**Product:**

Remarks : No data available

##### Respiratory or skin sensitisation

**Product:**

Remarks : No data available

##### Repeated dose toxicity

**Product:**

Remarks : No data available

#### 11.2 Information on other hazards

##### Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

##### Further information

**Product:**

Remarks : This product contains <1% crystalline silica. The respirable crystalline silica as determined by the SWeRF method is <1% w/w. See section 2.3

## OPTIBENT-7925

Version 2.0  
SDB\_MT

Revision Date: 08.05.2023

Date of last issue: 07.07.2022  
Print Date 02.08.2023

---

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Product:**

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

#### 12.2 Persistence and degradability

**Product:**

Biodegradability : Remarks: No data available

#### 12.3 Bioaccumulative potential

**Product:**

Bioaccumulation : Remarks: No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

**Product:**

Additional ecological information : No data available

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Contaminated packaging : Empty containers should be taken to an approved waste han-



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## OPTIBENT-7925

Version 2.0

SDB\_MT

Revision Date: 08.05.2023

Date of last issue: 07.07.2022

Print Date 02.08.2023

ding site for recycling or disposal.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

#### 15.2 Chemical safety assessment

Not applicable

### SECTION 16: Other information

Items where relevant changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of H-Statements

H315 : Causes skin irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## OPTIBENT-7925

Version 2.0

SDB\_MT

Revision Date: 08.05.2023

Date of last issue: 07.07.2022

Print Date 02.08.2023

H318 : Causes serious eye damage.

### Full text of other abbreviations

Eye Dam. : Serious eye damage

Skin Irrit. : Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Training advice : Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.

Other information : In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its bio-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## OPTIBENT-7925

Version 2.0

SDB\_MT

Revision Date: 08.05.2023

Date of last issue: 07.07.2022

Print Date 02.08.2023

logical activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003)

According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MT / EN