

BYK-081

Version 6

Revision Date 03/20/2026

Print Date 04/30/2026

SECTION 1. IDENTIFICATION

Product name : BYK-081

Manufacturer or supplier's detailsCompany : BYK USA LLC
524 South Cherry Street
Wallingford CT 06492

Telephone : (203) 265-2086

Visit our web site : www.byk.comE-mail address : BRIEF.BYK.NAFTA@altana.comEmergency telephone : 203-265-2086; CHEMTREC 1-800-424-9300 / +1
number : 703-527-3887**Recommended use of the chemical and restrictions on use**

Recommended use : Defoamer

Restrictions on use : Refer to Section 15 for any restrictions that may apply

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Non aqueous emulsion of a polysiloxane

Hazardous components

| Component | CAS-No. | Concentration (%) |
|-------------------|-----------|-------------------|
| 1,2-Propanediol | 57-55-6 | >= 10 - < 30 |
| Silica, amorphous | 7631-86-9 | >= 1 - < 5 |

SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.

If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. Wash thoroughly with soap

BYK-081

Version 6

Revision Date 03/20/2026

Print Date 04/30/2026

- In case of eye contact : and water. If irritation develops, get medical aid.
: Remove contact lenses.
Protect unharmed eye.
- If swallowed : If eye irritation persists, consult a specialist.
: Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Will not explode on mechanical impact.
Cool closed containers exposed to fire with water spray.
- Hazardous combustion products : Carbon oxides
silicone compounds
formaldehyde
- Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.

BYK-081

Version 6

Revision Date 03/20/2026

Print Date 04/30/2026

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-------------------|-----------|----------------------------------|---|-----------|
| 1,2-Propanediol | 57-55-6 | TWA | 10 mg/m ³ | US WEEL |
| Silica, amorphous | 7631-86-9 | TWA (Dust) | 20 Million particles per cubic foot (Silica) | OSHA Z-3 |
| Silica, amorphous | | TWA (Dust) | 80 mg/m ³ / %SiO ₂ (Silica) | OSHA Z-3 |
| Silica, amorphous | | TWA | 6 mg/m ³ (Silica) | NIOSH REL |
| Silica, amorphous | | TWA (Respirable dust) | 0.05 mg/m ³ (Silica) | NIOSH REL |
| Silica, amorphous | | PEL (respirable) | 0.05 mg/m ³ | OSHA CARC |

Engineering measures : Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Material : Impervious gloves

Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Safety glasses

Skin and body protection

: Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective suit

Hygiene measures

: General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : dispersion

Colour : white, cloudy

Odour : characteristic

Odour Threshold : No data available

pH

: 7, Concentration: 1 % (68 °F (20 °C)) Method: Universal pH-value indicator

BYK-081

Version 6

Revision Date 03/20/2026

Print Date 04/30/2026

| | |
|--|--|
| Melting point/ range | : < 32 °F (< 0 °C) Method: derived |
| Initial boiling point | : > 212 °F (> 100 °C) Method: derived |
| Vapour pressure | : < 1.000 hPa (68 °F (20 °C)) Method: derived |
| Flash point | : > 212 °F (> 100 °C) Method: 49 (Pensky-Martens) |
| Upper explosion limit | : No data available |
| Lower explosion limit | : No data available |
| Evaporation rate | : No data available |
| Relative vapour density | : No data available |
| Relative Density/Specific Gravity | : No data available |
| Density | : 1.059 g/cm ³ (68 °F (20 °C)) Method: 4 deaerated (20°C oscillating U-tube) |
| Bulk density | : Not applicable |
| Solubility(ies) | |
| Water solubility | : immiscible |
| Solubility in other solvents | : No data available |
| Partition coefficient: n-octanol/water | : No data available |
| Ignition temperature | : > 392 °F (> 200 °C) Method: M0062 (Analytics Wesel) |
| Thermal decomposition | : No data available |
| Viscosity | |
| Viscosity, dynamic | : 2,624 mPa.s (68 °F (20 °C)) Method: P/K 20°C |
| Viscosity, kinematic | : No data available |
| Surface tension | : No data available |

BYK-081

Version 6

Revision Date 03/20/2026

Print Date 04/30/2026

SECTION 10. STABILITY AND REACTIVITY

| | |
|------------------------------------|---|
| Reactivity | : No decomposition if stored and applied as directed. |
| Chemical stability | : No decomposition if stored and applied as directed. |
| Possibility of hazardous reactions | : Stable under recommended storage conditions. No hazards to be specially mentioned. |
| Conditions to avoid | : No data available |
| Incompatible materials | : Strong oxidizing agents |
| Hazardous decomposition products | : No decomposition if stored and applied as directed. |

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Ingestion
Eyes
Skin Absorption
Skin contact

Acute toxicity**Product:**

Acute oral toxicity : Remarks: No data available

Components:**7631-86-9 Silica, amorphous:**

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 58.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes

Skin corrosion/irritation**Product:**

Remarks: No data available

Components:**7631-86-9 Silica, amorphous:**

Species: Rabbit
Result: No skin irritation

BYK-081

Version 6

Revision Date 03/20/2026

Print Date 04/30/2026

Serious eye damage/eye irritation**Product:**

Remarks: No data available

Components:**7631-86-9 Silica, amorphous:**

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation**Product:**

Remarks: No data available

Germ cell mutagenicity**Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity**Product:**

Remarks: No data available

| | | |
|-------------|--|-----------|
| IARC | Group 1: Carcinogenic to humans | |
| | Silica, amorphous | 7631-86-9 |
| OSHA | OSHA specifically regulated carcinogen | |
| | Silica, amorphous | 7631-86-9 |
| NTP | Known to be human carcinogen | |
| | Silica, amorphous | 7631-86-9 |

Reproductive toxicity**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

BYK-081

Version 6

Revision Date 03/20/2026

Print Date 04/30/2026

STOT - single exposure**Product:**

Remarks: No data available

STOT - repeated exposure**Product:**

Remarks: No data available

Repeated dose toxicity**Product:**

Remarks: No known chronic health effects.

Aspiration toxicity**Product:**

No data available

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**Toxicity to fish :
Remarks: No data availableToxicity to daphnia and other :
aquatic invertebrates Remarks: No data available**Persistence and degradability****Product:**

Biodegradability : Remarks: No data available

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: No data available

Mobility in soil

No data available

BYK-081

Version 6

Revision Date 03/20/2026

Print Date 04/30/2026

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

EPA Hazardous Waste Code(s) : Not applicable.

Waste from residues : Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****US. EPA CERCLA Hazardous Substances (40 CFR 302)**

This material does not contain any components with a CERCLA RQ.

SARA 304 - Emergency Release Notification

BYK-081

Version 6

Revision Date 03/20/2026

Print Date 04/30/2026

This material does not contain any components with a section 304 EHS RQ.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

This material does not contain any components with a SARA 302 RQ.

SARA 311/312 Hazards : Per the June 13, 2016 Federal Register notice, EPA harmonized the EPCRA 311/312 hazard categories with the 2012 OSHA hazard communication standard for classifying and labeling of chemicals (i.e. GHS). Please refer to Section 2 of the SDS to identify the appropriate hazard categories for reporting purposes.

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489):

| | | |
|-----------------|---------|------|
| 1,2-Propanediol | 57-55-6 | 10 % |
|-----------------|---------|------|

Non-volatile (Wt) : 92.9 %
 Method: 22 (10min/150°C)
 DIN EN ISO 3251
 Non-volatile information is not a specification.

Massachusetts Right To Know

| | |
|-------------------|-----------|
| Silica, amorphous | 7631-86-9 |
| Formaldehyde | 50-00-0 |
| Propylene oxide | 75-56-9 |
| 1,4-Dioxane | 123-91-1 |
| Ethylene oxide | 75-21-8 |

Pennsylvania Right To Know

| | |
|---|-----------|
| Oxirane, Me, polymer with oxirane monobutyl ether (polyalkylene glycol) | 9038-95-3 |
| 1,2-Propanediol | 57-55-6 |

BYK-081

Version 6

Revision Date 03/20/2026

Print Date 04/30/2026


Silica, amorphous

7631-86-9

New Jersey Right To Know

New Jersey Trade Secret Registry Number for the product (NJ TSRN) : 800963-5499

California Prop. 65

 **WARNING:** This product can expose you to chemicals including Silica, amorphous, Formaldehyde, Propylene oxide, 1,4-Dioxane, Ethylene oxide, which is/are known to the State of California to cause cancer, and Ethylene oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

- TSCA : All substances listed as active on the TSCA inventory
- Section 5a : No substances are subject to a Significant New Use Rule.
- Section 4 / 12(b) : No substances are subject to TSCA 12(b) export notification requirements.
- DSL : We certify that all of the components of this product are listed on the DSL.

SECTION 16. OTHER INFORMATION

Revision Date : 03/20/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.