

**BYK-SILCLEAN 3710**

Product code: 000000000000130100

Version 7.1 SDS\_APJ\_MY

Revision Date 12.08.2024

Print Date 14.08.2024

**SECTION 1: Identification of the hazardous chemical and of the supplier****Product identifier**

Product name : BYK-SILCLEAN 3710

Recommended use : Surface Additive

**Manufacturer or supplier's details**

Company : BYK-Chemie GmbH

Address : Abelstrasse 45  
46483 Wesel

Telephone : +49 281 670-23532

Telefax : +49 281 670-23533

E-mail address : GHS.BYK@altana.com

Emergency telephone number : +60 3 6207 4347 (Malay and English)  
+65 3158 1074 (All languages)**SECTION 2: Hazards identification****Classification of the hazardous chemical**

Hazardous to the aquatic environment - chronic hazard : Category 3

**Label elements**

Hazard pictograms : None

Signal word : None

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P273 Avoid release to the environment.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**SECTION 3: Composition and information of the ingredients of the hazardous chemical**

Substance / Mixture : Mixture

Chemical nature : Polyether modified acryl functional polydimethylsiloxane

**Components**

| Chemical name              | CAS-No.  | Concentration (% w/w) |
|----------------------------|----------|-----------------------|
| acrylic acid               | 79-10-7  | $\geq 0.5$ - $< 1$    |
| 2,6-di-tert-butyl-p-cresol | 128-37-0 | $\geq 0.25$ - $< 0.5$ |

**BYK-SILCLEAN 3710**

Product code: 000000000000130100

Version 7.1 SDS\_APJ\_MY

Revision Date 12.08.2024

Print Date 14.08.2024

**SECTION 4: First aid measures**

|                                                             |   |                                                                                                                                                                               |
|-------------------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                              | : | Do not leave the victim unattended.                                                                                                                                           |
| If inhaled                                                  | : | If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                                                 |
| In case of eye contact                                      | : | Remove contact lenses.<br>Protect unharmed eye.<br>If eye irritation persists, consult a specialist.                                                                          |
| If swallowed                                                | : | Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : | No information available.<br>No information available.                                                                                                                        |
| Notes to physician                                          | : | No information available.                                                                                                                                                     |

**SECTION 5: Firefighting measures****Extinguishing media**

|                                |   |                                                           |
|--------------------------------|---|-----------------------------------------------------------|
| Suitable extinguishing media   | : | Foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical |
| Unsuitable extinguishing media | : | High volume water jet                                     |

**Physicochemical hazards arising from the chemical**

|                                      |   |                                                                           |
|--------------------------------------|---|---------------------------------------------------------------------------|
| Specific hazards during firefighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products        | : | Carbon oxides<br>Silicon oxides                                           |

**Special protective equipment and precautions for fire-fighters**

|                                               |   |                                                                                                                                                                                                                         |
|-----------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special protective equipment for firefighters | : | Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                  |
| Specific extinguishing methods                | : | Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

**SECTION 6: Accidental release measures**

|                                                                     |   |                                                                                                                                |
|---------------------------------------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.                                                                                             |
| Environmental precautions                                           | : | Prevent product from entering drains.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for                                           | : | Neutralize with chalk, alkali solution or ammonia.                                                                             |

**BYK-SILCLEAN 3710**

Product code: 000000000000130100

Version 7.1 SDS\_APJ\_MY

Revision Date 12.08.2024

Print Date 14.08.2024

containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.**SECTION 7: Handling and storage****Handling****Precautions for safe handling**

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.**Storage****Conditions for safe storage, including any incompatibilities**Conditions for safe storage : Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

**SECTION 8: Exposure controls and personal protection****Control parameters**

| Components                 | CAS-No.                   | Value type<br>(Form of exposure)      | Control parameters /<br>Permissible concentration | Basis  |
|----------------------------|---------------------------|---------------------------------------|---------------------------------------------------|--------|
| acrylic acid               | 79-10-7                   | TWA                                   | 2 ppm<br>5.9 mg/m <sup>3</sup>                    | MY PEL |
|                            | Further information: Skin |                                       |                                                   |        |
|                            |                           | TWA                                   | 2 ppm                                             | ACGIH  |
| 2,6-di-tert-butyl-p-cresol | 128-37-0                  | TWA                                   | 10 mg/m <sup>3</sup>                              | MY PEL |
|                            |                           | TWA<br>(Inhalable fraction and vapor) | 2 mg/m <sup>3</sup>                               | ACGIH  |

**Individual protection measures, such as personal protective equipment (PPE)**

Eye/face protection : Safety glasses

Skin protection : Protective suit

Hand protection

Material : Nitrile rubber

Break through time : &gt; 120.00 min

Remarks : Wear suitable gloves.

Respiratory protection : No personal respiratory protective equipment normally

**BYK-SILCLEAN 3710**

Product code: 000000000000130100

Version 7.1 SDS\_APJ\_MY

Revision Date 12.08.2024

Print Date 14.08.2024

Hygiene measures : required.  
General industrial hygiene practice.

**SECTION 9: Physical and chemical properties**

Appearance : liquid

Colour : brown

Odour : characteristic

Odour Threshold : No data available

pH : 4 (20 °C)  
Concentration: 10 %  
Method: Universal pH-value indicator

Melting point/freezing point : No data available

Initial boiling point and boiling range : > 100.00 °C  
Method: derived

Flash point : 101 °C  
Method: 49 (Pensky-Martens)

Evaporation rate : No data available

Flammability (liquids) : Sustains combustion

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : < 1 hPa (20.00 °C)  
Method: derived

Relative vapour density : No data available

Relative density : No data available

Density : 1.0400 g/cm<sup>3</sup> (20.00 °C)  
Method: 4 (20°C oscillating U-tube)

Bulk density : Not applicable

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

**BYK-SILCLEAN 3710**

Product code: 000000000000130100

Version 7.1 SDS\_APJ\_MY

Revision Date 12.08.2024

Print Date 14.08.2024

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Surface tension : No data available

**SECTION 10: Stability and reactivity**

Reactivity : No decomposition if stored and applied as directed.  
Chemical stability : No decomposition if stored and applied as directed.  
Possibility of hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.

Conditions to avoid : No data available  
Incompatible materials : Strong oxidizing agents  
Metals  
Peroxides

Hazardous decomposition products : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information**

Information on likely routes of exposure : None known.

**Acute toxicity****Product:**

Acute oral toxicity : Remarks: No data available

**Components:****2,6-di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

**Skin corrosion/irritation****Product:**

Remarks : No data available

**Serious eye damage/eye irritation****Product:**

Remarks : No data available

**BYK-SILCLEAN 3710**

Product code: 000000000000130100

Version 7.1 SDS\_APJ\_MY

Revision Date 12.08.2024

Print Date 14.08.2024

**Respiratory or skin sensitisation****Product:**

Remarks : No data available

**Germ cell mutagenicity****Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Carcinogenicity****Product:**

Remarks : No data available

**Reproductive toxicity****Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

**STOT - single exposure****Product:**

Remarks : No data available

**STOT - repeated exposure****Product:**

Remarks : No data available

**Repeated dose toxicity****Product:**

Remarks : No data available

**Aspiration toxicity****Product:**

No data available

**Further information****Product:**

Remarks : No data available

**BYK-SILCLEAN 3710**

Product code: 000000000000130100

Version 7.1 SDS\_APJ\_MY

Revision Date 12.08.2024

Print Date 14.08.2024

**SECTION 12: Ecological information****Ecotoxicity****Product:**

Toxicity to fish :  
Remarks: No data available

**Components:****acrylic acid:**

M-Factor (Acute aquatic toxicity) : 1

**2,6-di-tert-butyl-p-cresol:**

Toxicity to fish : LC50: 199 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.42 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: Regulation (EC) No. 440/2008, Annex, C.3  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

**Persistence and degradability****Product:**

Biodegradability : Remarks: No data available

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: No data available

**Mobility in soil**

No data available

**Other adverse effects****Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

**BYK-SILCLEAN 3710**

Product code: 000000000000130100

Version 7.1 SDS\_APJ\_MY

Revision Date 12.08.2024

Print Date 14.08.2024

**SECTION 13: Disposal information****Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

**SECTION 14: Transport information****International Regulations****UNRTDG**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

**IATA-DGR**

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

**IMDG-Code**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

Not applicable

**SECTION 15: Regulatory information****Safety, health, and environmental regulations specific for the hazardous chemical**

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.



**BYK-SILCLEAN 3710**

Product code: 000000000000130100

Version 7.1 SDS\_APJ\_MY

Revision Date 12.08.2024

Print Date 14.08.2024

**SECTION 16: Other information**

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
MY PEL : Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

ACGIH / TWA : 8-hour, time-weighted average  
MY PEL / TWA : Eight-hour time-weighted average airborne concentration

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MY / EN