

DISPERBYK-109Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026**Section 1: Identification**

Product name : DISPERBYK-109
Product code : 000000000000107046

Manufacturer or supplier's details

Company : BYK-Chemie GmbH

Address : Abelstrasse 45
46483 WeselTelephone : +49 281 670-23532
Telefax : +49 281 670-23533
E-mail address : GHS.BYK@altana.comEmergency telephone number : 0800 446 881 (toll-free number, access from New Zealand only)
+64 9 929 1483**Importer**Company : Alchemy Agencies Ltd
Level 2, 20 Centre St
Freemans Bay
Auckland 1010 NZ
Tel: +64(0)93770613

Use of the Substance/Mixture : Wetting & Dispersing Additive

Section 2: Hazard identification**GHS Classification**

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Specific target organ toxicity - repeated exposure : Category 2

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

GHS label elements

DISPERBYK-109

Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	<p>Prevention:</p> P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. <p>Response:</p> P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P314 Get medical advice/ attention if you feel unwell. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. <p>Disposal:</p> P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture	:	Substance
Chemical nature	:	High molecular weight Alkylolamino amide

Components

Chemical name	CAS-No.	Concentration (% w/w)
Fatty acids, tall-oil, reaction products with 2-[(2-aminoethyl)amino]ethanol	68919-76-6	>= 50 -<= 100

Section 4: First-aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
----------------	---	---

DISPERBYK-109

Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026

If inhaled	:	Do not leave the victim unattended. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	If symptoms persist, call a physician. If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	No information available. Causes skin irritation. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure.
Notes to physician	:	No information available.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Specific extinguishing methods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Hazchem Code	:	3Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment.
---	---	------------------------------------

DISPERBYK-109

Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

Section 7: Handling and storage

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

Section 8: Exposure controls/personal protection
Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
- Hand protection
Material : Protective gloves complying with EN 374.
- Remarks : Wear suitable gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and

DISPERBYK-109

Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026

concentration of the dangerous substance at the work place.

Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	yellow - brown
Odour	:	amine-like
Odour Threshold	:	No data available
pH	:	9 (20 °C) Concentration: 1 % Method: Universal pH-value indicator
Pour point	:	< -21 °C (1,013 hPa) Method: OECD Test Guideline 102 GLP: yes
Boiling point/boiling range	:	> 400 °C (1,013 hPa) Method: OECD Test Guideline 103 GLP: yes
Flash point	:	> 100.00 °C Method: 49 (Pensky-Martens)
Evaporation rate	:	No data available
Flammability (liquids)	:	Sustains combustion
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	0.0000107 Pa (25.00 °C) Method: OECD Test Guideline 104 GLP: yes
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.939 g/cm ³ (20 °C, 1,013 hPa) Method: 4 (20°C oscillating U-tube) GLP: yes
Bulk density	:	Not applicable
Solubility(ies) Water solubility	:	0.0102 g/l (20 °C, 1,013 hPa)

DISPERBYK-109

Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026

	Method: OECD Test Guideline 105
	GLP: yes
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: > 200 °C Method: DIN 51794
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available

Section 10: Stability and reactivity

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Acids Strong oxidizing agents

Section 11: Toxicological information**Acute toxicity**

Not classified due to lack of data.

Components:**Fatty acids, tall-oil, reaction products with 2-[(2-aminoethyl)amino]ethanol:**

Acute oral toxicity	: LD50 Oral (Rat, female): 2,500 mg/kg Method: OECD Test Guideline 423 GLP: yes
Acute dermal toxicity	: LD50 Dermal (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 GLP: yes

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks	: May irritate skin. May cause skin irritation in susceptible persons.
---------	---

Components:**Fatty acids, tall-oil, reaction products with 2-[(2-aminoethyl)amino]ethanol:**

Species	: EPISKIN human epidermis skin constructs
Assessment	: Irritating to skin.

DISPERBYK-109

Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026

Method	:	OECD Test Guideline 439
Result	:	Skin irritation
GLP	:	yes
Species	:	EPISKIN human epidermis skin constructs
Assessment	:	not corrosive
Method	:	OECD Test Guideline 431
Result	:	not corrosive
GLP	:	yes

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:**Fatty acids, tall-oil, reaction products with 2-[(2-aminoethyl)amino]ethanol:**

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.
Assessment	:	Risk of serious damage to eyes.
Method	:	OECD Test Guideline 405
GLP	:	yes
Species	:	Bovine corneal opacity and permeability assay (BCOP)
Result	:	No eye irritation
Method	:	OECD Test Guideline 437
GLP	:	yes

Respiratory or skin sensitisation**Skin sensitisation**

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:**Fatty acids, tall-oil, reaction products with 2-[(2-aminoethyl)amino]ethanol:**

Test Type	:	Mouse Local Lymph Node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.
GLP	:	yes

Chronic toxicity**Germ cell mutagenicity**

Not classified due to lack of data.

Product:

Genotoxicity in vivo : Result: No data available

DISPERBYK-109

Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026**Components:****Fatty acids, tall-oil, reaction products with 2-[(2-aminoethyl)amino]ethanol:**

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: In vitro mammalian cell gene mutation test (mouse lymphoma)

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: In Vitro Mammalian Cell Micronucleus Test (MNvit)
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 487
Result: negative
GLP: yes

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks : No data available

Reproductive toxicity

Not classified due to lack of data.

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Not classified due to lack of data.

Product:

Remarks : No data available

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Remarks : No data available

Components:**Fatty acids, tall-oil, reaction products with 2-[(2-aminoethyl)amino]ethanol:**

Assessment : The substance or mixture is classified as specific target organ

DISPERBYK-109

Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026

toxicant, repeated exposure, category 2.

Repeated dose toxicity**Components:****Fatty acids, tall-oil, reaction products with 2-[(2-aminoethyl)amino]ethanol:**

Species : Rat, male and female
NOAEL : 20 mg/kg
Application Route : Oral
Method : OECD Test Guideline 422
GLP : No information available.

Species : Rat, male and female
NOAEL : 15 mg/kg
Application Route : Oral
Method : OECD Test Guideline 408
GLP : yes

Aspiration toxicity

Not classified due to lack of data.

Product:

No data available

Further information**Product:**

Remarks : No data available

Section 12: Ecological information**Ecotoxicity****Components:****Fatty acids, tall-oil, reaction products with 2-[(2-aminoethyl)amino]ethanol:**

Toxicity to fish : LC50 (Brachydanio rerio (Zebrafisch)): 0.3 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: No information available.

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.37 mg/l
aquatic invertebrates : Exposure time: 24 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: No information available.

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 0.03 mg/l
plants : Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

DISPERBYK-109

Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026

GLP: No information available.

M-Factor (Acute aquatic toxicity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.13 mg/l End point: Reproduction Exposure time: 21 d Method: OECD Test Guideline 211 GLP: yes
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to soil dwelling organisms	:	NOEC (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 8 Weeks End point: Reproduction Method: OECD Test Guideline 222 GLP: yes

Persistence and degradability

Components:

Fatty acids, tall-oil, reaction products with 2-[(2-aminoethyl)amino]ethanol:

Biodegradability	:	Result: Not readily biodegradable. Method: OECD Test Guideline 301B GLP: yes
------------------	---	--

Bioaccumulative potential

Components:

Fatty acids, tall-oil, reaction products with 2-[(2-aminoethyl)amino]ethanol:

Partition coefficient: n-octanol/water	:	Remarks: Not applicable
--	---	-------------------------

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.
-----------------------------------	---	--

Section 13: Disposal considerations

Disposal methods

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents.

DISPERBYK-109

Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026

Dispose of as unused product.
Do not re-use empty containers.

Section 14: Transport information**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Hydroxyalkylethenyl imidazoline)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Hydroxyalkylethenyl imidazoline)
Class : 9
Packing group : III
Labels : Miscellaneous Dangerous Goods
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Hydroxyalkylethenyl imidazoline)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : IMDG Code segregation group - none

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Hydroxyalkylethenyl imidazoline)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 3Z
Marine pollutant : yes

DISPERBYK-109Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR002503 Additives Process Chemicals and Raw Materials Subsidiary Hazard Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

Section 16: Other informationRevision Date : 14.04.2026
Date format : dd.mm.yyyy**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution

SAFETY DATA SHEET



DISPERBYK-109

Version 1.1
SDS_NZ

Revision Date: 14.04.2026

Date of last issue: 28.10.2025
Print Date 15.04.2026

Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN